#### TECH-MASTERS Trading GmbH Perfektastraße 55, A-1230 Wien Tel: +43 (0)1 / 867 29 07 office@tech-masters.com www.tech-masters.eu



# SFIX

#### FOR STRONG AND FAST BONDING OF DIFFICULT MATERIALS

- Bonds most nitril, neoprene, silicone rubbers, ABS, PVC, metals, polypropylene, polyethylene, polyolefine, even PTFE, etc.
- Very high tensile strength.
- Transparent joints.
- No measuring, weighing or mixing.



## **GENERAL INFORMATION**

S-FIX is a cyanoacrylate with low viscosity that in combination with S-FIX Primer bonds the most difficult materials. S-FIX set

#### **TECHNICAL INFORMATION**

- REACTION TIME:
- for most plastics < 2 sec.</li>
  for most rubbers < 4 sec.</li>
  for metals < 5 sec.</li>
  Usage: 1 drop = > 25 mm<sup>2</sup>.
  Content: 20 g = > 200 drops.
  Resin / main ingredient: modified Ethyl Ca.
  Colour: transparent.
  Hardening time: 1 5 sec.
  Viscosity: 20 c.p.s..
  Filling capacity: 0,1 mm.

# APPLICATION AND USE

- repair of plastic toys
- photo frames
- air fresheners
- decorative panels on furniture (P.P.)
- PP tool handles on metal
- bonding of polyurethane cord
- assembling of polyurethane parts

Article nr Name



have to be mixed.

The

Flashpoint: > 85°C. Specific gravity: 1,06. Temperature resistance: -60°C till +90°C. Complete hardening: 24 hours. Tensile strength: 25-30 N/mm<sup>2</sup>. Shear strength: 15 N/mm<sup>2</sup>.

The hardening process of S-FIX is very fast.

Shelf life: 12 months, keep dry, cool and frost-proof. Safety measures: consult the Safety Data Sheet.

contains S-FIX adhesive and S-FIX primer, which do not

- plastic bearings on axles
- rubber profiles
- bonding of plastic gearwheels or pulleys on metals or synthetic materials
- silicone rubbers
- O-rings
- gluing polyamides, including nylon
- glue residues can be removed with AL-FIX REMOVER

Section

Content

### NOTICE

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Novatio is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Novatio products provide, relates only to the standard conditions of sale of this product. In no case Novatio can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.





# S-FIX