

Version number 1

Revision: 11.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· Date of compilation: 07.11.2018

· 1.1 Product identifier

· Trade name: <u>BACTO CLEAN LIQUID</u>

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- Application of the substance / the preparation: Skin disinfectant Hand disinfactant
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer / Supplier: TECHNIQUA HANDELS GmbH Hartleitnerstraße 3 A-4653 Eberstalzell Tel: +43 (0) 7241 213 79 E-Mail: office@techniqua.at
- 1.4 Emergency telephone number: Poisoning Information Centre (VIZ), Stubenring 6, A-1010 Vienna, Emergency call 0-24 hrs: +43 1 406 43 43, Office hours: Monday to Friday, 8 to 16 hrs, Tel.: +43 1 406 68 98

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- *The product is classified and labelled according to the CLP regulation. Hazard pictograms*



· Signal word Danger

· Hazard-determining	g components of labelling:
Propan-2-ol	
· Hazard statements	
H225 Highly flamm	able liquid and vapour.
H319 Causes seriou	is eye irritation.
H336 May cause dr	owsiness or dizziness.
· Precautionary state	ements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.

(Contd. on page 2)

GB

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

Trade name: BACTO CLEAN LIQUID

	(Contd. of page 1)
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P261	Avoid breathing mist/vapours/spray.
P280	Wear hearing protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
\cdot 2.3 Other haza	rds
· Results of PBT	and vPvB assessment

Results of PB1 and VPVB

• *PBT*: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Alcoholic solution

· Dangerous a	components:
---------------	-------------

8		
CAS: 67-63-0	Propan-2-ol	50-100%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319; STOT SE 3, H336	
Index number: 603-117-00-0		
CAS: 64-17-5	Ethanol	≥ 2.5-<10%
EINECS: 200-578-6	🛞 Flam. Liq. 2, H225	
Index number: 603-002-00-5		
Additional information, For	the wording of the listed hazand physics refer to gestion 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- *General information: Immediately remove any clothing contaminated by the product.*
- After inhalation: Supply fresh air; consult doctor in case of symptoms.
- · After skin contact:
- Wash with plenty of soap and water.

If skin irritation continues, consult a doctor.

- · After eye contact:
- Rinse opened eye for several minutes under running water. Then consult doctor.
- Remove contact lenses, if present and easy to do.
- After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, seek medical advice immediately and show this container or label.

· 4.2 Most important symptoms and effects, both acute and delayed

- Headache
- Dazed

Dizziness

Unconsciousness

• **4.3 Indication of any immediate medical attention and special treatment needed** May cause drowsiness or dizziness.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

Carbon dioxide (CO_2) , extinguishing powder or water spray/fog. Fight larger fires with water spray/fog or alcohol-resistant foam.

(Contd. on page 3)

GB

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

(Contd. of page 2)

Trade name: BACTO CLEAN LIQUID

 \cdot 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide (CO) and Carbon dioxide (CO₂) Can form explosive vapour-air mixtures.

5.3 Advice for firefighters

- · Protective equipment: Wear self-contained breathing apparatus.
- Additional information
 Cool endangered containers with water spray jet.
 Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
 If without risk possible, move drums with material away from dangerous area.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Remove all ignition sources. Avoid contact with eyes. Use breathing protection against the effects of fumes/dust/aerosol. · 6.2 Environmental precautions: Damp down gases/fumes/haze with water spray jet. Do not allow to enter drainage system, surface or ground water. Prevent material from reaching sewage system, holes and cellars. · 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable containers. Dispose of the material collected according to regulations. · 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Ensure good ventilation/exhaustion at the workplace.
Ensure good interior ventilation, especially at floor level (fumes are heavier than air).
Use only in well ventilated areas.
Avoid contact with eyes.
Avoid prolonged or repeated skin contact.
Do not breathe vapour/spray.
Make sure that all applicable workplace limits are observed.
Information about protection against explosions and fires:
Protect from heat.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Flammable fume/air mixtures may be formed in empty containers.

· Storage

• **Requirements to be met by storerooms and containers:** Store in the original container.

Observe regulations for storage of flammable liquids.

Observe all local and national regulations for storage of water polluting products.

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

(Contd. of page 3)

Trade name: BACTO CLEAN LIQUID

· Information about storage in one common storage fac	ility:
Store away from foodstuffs.	
Store away from oxidising agents.	
• Further information about storage conditions:	

Store container in a well ventilated position. Store in cool, dry conditions in well sealed containers. Protect from heat and direct sunlight. Store and transport upright.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· 8.1 Control parameter	rs
-------------------------	----

· 8.1 Contro	ol parameter	'S	
· Componen	its with criti	cal values that require monitoring at	the workplace:
67-63-0 Pi	ropan-2-ol		
WEL (Gree		Short-term value: 1250 mg/m³, 500 pp	
	1	Long-term value: 999 mg/m³, 400 ppm	
64-17-5 Et	thanol		
WEL (Gree	at Britain) 1	Long-term value: 1920 mg/m³, 1000 p	om
· DNELs			
67-63-0 Pr	ropan-2-ol		
Oral	DNEL long	-term exposure - systemic effects	26 mg/kg bw/d (general population)
Dermal	DNEL long	-term exposure - systemic effects	319 mg/kg bw/d (general population)
			888 mg/kg bw/d (worker)
Inhalative	DNEL long	-term exposure - systemic effects	89 mg/m ³ (general population)
			500 mg/m³ (worker)
64-17-5 Et	thanol		
Oral	DNEL long	-term exposure - systemic effects	87 mg/kg bw/d (general population)
Dermal	DNEL long	-term exposure - systemic effects	206 mg/kg bw/d (general population)
			343 mg/kg bw/d (wao)
Inhalative	DNEL long	-term exposure - systemic effects	114 mg/m ³ (general population)
			950 mg/m ³ (worker)
	DNEL acut	e / short-term exposure - local effects	950 mg/m³ (general population)

· PNECs

PNEC	140.9 mg/l (aqua (freshwater)) (Assessment factor 1)	
11120	140.9 mg/l (aqua (intermittent releases)) (Assessment factor 1)	
	140.9 mg/l (aqua (marine water)) (Assessment factor 1)	
	2,251 mg/l (STP (sewage treatment plant)) (Assessment factor 1)	
PNEC	552 mg/kg (sediment (freshwater))	
	552 mg/kg (sediment (marine water))	
	28 mg/kg (soil)	
64-17-:	5 Ethanol	
PNEC	0.96 mg/l (aqua (freshwater))	
	2.75 mg/l (aqua (intermittent releases))	
	0.79 mg/l (aqua (marine water))	

1,900 mg/m³ (worker)

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

Trade name: BACTO CLEAN LIQUID

		(Contd. of page
	80 mg/l (STP (sewage treatments)	-
	.6 mg/kg (sediment (freshwater	
2	.9 mg/kg (sediment (marine wa	iter))
0).63 mg/kg (soil)	
Addition	al information: The lists that v	vere valid during the compilation were used as basis.
8.2 Expo	osure controls	
	l protective equipment	
	protective and hygienic measu	
	ay from foodstuffs, beverages a	
	remove any contaminated gard	
	nds during breaks and at the er	nd of the work.
	ntact with the eyes.	
	ose or long term contact with the	ie skin.
	1hale gases / fumes / aerosols. at, drink or smoke while worki	na
	ai, arink or smoke while worki I g equipment:	νδ.
	thing protection in case of insu	ufficient ventilation
		<i>I good ventilation is ensured, no special precautions necessary.</i>
	ended filter device for short te	
		for filtering of organic gas/vapour with boiling point over 65°C.
	on of hands:	· · · · · · · · · · · · · · · · · · ·
	ective gloves on prolonged con	ntact.
		ring of gloves to the required minimum.
Check th	e permeability prior to each rea	newed use of the glove.
		ble and resistant to the product/ the substance/ the preparation.
		n to the glove material can be given for the product/ the preparation
	nical mixture.	
		deration of the penetration times, rates of diffusion and the
degradat		
	l of gloves	a not only depend on the material but also on further wants of another
		s not only depend on the material, but also on further marks of quali facturer. As the product is a preparation of several substances, the
		acturer. As the product is a preparation of several substances, the t be calculated in advance and has therefore to be checked prior to th
applicati		oc carcanalea in auvance ana nas inerejore to be checkea prior to th
	ion time of glove material	
		found out by the manufacturer of the protective gloves and has to be
observed	-	
		e-shields (frame goggles) (e.g. EN 166)
Body pro		
	ve work clothing	
Body pro	otection must be chosen depend	ling on activity and possible exposure.
SECTI	ON 9: Physical and chem	nical properties
	rmation on basic physical and	
	Information	cnemical properties
Appeara		
Form:	nee.	liquid
Colour		colourless
Smell:	•	alcohol-like
	hreshold:	not determined
		not determined
pH-valu	8.	
pH-valu		(Contd. on page

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

Trade name: BACTO CLEAN LIQUID

	(Contd. of page
Change in condition Melting point/freezing point: Initial boiling point and boiling range	<-20 °C 2: >78 °C
Flash point:	<23 °C
· Inflammability (solid, gaseous)	Not applicable.
Ignition temperature:	>400 °C
Decomposition temperature:	Not determined.
Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures is possible.
· Critical values for explosion:	
Lower:	2 Vol %
Upper:	15 Vol %
• Oxidising properties	not classified as oxidising
· Vapor pressure at 20 •C:	~48 hPa
· Density at 20 °C:	$\sim 0.87 \ g/cm^3$
· Relative density	Not determined.
\cdot Vapour density (AIR = 1):	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
dynamic:	not determined
kinematic:	not determined
· 9.2 Other information	Further informations please refer to technical data sheet.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity see 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications. Sources of ignition

Take precautionary measures against static discharge.

· 10.3 Possibility of hazardous reactions

Forms flammable gases / fumes

- Flammable vapour-air mixtures may develop.
- Used empty containers may contain product gases which form explosive mixtures with air.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidizing agents
- · 10.6 Hazardous decomposition products: Carbon monoxide (CO) and Carbon dioxide (CO2)

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

Trade name: BACTO CLEAN LIQUID

ID/IC50	values that	(Contd. of p
67-63-0 Pi		
Oral	LDLo	3,570 mg/kg (human)
Orui	LDL0 LD50	3,600 mg/kg (munun) 3,600 mg/kg (mouse)
	LDJU	5,000 mg/kg (mouse) 5,045 mg/kg (rat)
		6,410 mg/kg (rab)
Dermal	LD50	12,800-13,400 mg/kg (rabbit)
		30-46.5 mg/l (rat)
64-17-5 E		50-40.5 mg/t (101)
Oral	LD50	5,560 mg/kg (guinea pig)
0.1.11	2200	3,450 mg/kg (mouse)
		7,060 mg/kg (rat)
		6,300 mg/kg (rabbit)
Inhalative	LC50/4 h	20,000 mg/l (rat)
Primary ir		
Skin corro	osion/irrita	tion Long or repeated contact can defat skin and may cause dermatitis.
Serious ey		
	rious eye ir	ritation. A ensitisation Based on available data, the classification criteria are not met.
Sensitisati CMR effec According Germ cell Carcinoge Reproduct STOT-sing May cause STOT-rep	of concent on No sens cts (carcine to present mutagenic micity Base tive toxicity gle exposut drowsines eated expo	trated vapours may lead to anaesthesia-like conditions and headache, dizziness, etc. sitizing effect known. ogenity, mutagenicity and toxicity for reproduction) knowledge no CMR-effects known. eity Based on available data, the classification criteria are not met. ed on available data, the classification criteria are not met. y Based on available data, the classification criteria are not met.
SECTIO	N 12: Ea	cological information
12.1 Toxic	-	
Aquatic to	-	
67-63-0 Pi	-	
	0	/l (fathead minnow (pimephales promelas)) (OECD Guideline 203)
	13 200 m	g/l (water flea (daphnia magna))
EC50/48 h		
EC50/48 h LC50/48 h	8,970 mg	/l (leuciscus idus)
EC50/48 h LC50/48 h 64-17-5 E a	8,970 mg t hanol	
EC50/48 h LC50/48 h 64-17-5 E a	8,970 mg t hanol	// (leuciscus idus) // (pseudomonas putida) (EC5/16h)
EC50/48 h LC50/48 h 64-17-5 E EC50/16 h	8,970 mg t hanol 6,500 mg	

• 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 8)

GB

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

(Contd. of page 7)

Trade name: BACTO CLEAN LIQUID

- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Water hazard class 1 (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.
- European waste catalogue: Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
- · Uncleaned packagings:
- $\cdot \textit{Recommendation: Disposal must be made according to official regulations.}$
- Recommended cleaning agent: Water, if necessary with cleaning agent.

14.1 UN-Number	
ADR, IMDG, IATA	UN1987
14.2 UN proper shipping name	
ADR	UN1987 ALCOHOLS, N.O.S. (ISOPROPANOL), Special
	provision 640D
IMDG, IATA	ALCOHOLS, N.O.S. (ISOPROPANOL)
14.3 Transport hazard class(es)	
ADR	
Class	3 (F1) Flammable liquids.
· Label	3
IMDG, IATA	
- Class	3 Flammable liquids.
Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	NO

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

Trade name: BACTO CLEAN LIQUID

	(Contd. of pag
14.6 Special precautions for user	Warning: Flammable liquids.
Kemler Number:	33
EMS Number:	F-E,S-D
Stowage Category	В
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ):	1L
Excepted quantities (\widetilde{EQ})	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category:	2
Tunnel restriction code:	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1987 ALCOHOLS, N.O.S., SPECIAL PROVISION
	640D (ISOPROPANOL), 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed. Employment restrictions concerning young persons must be observed.

• Decree to be applied in case of technical fault: Directive 2012/18/EU does not apply.

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water

· VOC (EU): ~ 66 %

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

The(se) \overline{H} -phrase(s) are those of the ingredient(s) and do(es) not necessarily represent the classification of the product.

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

(Contd. on page 10)

⁻ GB

Printing date 15.08.2019

Version number 1

Revision: 11.07.2019

Trade name: BACTO CLEAN LIQUID

(Contd. of page 9) H336 May cause drowsiness or dizziness. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3