according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1



Safe Clean Gel 500ml

TECH MASTERS world of innovations

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Trade name/designation:

Safe Clean Gel 500ml

Article No.: T204500 UFI: RVP4-K9EF-4F07-F159

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Surface cleaner

1.3. Details of the supplier of the safety data sheet

Supplier:

Techniqua Handels GmbH Hartleitnerstraße 3 4653 Eberstalzell Austria Telephone: +43 (0) 7241 213 79 E-mail: office@techniqua.at

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|--|--|--------------------------|
| Aerosols (Aerosol 1) | H222; H229: Extremely flammable aerosol. Pressurised container: May burst if heated. | |
| Respiratory or skin sensitisation (Skin Sens. 1) | H317: May cause an allergic skin reaction. | |
| STOT-single exposure (STOT SE 3) | H336: May cause drowsiness or dizziness. | |

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1



Page 2/14

Safe Clean Gel 500ml

Hazard components for labelling:

Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, <2% aromatics; (R)-(+)-Limonene

| Hazard statements for physical hazards | | | |
|--|---|--|--|
| H222 | Extremely flammable aerosol. | | |
| H229 | Pressurised container: May burst if heated. | | |
| Hazard state | Hazard statements for health hazards | | |
| | | | |
| H317 | May cause an allergic skin reaction. | | |
| H336 | May cause drowsiness or dizziness. | | |

Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

| Precautionary statements Prevention | | |
|-------------------------------------|--|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. | |
| P211 | Do not spray on an open flame or other ignition source. | |
| P251 | Do not pierce or burn, even after use. | |
| P260 | Do not breathe mist/vapours/spray. | |
| P271 | Use only outdoors or in a well-ventilated area. | |
| P280 | Wear protective gloves/eye protection. | |
| Drosputienany statements Despense | | |

| Precautionary statements Response | | |
|-----------------------------------|--|--|
| P304 + P340 | + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. | |
| | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | |

| Precautionary statements Storage | | |
|--|-----------------------------------|--|
| P403 | Store in a well-ventilated place. | |
| P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. | | |
| | | |

Precautionary statements Disposal

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Description:

Active ingredient mixture with propellant gas

Additional information:

Aerosols and containers fitted with a solid nebuliser containing substances or mixtures classified as hazardous by aspiration must not be labelled for this hazard.

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|--|--|--------------------|
| CAS No.: 64742-48-9 EC No.: 919-857-5 REACH No.: 01-2119463258-33 | Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, <2% aromatics Asp. Tox. 1 (H304), Flam. Liq. 3 (H226), STOT SE 3 (H336) | 50 - < 75 Vol-% |
| | Aliphatic hydrocarbons The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. | ≥ 30 Vol-% |

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1



Page 3/14

Safe Clean Gel 500ml

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|--|--|---------------------|
| CAS No.: 106-97-8 EC No.: 203-448-7 Index No.: 601-004-00-0 REACH No.: 01-2119474691-32 | Butane (with < 0,1 % butadiene (203-450-8)) Flam. Gas 1A (H220), Press. Gas (Comp.) (H280) | 10 - < 25 Vol-% |
| CAS No.: 74-98-6 EC No.: 200-827-9 Index No.: 601-003-00-5 REACH No.: 01-2119486944-21 | propane Flam. Gas 1A (H220), Press. Gas (Comp.) (H280) ô Danger | 10 - < 25 Vol-% |
| CAS No.: 75-28-5 EC No.: 200-857-2 REACH No.: 01-2119485395-27 | Isobutane (with < 0.1 % butadiene (203-450-8)) Flam. Gas 1A (H220), Press. Gas (Comp.) (H280) Danger | 2.5 - < 10 Vol-% |
| | Fragrances The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. | < 5 Vol-% |
| CAS No.: 5989-27-5 EC No.: 227-813-5 REACH No.: 01-2119529223-47-XXXX Full text of H- and EUH-phra | (R)-(+)-Limonene Aquatic Acute 1 (H400), Aquatic Chronic 3 (H412), Asp. Tox. 1 (H304), Flam. Liq. 3 (H226), Skin Irrit. 2 (H315), Skin Sens. 1B (H317) ↔ () & () Danger | 1 - < 2.5 Vol-% |

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following inhalation:

Fresh air supply, consult a doctor in case of complaints.

If unconscious, position and transport in stable lateral position.

In case of skin contact:

Wash with plenty of soap and water.

After eye contact:

Rinse opened eye for several minutes under running water. Consult a doctor if symptoms persist

Following ingestion:

Do not induce vomiting, seek medical help immediately.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water mist, Extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam

Unsuitable extinguishing media:

Water in full jet

5.2. Special hazards arising from the substance or mixture

No further relevant information available.

5.3. Advice for firefighters

Special protective equipment: Put on breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1

Page 4/14

Safe Clean Gel 500ml

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Wear protective equipment. Keep unprotected persons away.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of spillage into water or sewage system, inform the competent authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Do not wash away with water or aqueous detergents.

Other information:

Provide adequate ventilation.

6.4. Reference to other sections

Further information on proper storage: see section 7.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Ensure good ventilation/extraction at the workplace.

Fire prevent measures:

Do not spray on naked flames or any incandescent material. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Container is under pressure. Protect from sunlight and temperatures above 50°C (e.g. from incandescent lamps). Do not open by force or burn even after use.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Store in a cool place. The official regulations for the storage of pressurised gas packages must be observed.

Hints on storage assembly:

The official regulations for the storage of pressurised gas packages must be observed.

Storage class (TRGS 510, Germany): 2B – Aerosol dispensers and lighters

Further information on storage conditions:

Store in a cool, dry place in well-sealed containers. Protect from heat and direct sunlight.

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1

Page 5/14

Safe Clean Gel 500ml

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

| Limit value type (country of | Substance name | Long-term occupational exposure limit value Short-term occupational exposure limit value |
|---------------------------------|---|---|
| origin) | | Instantaneous value |
| | | Monitoring and observation processes |
| | | Remark |
| MAK (AT) | Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5 | |
| MAK (AT) | Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5 | 170 mL/m³ 340 mL/m³ (für Kohlenwasserstoffgemische mit einem Gehalt an aromatischen Kohlenwasserstoffen von weniger als 1 %, an n-Hexan von weniger als 5 % und an Cyclo-/ Isohexanen von 25 % oder mehr) |
| MAK (AT) | Butane (with < 0,1 % butadiene (203-450-8)) CAS No.: 106-97-8 EC No.: 203-448-7 | 1 800 ppm (1,900 mg/m³) |
| MAK (AT) | Butane (with < 0,1 % butadiene (203-450-8)) CAS No.: 106-97-8 EC No.: 203-448-7 | 2 1,600 ppm (3,800 mg/m³) (max. 3x60 min./Schicht, Momentanwert) |
| MAK (AT) | propane CAS No.: 74-98-6 EC No.: 200-827-9 | 2,000 ppm (3,600 mg/m³) (max. 3x60 min./Schicht, Momentanwert) |
| MAK (AT) | propane CAS No.: 74-98-6 EC No.: 200-827-9 | 1,000 ppm (1,800 mg/m³) |
| MAK (AT) | Isobutane (with < 0.1 % butadiene (203-450-8)) CAS No.: 75-28-5 EC No.: 200-857-2 | 2 1,600 ppm (3,800 mg/m³) 5 (max. 3x60 min./SchichtMomentanwert) |
| MAK (AT) | Isobutane (with < 0.1 % butadiene (203-450-8)) CAS No.: 75-28-5 EC No.: 200-857-2 | 800 ppm (1,900 mg/m³) |

8.1.2. Biological limit values No data available

8.1.3. DNEL-/PNEC-values

| Substance name | DNEL value | ① DNEL type |
|---|------------|---|
| | | ② Exposure route |
| Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5 | 185 mg/m³ | DNEL worker Long-term - inhalation, systemic effects |
| Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5 | 871 mg/m³ | DNEL worker Long-term - inhalation, systemic effects |



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1



Page 6/14

Safe Clean Gel 500ml

| Substance name | DNEL value | ① DNEL type |
|---|------------------------|---|
| | | Exposure route |
| Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5 | 125 mg/kg bw/ day | DNEL Consumer Long-term - dermal, systemic effects |
| Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5 | 208 mg/kg bw/ day | DNEL Consumer Long-term - dermal, systemic effects |
| Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5 | 125 mg/kg bw/ day | DNEL Consumer Long-term - oral, systemic effects |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 33.3 mg/m ³ | DNEL worker Long-term - inhalation, systemic effects |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 8.3 mg/m ³ | DNEL Consumer Long-term - inhalation, systemic effects |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 0.222 mg/kg | DNEL worker Acute - dermal, local effects |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 0.111 mg/kg | DNEL Consumer Acute - dermal, local effects |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 4.76 mg/kg | DNEL Consumer Long-term - oral, systemic effects |
| Substance name | PNEC Value | ① PNEC type |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 0.0054 mg/L | ① PNEC aquatic, freshwater |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 0.00054 mg/L | ① PNEC aquatic, marine water |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 1.8 mg/L | (1) PNEC sewage treatment plant |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 1.32 mg/kg | (1) PNEC sediment, freshwater |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 0.13 mg/kg | (1) PNEC sediment, marine water |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 0.262 mg/kg | ① PNEC soil |
| (R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5 | 3.33 mg/kg | PNEC secondary poisoning |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No further details. See section 7.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1

Page 7/14

Safe Clean Gel 500ml



8.2.2. Personal protection equipment



Eye/face protection:

Safety goggles (EN-166)

Skin protection:

Hand protection:

The glove material must be impermeable and resistant to the product/the substance/the preparation. Due to the lack of tests, no recommendation can be made on the glove material for the product/preparation/ mixture of chemicals. mixture of chemicals. Selection of glove material considering breakthrough times, permeation rates and degradation.

Wear gloves for protection against chemicals according to EN 374.

Gloves / solvent resistant

Breakthrough times and swelling properties of the material must be taken into consideration. Glove material:

The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use. NBR (Nitrile rubber)

Recommended material thickness: \geq 0,5 mm

Permeation time (maximum wear duration):

For continuous contact we recommend gloves with a breakthrough time of at least 240 minutes, with the preference for a breakthrough time greater than 480 minutes. For short term or splash protection we recommend the same. We are aware that suitable gloves offering this protection are not available. In this case, a shorter breakthrough time is permissible, provided the procedures for maintenance and timely replacement are followed. The thickness of the gloves is not a good measure of the resistance the gloves give against a chemical substance, as this depends on the exact composition of the material of the gloves. The exact breakthrough time should be checked with the glove manufacturer and adhered to.

Body protection:

Use protective suit. (EN-13034/6)

Antistatic, chemical and oil resistant clothing and safety shoes are recommended. (EN1149; EN340&EN ISO 13688 EN13034-6).

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Filter A2/P2

Other protection measures:

General protective and hygienic measures: Remove contaminated, saturated clothing immediately. Keep away from food, drink and animal feed. Wash hands before breaks and after work. Do not inhale gases/ vapours/aerosols. General ventilation.

8.2.3. Environmental exposure controls

Use a suitable container to prevent environmental pollution.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Aerosol **Odour:** characteristic

Colour: According to product designation **Odour threshold:** not determined

Safety relevant basis data

| Parameter | Value | Method Remark |
|----------------|----------------|--|
| рН | not applicable | ② Mixture is not polar/aprotic. |
| Melting point | not determined | |
| Freezing point | not determined | |

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1



Page 8/14

Safe Clean Gel 500ml

| Parameter | Value | at °C | Method Remark |
|---|------------------------|-------|--|
| Initial boiling point and boiling range | -44.5 °C | | |
| Decomposition temperature | not determined | | |
| Flash point | 13 °C | | |
| Evaporation rate | not determined | | |
| Auto-ignition temperature | 270 °C | | |
| Upper/lower flammability or explosive limits | 0.6 - 12 Vol-% | | |
| Vapour pressure | 1 hPa | 20 °C | |
| Vapour density | not determined | | |
| Density | 0.79 g/cm ³ | 20 °C | |
| Relative density | not determined | | |
| Bulk density | not determined | | |
| Water solubility | Immiscible | | |
| Partition coefficient: n-octanol/water | not determined | | |
| Dynamic viscosity | not determined | | |
| Kinematic viscosity | not determined | | |

9.2. Other information

The product is not self-igniting. The product is not explosive, but the formation of explosive vapour/air mixtures is possible. formation of explosive vapour/air mixtures is possible.

9.2.1. Information with regard to physical hazard classes

- Explosives:
- Not applicable

Flammable gases: Not applicable

Aerosols:

Extremely flammable aerosol. Pressurized container: May burst if heated.

Oxidizing gases:

Not applicable

Gases under pressure:

Not applicable

Flammable liquids: Not applicable

Flammable solids:

Not applicable

Self-reactive substances and mixtures:

Not applicable

Pyrophoric liquids:

Not applicable

Pyrophoric solids: Not applicable

Self-heating substances and mixtures:

Not applicable

Substances or mixtures which, in contact with water, emit flammable gases:

Not applicable

Oxidizing liquids: Not applicable

Oxidizing solids:

Not applicable

Organic peroxides:

Not applicable

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1

Page 9/14

Safe Clean Gel 500ml

Corrosive to metals:

Not applicable

Desensitised explosives: Not applicable

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

Thermal decomposition / Conditions to avoid: No decomposition when used as directed.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5

LD₅₀ oral: >5,000 mg/kg (Rat)

LD₅₀ dermal: 3,160 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (dust/mist): >4,951 mg/L 4 h (Rat)

propane CAS No.: 74-98-6 EC No.: 200-827-9

LD₅₀ oral: 5,840 mg/kg (Rat)

LD₅₀ dermal: 13,900 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (gas): >25 ppmV 4 h (Rat)

LC₅₀ Acute inhalation toxicity (vapour): ≥50 mg/L 4 h (Rat)

Isobutane (with < 0.1 % butadiene (203-450-8)) CAS No.: 75-28-5 EC No.: 200-857-2

LC₅₀ Acute inhalation toxicity (vapour): 52,000 mg/L 2 h (Rat)

(R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5

LD₅₀ oral: >2,000 mg/kg (Rat)

LD₅₀ dermal: >5,000 mg/kg (Kaninchen)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause an allergic skin reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1

Page 10/14

Safe Clean Gel 500ml

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause drowsiness or dizziness.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties:

None of the ingredients are included.

SECTION 12: Ecological information

12.1. Toxicity

propane CAS No.: 74-98-6 EC No.: 200-827-9

LC₅₀: 9,640 mg/L 4 d (fish, Pimephales promelas)

EC₅₀: >100 mg/L (Algae/water plant, Bacteria)

LOEC: 1,000 mg/L (Algae/water plant, Algae)

LC₅₀: 0.41 mg/L 4 d (fish, Oncorhynchus mykiss)

EC₅₀: 0.17 mg/L 3 d (Algae/water plant, Selenastrum capricornutum)

NOEC: 0.017 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata)

LC₅₀: 49.9 mg/L 4 d (fish)

EC₅₀: 69.43 mg/L 2 d (crustaceans, Daphnia)

ErC₅₀: 19.37 mg/L 4 d (Algae/water plant)

LOEC: 1,000 mg/L (Algae/water plant, Alge)

(R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5

LC₅₀: 0.72 mg/L 4 d (fish, Pimephales promelas)

EC50: 0.307 mg/L 2 d (crustaceans, Daphnia magna)

ErC₅₀: 150 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus)

Aquatic toxicity:

No further relevant information available.

12.2. Persistence and degradability

propane CAS No.: 74-98-6 EC No.: 200-827-9

Biodegradation: Yes, rapidly

(R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5

Biodegradation: Yes, rapidly

Biodegradation:

Not readily biodegradable.

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

propane CAS No.: 74-98-6 EC No.: 200-827-9

Log K_{OW}: 1.09

(R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5

Log K_{OW}: 4.83

Bioconcentration factor (BCF): 660



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1

Page 11/14

Safe Clean Gel 500ml

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, <2% aromatics CAS No.: 64742-48-9 EC No.: 919-857-5 Results of PBT and vPvB assessment: —

Butane (with < 0,1 % butadiene (203-450-8)) CAS No.: 106-97-8 EC No.: 203-448-7

Results of PBT and vPvB assessment: -

propane CAS No.: 74-98-6 EC No.: 200-827-9

Results of PBT and vPvB assessment: --

Isobutane (with < 0.1 % butadiene (203-450-8)) CAS No.: 75-28-5 EC No.: 200-857-2

Results of PBT and vPvB assessment: -

(R)-(+)-Limonene CAS No.: 5989-27-5 EC No.: 227-813-5

Results of PBT and vPvB assessment: —

Aliphatic hydrocarbons

Results of PBT and vPvB assessment: -

Fragrances

Results of PBT and vPvB assessment: -

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

The product does not contain any substances with endocrine-disrupting properties.

12.7. Other adverse effects

Harmful to fish.

Harmful to aquatic life.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Must not be disposed of together with household waste. Do not allow to enter into surface water or drains.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV Directive 2008/98/EC (Waste Framework Directive)

 HP 3
 Flammable

 HP 5
 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

Waste code packaging

15 01 04 metallic packaging

Waste treatment options

Appropriate disposal / Package:

Uncleaned packaging: Dispose of waste according to applicable legislation.

SECTION 14: Transport information

| Land transport (ADR/RID) | Inland waterway craft (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|-------------------------------|--------------------------------|----------------------|---------------------------------------|
| 14.1. UN number or | ID number | | |
| UN 1950 | UN 1950 | UN 1950 | UN 1950 |
| 14.2. UN proper shipping name | | | |
| AEROSOLS | AEROSOLS | AEROSOLS | AEROSOLS, flammable |



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 15 Mar 2023 Print date: 15 Mar 2023 TECH MASTERS

Version: 1 Page 12/14

Safe Clean Gel 500ml

| Land transport (ADR/RID |) Inland waterway craft (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|---|--|--|---|
| 14.3. Transport haza | ard class(es) | | |
| * | | | |
| 2.1 | 2.1 | 2.1 | 2.1 |
| 14.4. Packing group | | | |
| | | - | |
| 14.5. Environmenta | hazards | * | |
| No | No | No | No |
| 14.6. Special precau | itions for user | • | |
| Special Provisions: 190 327 344 625 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E0 Classification code: 5F Tunnel restriction code: | Special Provisions: 190 327 344 625 Limited quantity (LQ): 1 L Excepted Quantities (EQ): E0 Classification code: 5F Remark: | Special Provisions: 63 190 277 327 344 381 959 Limited quantity (LQ): Siehe SV277 Excepted Quantities (EQ): E0 EmS-No.: F-D, S-U | Special Provisions: A145 A167 Limited quantity (LQ): Y203 Excepted Quantities (EQ): E0 Remark: Attention: Gases |
| (D) Remark: Attention: Gases | Attention: Gases | Remark: Attention: Gases | |

14.7. Maritime transport in bulk according to IMO instruments not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Directive 2012/18/EU

Named dangerous substances - ANNEX I: None of the ingredients are included.

Restrictions on use:

Regulation (EC) No 1907/2006 ANNEX XVII: Restriction conditions: 3 Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II: None of the ingredients are included.

Regulation (EU) 2019/1148

Annex I - RESTRICTED EXPORT SUBSTANCES FOR EXPLOSIVES (upper concentration limit for a permit pursuant to Article 5(3)): None of the ingredients are included.

Annex II - EXPLOSIVES REPORTABLE FOR EXPLOSIVES: None of the ingredients are included.

Regulation (EC) No 273/2004 on drug precursors: None of the ingredients are included.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade in drug precursors between the Community and third countries: None of the ingredients are included.

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive], Hazard categories:

• P3a 'Flammable' aerosols Category 1 or 2, containing flammable gases Category 1 or 2 or flammable liquids

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: Volatile organic compounds (VOC) content in percent by weight: 766.3 g/L

15.1.2. National regulations

No data available

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1

Page 13/14

Safe Clean Gel 500ml

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

- ACGIH American Conference of Governmental Industrial Hygienists
- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR European Agreement concerning the International Carriage of Dangerous Goods by Road BCF Bioconcentration Factor
- CAS Chemical Abstracts Service
- CLP Classification, Labelling and Packaging
- DNEL derived no-effect level
- EC₅₀ Effective Concentration 50%
- EN European Standard
- ES Exposure scenario
- EWC European Waste Catalogue
- ICAO International Civil Aviation Organization
- IMDG International Maritime Dangerous Goods
- IMO International Maritime Organization
- KG body weight
- LC₅₀ Lethal (fatal) Concentration 50%
- LD₅₀ Lethal (fatal) Dose 50%
- MAK Maximum concentration in the workplace air (CH)
- NFPA National Fire Protection Association
- NIOSH National Institute for Occupational Safety & Health
- NOEC No Observed Effect Concentration
- OSHA Occupational Safety & Health Administration
- PBT persistent and bioaccumulative and toxic
- PNEC Predicted No Effect Concentration
- REACH Registration, Evaluation and Authorization of Chemicals
- RID Dangerous goods regulations for transport by rail
- TRGS Technische Regeln für Gefahrstoffe
- UN United Nations
- VOC Volatile organic compounds
- ZNS central nervous system

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|--|--|--------------------------|
| Aerosols (Aerosol 1) | H222; H229: Extremely flammable aerosol. Pressurised container: May burst if heated. | |
| Respiratory or skin sensitisation (Skin Sens. 1) | H317: May cause an allergic skin reaction. | |
| STOT-single exposure (STOT SE 3) | H336: May cause drowsiness or dizziness. | |

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

| | Hazard statements | | |
|---|-------------------|------------------------------|---|
| [| H220 | Extremely flammable gas. | ĺ |
| [| H226 | Flammable liquid and vapour. | |



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 15 Mar 2023 Print date: 15 Mar 2023 Version: 1



Page 14/14

Safe Clean Gel 500ml

| Hazard statements | | |
|-------------------|---|--|
| H280 | Contains gas under pressure; may explode if heated. | |
| H304 | May be fatal if swallowed and enters airways. | |
| H315 | Causes skin irritation. | |
| H317 | May cause an allergic skin reaction. | |
| H336 | May cause drowsiness or dizziness. | |
| H400 | Very toxic to aquatic life. | |
| H412 | Harmful to aquatic life with long lasting effects. | |

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.