# SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

# NOVALOK C

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

 Product name
 : NOVALOK C

 Registration number REACH
 : Not applicable (mixture)

 Product type REACH
 : Mixture

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses Sealing compound

1.2.2 Uses advised against

No uses advised against known

## 1.3. Details of the supplier of the safety data sheet

## Supplier of the safety data sheet

### Manufacturer of the product

Novatech International N.V. Industrielaan 5B B-2250 Olen ☎ +32 14 85 97 37 ➡ +32 14 85 97 38 info@novatech.be

### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) : +32 14 58 45 45 (BIG)

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classified as da	Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008						
Class Category Hazard statements							
Skin Sens.	category 1	H317: May cause an allergic skin reaction.					
Eye Irrit.	category 2	H319: Causes serious eye irritation.					
STOT SE	category 3	H335: May cause respiratory irritation.					

## 2.2. Label elements



 $\label{eq:contains:hydroxypropyl methacrylate; } \alpha, \alpha \text{-dimethylbenzyl hydroperoxide.}$ 

Signal word	Warning		
H-statements			
H317	H-statementsH317May cause an allergic skin reaction.H317Causes serious eye irritation.H335May cause respiratory irritation.P-statementsP280Wear protective gloves, protective clothing aP304 + P340IF INHALED: Remove person to fresh air andP302 + P352IF ON SKIN: Wash with plenty of water and sP305 + P351 + P338IF IN EYES: Rinse cautiously with water for se Continue rinsing.P312Call a POISON CENTER/doctor if you feel unw		
H319	-statements         H317       May cause an allergic skin reaction.         H317       Causes serious eye irritation.         H319       Causes serious eye irritation.         H335       May cause respiratory irritation.         -statements       P280         P304 + P340       IF INHALED: Remove person to fresh air and k         P302 + P352       IF ON SKIN: Wash with plenty of water and so         P305 + P351 + P338       IF IN EYES: Rinse cautiously with water for sev         Continue rinsing.       P312         Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)         Schoolstraat 43 A, B-2440 Geel		
H335	May cause respiratory irritation.		
P-statements	H-statements         H317       May cause an allergic skin reaction.         H319       Causes serious eye irritation.         H335       May cause respiratory irritation.         P-statements       P280         P280       Wear protective gloves, protective clothing and eye protection/face protection.         P304 + P340       IF INHALED: Remove person to fresh air and keep comfortable for breathing.         P302 + P352       IF ON SKIN: Wash with plenty of water and soap.         P305 + P351 + P338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.         Continue rinsing.       Continue rinsing.         P312       Call a POISON CENTER/doctor if you feel unwell.         d by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)       Publication date: 2003-01-08         sche Schoolstraat 43 A, B-2440 Geel       Date of revision: 2020-08-12         www.big.be       Reference number: 000080		
P280	Wear protective gloves, protective clothing and	l eye protection/face protection.	
P304 + P340	IF INHALED: Remove person to fresh air and kee	ep comfortable for breathing.	
P302 + P352	IF ON SKIN: Wash with plenty of water and soa	p.	
P305 + P351 + P338	H-statements       -         H317       May cause an allergic skin reaction.         H319       Causes serious eye irritation.         H335       May cause respiratory irritation.         P-statements       -         P280       Wear protective gloves, protective clothing and eye protection/face protection.         P304 + P340       IF INHALED: Remove person to fresh air and keep comfortable for breathing.         P302 + P352       IF ON SKIN: Wash with plenty of water and soap.         P305 + P351 + P338       IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.         P312       Call a POISON CENTER/doctor if you feel unwell.         d by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)       Publication date: 2003-01-08         sche Schoolstraat 43 A, B-2440 Geel       Date of revision: 2020-08-12         www.big.be       Reference number: 000080	ral minutes. Remove contact lenses, if present and easy to do.	
P312	Call a POISON CENTER/doctor if you feel unwell		
Created by: Brandweerinformatiecent	rum voor gevaarlijke stoffen vzw (BIG)	Publication date: 2003-01-08	-en
	Geel	Date of revision: 2020-08-12	-703
http://www.big.be		Reference number: 000080	239-
P280       Wear protective gloves, protective cloip         P304 + P340       IF INHALED: Remove person to fresh ai         P302 + P352       IF ON SKIN: Wash with plenty of water         P305 + P351 + P338       IF IN EYES: Rinse cautiously with water         Continue rinsing.       Call a POISON CENTER/doctor if you fee         Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)         Fechnische Schoolstraat 43 A, B-2440 Geel			-162

© BIG vzw Reason for revision: 2; 3.2; 4; 8; 15

Revision number: 0400

134-

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

## 2.3. Other hazards

No other hazards known

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
hydroxypropyl methacrylate 01-2119490226-37	27813-02-1 248-666-3	10%≤C≤25%	Skin Sens. 1; H317 Eye Irrit. 2; H319	(1)(10)	Constituent
α,α-dimethylbenzyl hydroperoxide 01-2119475796-19	80-15-9 201-254-7		Org. Perox. E; H242 Acute Tox. 3; H331 Acute Tox. 4; H312 Acute Tox. 4; H302 STOT RE 2; H373 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411	(1)(8)(10)	Constituent

(1) For H-statements in full: see heading 16

(8) Specific concentration limits, see heading 16

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

#### After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

#### After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

#### After eye contact:

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

### 4.2. Most important symptoms and effects, both acute and delayed

## 4.2.1 Acute symptoms

After inhalation:

Irritation of the respiratory tract. Irritation of the nasal mucous membranes.

After skin contact: No effects known. After eye contact:

Irritation of the eye tissue. **After ingestion:** No effects known.

#### 4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

## 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher. Major fire: Class B foam (not alcohol-resistant).

## 5.1.2 Unsuitable extinguishing media:

Reason for revision: 2; 3.2; 4; 8; 15	Publication date: 2003-01-08	
	Date of revision: 2020-08-12	
	Reference number: 000080	
Revision number: 0400	Product number: 36582	2 / 12

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion. Major fire: Water; risk of puddle expansion.

## 5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

## 5.3. Advice for firefighters

#### 5.3.1 Instructions:

No specific fire-fighting instructions required.

#### 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

#### 6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Suitable protective clothing

See heading 8.2

### 6.2. Environmental precautions

Contain released product.

### 6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

## 6.4. Reference to other sections

See heading 13.

## SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Remove contaminated clothing immediately. Keep container tightly closed.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Storage temperature: 5 °C - 25 °C. Meet the legal requirements. Store in a cool area. Keep container in a well-ventilated place. Store in a dry area. Keep out of direct sunlight. Keep only in the original container.

### 7.2.2 Keep away from:

Heat sources, oxidizing agents, reducing agents, metals.

- 7.2.3 Suitable packaging material:
  - No data available
- 7.2.4 Non suitable packaging material:

#### Metal.

#### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## 8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

#### b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

- If applicable and available it will be listed below.
- 8.1.3 Applicable limit values when using the substance or mixture as intended If limit values are applicable and available these will be listed below.

## 8.1.4 Threshold values

## DNEL/DMEL - Workers

Reason for revision: 2; 3.2; 4; 8; 15

Publication date: 2003-01-08 Date of revision: 2020-08-12 Reference number: 000080 Product number: 36582

ydroxypropyl methacrylate					
Effect level (DNEL/DMEL)	Туре		Value		Remark
		systemic effects inhalation	mic effects inhalation 14.7 mg/m		
	Long-term	systemic effects dermal	4.2 mg/kg	bw/day	
,α-dimethylbenzyl hydroperoxic	le		-		
Effect level (DNEL/DMEL)	Туре		Value		Remark
DNEL	Long-term	temic effects inhalation 6 mg/m <sup>5</sup>			
NEL/DMEL - General populatio ydroxypropyl methacrylate	<u>n</u>				
Effect level (DNEL/DMEL) Type			Value		Remark
		systemic effects inhalation	8.8 mg/m <sup>3</sup>		
	Long-term	systemic effects dermal	2.5 mg/kg	bw/day	
	Long-term	Long-term systemic effects oral		bw/day	
<u>NEC</u> ydroxypropyl methacrylate					
Compartments		Value		Remark	
Fresh water		0.904 mg/l			
Marine water		0.904 mg/l			
Fresh water (intermittent relea	ses)	0.972 mg/l			
Marine water (intermittent rele	ases)	0.972 mg/l			
STP		10 mg/l			
Fresh water sediment		6.28 mg/kg sediment dw			
Marine water sediment		6.28 mg/kg sediment dw			
Soil		0.727 mg/kg soil dw			
.a-dimethylbenzyl hydroperoxic	<u>le</u>				
Compartments		Value		Remark	
Fresh water		0.003 mg/l			
Marine water		< 0.001 mg/l			
Fresh water (intermittent relea	ses)	0.031 mg/l			
STP		0.35 mg/l			
Fresh water sediment		0.023 mg/kg sediment dw			
Marine water sediment		0.002 mg/kg sediment dw			
Soil		0.003 mg/kg soil dw			

8.1.5 Control banding

If applicable and available it will be listed below.

## 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

#### 8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Do not eat, drink or smoke during work.

## a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 60 minutes		Class 3	
viton	> 240 minutes		Class 5	

c) Eye protection:

Face shield (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

## SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical form	Liquid
Odour	Mild odour
Odour threshold	No data available in the literature
Colour	Green
Particle size	Not applicable (liquid)
Explosion limits	No data available in the literature
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)

Reason for revision: 2; 3.2; 4; 8; 15

Publication date: 2003-01-08 Date of revision: 2020-08-12 Reference number: 000080 Product number: 36582

Dynamic viscosity	20 mPa.s ; 20 °C
Kinematic viscosity	No data available in the literature
Melting point	No data available in the literature
Boiling point	No data available
Relative vapour density	No data available in the literature
Vapour pressure	No data available in the literature
Solubility	Water ; poorly soluble
	Acetone ; soluble
Relative density	1.10 ; 25 °C
Decomposition temperature	No data available in the literature
Auto-ignition temperature	No data available in the literature
Flash point	> 100 °C ; Closed cup
рН	No data available in the literature

## 9.2. Other information

Absolute density	1100 kg/m³ ; 25 °C
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Heating increases the fire hazard.

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

### 10.5. Incompatible materials

Oxidizing agents, reducing agents, metals.

## 10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

11.1.1 Test results

## Acute toxicity

#### NOVALOK C

No (test)data on the mixture available Judgement is based on the relevant ingredients

#### hydroxypropyl methacrylate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	OECD 401	> 2000 mg/kg bw	24 h	Rat (male /	Experimental value	
					female)		
Dermal	LD50		> 5000 mg/kg bw	24 h	Rabbit (male)	Experimental value	
Inhalation						Data waiving	

## <u>α,α-dimethylbenzyl hydroperoxide</u>

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50		382 mg/kg		Rat (male)	Experimental value	
Dermal	LD50		134 mg/kg bw	24 h	Rabbit (male)	Weight of evidence	
Dermal			category 4			Annex VI	
Inhalation (vapours)	LC50		1.39 mg/l	4 h	Rat (male)	Experimental value	Converted value
Inhalation			category 3			Annex VI	

Classification of this substance according to Annex VI is debatable as it does not correspond to the conclusion from the test

#### **Conclusion**

Not classified for acute toxicity

## **Corrosion/irritation**

Reason for revision: 2; 3.2; 4; 8; 15

Publication date: 2003-01-08 Date of revision: 2020-08-12 Reference number: 000080 Product number: 36582

5/12

## NOVALOK C

No (test)data on the mixture available

Classification is based on the relevant ingredients

Route of exposure	Result	Method	Exposure time	Time point		Value determination	Remark
Eye	Irritating	Draize Test		24; 48; 72 hrs; 4; 5; 7 days	Rabbit		Single treatment without rinsing
Skin	Not irritating	Draize Test	24 h	24; 72 hours	Rabbit	Experimental value	

#### Pouto of exposure Posult

Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark
						determination	
Eye	Serious eye damage		24 h			Experimental value	
Skin	Corrosive		24 h			Experimental value	

### **Conclusion**

Causes serious eye irritation. May cause respiratory irritation. Not classified as irritating to the skin

### Respiratory or skin sensitisation

## NOVALOK C

No (test)data on the mixture available Classification is based on the relevant ingredients

hydroxypropyl methacrylate

Route of exposure	Result	Method		Observation time point	Species	Value determination	Remark
Skin	Ambiguous	Patch test			Human (male / female)	Literature study	
Dermal (on the ears)	Not sensitizing	Equivalent to OECD 429	3 day(s)		Mouse (female)	Experimental value	
Skin	Sensitizing; category 1					Annex VI	
a,a-dimethylbenzyl h	ydroperoxide	•	•	•	•	•	
Route of exposure	Result	Method		Observation time point	Species	Value determination	Remark
Skin						Data waiving	

#### **Conclusion**

May cause an allergic skin reaction. Not classified as sensitizing for inhalation

## Specific target organ toxicity

### NOVALOK C

No (test)data on the mixture available

Judgement is based on the relevant ingredients

#### hydroxypropyl methacrylate

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	· · · · · ·	Value determination
Oral (stomach tube)	NOAEL	OECD 422	300 mg/kg bw		No effect	49 day(s)	Rat (male)	Experimental value
Dermal								Data waiving
Inhalation	-	Subacute toxicity test	0.5 mg/l			3 weeks (6h / day, 5 days / week)	Rat (male / female)	Literature study

 $\alpha, \alpha$ -dimethylbenzyl hydroperoxide

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time		Value determination
Oral (stomach tube)	Dose level	Subchronic toxicity test	19 mg/kg		,	7 weeks (3 times / week)	Rat (male)	Experimental value
Inhalation (aerosol)	NOAEC	Subchronic toxicity test	31 mg/m³ air			13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value

## **Conclusion**

Not classified for subchronic toxicity

## Mutagenicity (in vitro)

<u>NOVALOK C</u>

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 2; 3.2; 4; 8; 15

Publication date: 2003-01-08 Date of revision: 2020-08-12 Reference number: 000080 Product number: 36582

droxypropyl methacrylate					
Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	
α-dimethylbenzyl hydropero	<u>xide</u>				
Result	Method	Test substrate	Effect	Value determination	Remark
Positive	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	

## Mutagenicity (in vivo)

## NOVALOK C

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydroxypropyl methacrylate

	Result	Method	Exposure time	Test substrate	Organ	Value determination
	Negative	OECD 474		Mouse (male / female)		Experimental value
<u>α,α</u>	-dimethylbenzyl hydroperoxide					
					-	
	Result	Method	Exposure time	Test substrate	Organ	Value determination
					- 0-	Value determination Experimental value

**Conclusion** 

Not classified for mutagenic or genotoxic toxicity

### Carcinogenicity

## NOVALOK C

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydroxypropyl	methacrylate

Route of	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value
exposure								determination
Inhalation	NOAEC	Equivalent to	≥ 1000 ppm	102 weeks (6h / day,	Rat (male)	No carcinogenic		Experimental
(vapours)		OECD 451		5 days / week)		effect		value
Oral	NOAEL	Carcinogenic	≥ 90.3 mg/kg	104 weeks (daily)	Rat (male)			Experimental
(drinking		toxicity study	bw/day					value
water)								

### **Conclusion**

Not classified for carcinogenicity

## **Reproductive toxicity**

## NOVALOK C

No (test)data on the mixture available

Judgement is based on the relevant ingredients hydroxypropyl methacrylate

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determinatior
Developmental toxicity	NOAEL	OECD 414	450 mg/kg bw/day	23 day(s)	Rabbit	No effect		Experimental value
	NOAEC	OECD 414	≥ 8.3 mg/l air	10 days (6h / day)	Rat	No effect		Experimental value
Maternal toxicity	LOEC	OECD 414	0.41 mg/l air	10 days (6h / day)	Rat	Reduced body weight and food consumption		Experimental value
	NOAEL	OECD 414	50 mg/kg bw/day	23 day(s)	Rabbit	No effect		Experimental value
Effects on fertility	NOAEL (P/F1)	OECD 416	400 mg/kg bw/day		Rat (male / female)	No effect		Experimental value
-dimethylbenzyl hydrope	eroxide					•		•
-dimethylbenzyl hydrope	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determinatio
-dimethylbenzyl hydrope Developmental toxicity (Oral (stomach tube))		Method OECD 414	Value ≥ 100 mg/kg bw/day	Exposure time 14 days (gestation, daily)	Species Rat	Effect No effect	Organ	determinatio
Developmental toxicity	Parameter		≥ 100 mg/kg	14 days (gestation,	•		Organ	determination Experimental
Developmental toxicity (Oral (stomach tube)) Maternal toxicity (Oral	Parameter NOAEL NOAEL systemic	OECD 414	≥ 100 mg/kg bw/day 100 mg/kg	14 days (gestation, daily) 14 days (gestation,	Rat	No effect No adverse	Organ	determination Experimental value Experimental

Date of revision: 2020-08-12 Reference number: 000080 Product number: 36582

## Conclusion

Not classified for reprotoxic or developmental toxicity

### **Toxicity other effects**

NOVALOK C

No (test)data on the mixture available

#### Chronic effects from short and long-term exposure

NOVALOK C

Skin rash/inflammation.

## SECTION 12: Ecological information

## 12.1. Toxicity

#### NOVALOK C

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

hydroxypropyl methacrylate

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	DIN 38412- 15	493 mg/l	48 h	Leuciscus idus	Static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	OECD 202	> 143 mg/l	48 h	Daphnia magna	Semi-static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	> 97.2 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	> 97.2 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Experimental value; GLP
Long-term toxicity fish								Data waiving
Long-term toxicity aquatic crustacea	NOEC	OECD 211	45.2 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; Reproduction
,α-dimethylbenzyl hydroperox	ide							
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	3.9 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	OECD 202	18.84 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	ErC50	OECD 201	3.1 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	1 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP
Toxicity aquatic micro- organisms	Toxicity threshold		> 50 mg/l	16 h	Pseudomonas putida	Static system	Fresh water	Experimental value; Growth inhibition

#### **Conclusion**

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

## 12.2. Persistence and degradability

## hydroxypropyl methacrylate

Value	Duration	Value determination
81 %	4 week(s)	Experimental value
Value	Conc. OH-radicals	Value determination
13.453 h	0.5E6 /cm <sup>3</sup>	Calculated value
•	•	
Value	Duration	Value determination
3 %; GLP	28 day(s)	Experimental value
Value	Conc. OH-radicals	Value determination
44.6 h	500000 /cm <sup>3</sup>	Calculated value
	81 % Value 13.453 h Value 3 %; GLP Value	81 %         4 week(s)           Value         Conc. OH-radicals           13.453 h         0.5E6 /cm³           Value         Duration           3 %; GLP         28 day(s)           Value         Conc. OH-radicals

## **Conclusion**

Water

Contains non readily biodegradable component(s)

Reason for revision: 2; 3.2; 4; 8; 15

Revision number: 0400

### 12.3. Bioaccumulative potential

## NOVALOK C

ethod	Ren	nark	Value	Temperat	ture	Value determination
	Not	applicable (mixture)				
ydroxypropyl met	hacrylate					
Log Kow	<u>indo yndro</u>					
Method		Remark	Value	Temp	erature	Value determination
OECD 107			0.97	20 °C		Experimental value
ι,α-dimethylbenzy	l hydroperoxide		•			• •
BCF fishes						
Parameter	Method	Value	Duration	Species		Value determination
BCF		9				Calculated value
BCF other aquati	c organisms					
Parameter	Method	Value	Duration	Species		Value determination
BCF	BCFWIN	9				Calculated value
Log Kow						
Method		Remark	Value	Temp	erature	Value determination
OECD 117			1.6	25 °C		Experimental value
nclusion						
oes not contain b	ioaccumulative	component(s)				
.4. Mobility in	soil					
ydroxypropyl met						
	inder yndte					
(log) Koc			Method		Value	Value determination
			Ivietnoa		value	value determination
Parameter log Koc					1.90	Calculated value

#### (log) Koc

[	Parameter		Method	Method		Value determination	
	log Koc		OECD 121	OECD 121		Experimental value	
Volatility (Henry's Law constant H)							
	Value	Method	Temperature	Remark	Va	alue determination	

#### **Conclusion**

Contains component(s) with potential for mobility in the soil

### 12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

25 °C

#### 12.6. Other adverse effects

0.098 Pa.m<sup>3</sup>/mol

## NOVALOK C

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

SRC HENRYWIN v3.10

hydroxypropyl methacrylate Groundwater Groundwater pollutant

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

#### European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 09\* (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants containing organic solvents or other hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

### 13.1.2 Disposal methods

Reason for revision: 2; 3.2; 4; 8; 15

Calculated value

Revision number: 0400

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

## 13.1.3 Packaging/Container

## **European Union**

Waste material code packaging (Directive 2008/98/EC).

15 01 10\* (packaging containing residues of or contaminated by dangerous substances).

## **SECTION 14: Transport information**

## Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14. <u>1</u> . UN number			
Transport	Not subject		
14.2. UN proper shipping name			
14.3. Transport hazard class(es)			
Hazard identification number			
Class			
Classification code			
14.4. Packing group			
Packing group			
Labels			
14. <u>5. Environmental hazards</u>			
Environmentally hazardous substance mark	no		
14.6. Special precautions for user			
Special provisions			
Limited quantities			
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code			
Annex II of MARPOL 73/78	Not applicable, based on available data		

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **European legislation:**

VOC content Directive 2010/75/EU

VOC content	Remark
3 %	
2.8 g/l	

#### **REACH Annex XVII - Restriction**

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 5.1.phases, for example in ornamental lamps and ashtrays, – tricks and jokes, – arms for one or more participants, or any article intended to be used as such, ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless requ fiscal reasons, or perfume, or both, if they: – can be used as fuel in decorative oil lamps for supply to the general public, and – present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public, and – present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public, and – present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public, and – present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public, and – present an aspiration hazard and are labelled with H304, supply to the general public, and – present an aspiration hazard and are labelled with H304, intended for supply to the general public are visit and indelibly marked as follows: "Keep lamps filled with this liquid out of the reac children"; and, by 1 December 2010, "Just a sip of grill lighter ma life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public and indelibly marked by 1 December 2010 as follows: "Lust a sip of grill lighter ma life threatening lung damage"; c) lamp oils and grill lighters, labelled with	and use of certain daligerou.	Designation of the substance of the survey of	Conditions of materiality
<ul> <li>hydroxypropyl methacrylate</li> <li>u.guid substances or mixtures fulfilling the or.g.c-dimethylbenzyl hydroperoxide</li> <li>u.guid substances or mixtures fulfilling the criteria for any of the following hazard classes (EC) No 1272/2008:</li> <li>(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8</li> <li>(b) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8</li> <li>(b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;</li> <li>(c) hazard classes 4.1;</li> <li>(d) hazard classes 5.1.</li> <li>(e) hazard classes 5.1.</li> <li>(f) hazard classes 5.1.</li> <li>(d) hazard classes 5.1.</li> <li>(e) hazard classes 5.1.</li> <li>(f) hazard classes 5.1.</li> <li>(f) hazard classes 5.1.</li> <li>(f) hazard classes 5.1.</li> <li>(g) hazard classes 5.1.</li> <li>(h) hazard classes 5.1.</li> <li></li></ul>			Conditions of restriction
<ul> <li>- o,qdimethylbenzyl hydroperoxide</li> <li>criteria for any of the following hazard classes of the present and the produce light or colour effects by means of diff phases, for example in ornamental almps and ashtrays,</li> <li></li></ul>			
Date of revision: 2020-08-12		criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1;	<ul> <li>ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,</li> <li>tricks and jokes,</li> <li>games for one or more participants, or any article intended to be used as such, eve ornamental aspects,</li> <li>Articles not complying with paragraph 1 shall not be placed on the market.</li> <li>Shall not be placed on the market if they contain a colouring agent, unless required fiscal reasons, or perfume, or both, if they:</li> <li>can be used as fuel in decorative oil lamps for supply to the general public, and,</li> <li>present an aspiration hazard and are labelled with H304,</li> <li>Decorative oil lamps for supply to the general public shall not be placed on the mar unless they conform to the European Standard on Decorative oil lamps (EN 14059) ad by the European Committee for Standardisation (CEN).</li> <li>S. Without prejudice to the implementation of other Community provisions relating to classification, packaging and labelling of dangerous substances and mixtures, suppliers ensure, before the placing on the market, that the following requirements are met:</li> <li>a) lamp oils, labelled with H304, intended for supply to the general public are visibly, 1 and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick lamps — may lead to life- threatening lung damage";</li> <li>b) grill lighter fluids, labelled with H304, intended for supply to the general public are and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life-threatening lung damage";</li> <li>c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to prepare a dossier, in accordance with Article 69 of the present Regulation with a vit bar, if appropriate, grill lighter fluids</li></ul>
	son for revision: 2; 3.2; 4; 8; 15		Publication date: 2003-01-08
Reference number: 000080			Date of revision: 2020-08-12
vision number: 0400 Product number: 36582	vision number: 0400		

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.'

# National legislation Belgium NOVALOK C

No data available

## **National legislation The Netherlands**

NOVALOK C

Waterbezwaarlijkheid B (4); Algemene Beoordelingsmethodiek (ABM)

### National legislation France

NOVALOK C

No data available

## NOVALOK C

WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017			
hydroxypropyl methacrylate				
TA-Luft	5.2.5			
a,a-dimethylbenzyl hydroperoxide				
TA-Luft	5.2.5/I			

## National legislation United Kingdom

NOVALOK C

No data available

## Other relevant data

No data available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

## SECTION 16: Other information

Full text of any H- and EUH-statements referred to under heading 3:

H242 Heating may cause a fire.

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled.

H411 Toxic to aquatic life with long lasting effects.

(*) ADI AOEL	INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable operator exposure level
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

#### Specific concentration limits CLP

α,α-dimethylbenzyl hydroperoxide	C ≥ 10 %	Skin Corr. 1B; H314	CLP Annex VI (ATP 0)
	3 % ≤ C < 10 %	Eye Dam. 1; H318	CLP Annex VI (ATP 0)
	3 % ≤ C < 10 %	Skin Irrit. 2; H315	CLP Annex VI (ATP 0)
	1% ≤ C < 3%	Eye Irrit. 2; H319	CLP Annex VI (ATP 0)
	C < 10 %	STOT SE 3; H335	CLP Annex VI (ATP 0)

Reason for revision: 2; 3.2; 4; 8; 15	Publication date: 2003-01-08	
	Date of revision: 2020-08-12	
	Reference number: 000080	
Revision number: 0400	Product number: 36582	11/12

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2; 3.2; 4; 8; 15