

according to Regulation (EC) No 1907/2006

## SHINE-X

Print date: 14.06.2017

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

SHINE-X

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture No information available.

### 1.3. Details of the supplier of the safety data sheet

TECHNIQUA HANDELS GmbH Hartleitnerstraße 3 A-4653 Eberstalzell Tel: +43 (0) 7241 213 79 E-Mail: office@techniqua.at

## 1.4. Emergency telephone number:

Poisoning Information Centre (VIZ), Stubenring 6, A-1010 Vienna Emergency call 0-24 hrs: +43 1 406 43 43 Office hours: Monday to Friday, 8 to 16 hrs, Tel.: +43 1 406 68 98

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated.

## 2.2. Label elements

### Regulation (EC) No. 1272/2008

Signal word:

Pictograms:



Danger

#### Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
Precautionary st	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
D211	Do not spray on an open flame or other ignition source

## P211 Do not spray on an open flame or other ignition source.

- P251 Do not pierce or burn, even after use.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

according to Regulation (EC) No 1907/2006

## SHINE-X

Print date: 14.06.2017

Page 2 of 9

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
75-28-5	isobutane			25 - < 50 %
	200-857-2	601-004-00-0	01-2119485395-27	
	Flam. Gas 1, Liquefied gas; H220	H280		
74-98-6	propane			5 - < 10 %
	200-827-9	601-003-00-5	01-2119486944-21	
	Flam. Gas 1, Liquefied gas; H220			
106-97-8	butane			1 - < 3 %
	203-448-7	601-004-00-0	01-2119474691-32	
	Flam. Gas 1, Liquefied gas; H220	H280		

Full text of H and EUH statements: see section 16.

### Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### After inhalation

Provide fresh air. Remove person to fresh air and keep comfortable for breathing.

## After contact with skin

Wash with plenty of water.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

## After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a physician in any case!

## 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder. Water fog.

## Unsuitable extinguishing media

High power water jet. High power water jet.

### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear

according to Regulation (EC) No 1907/2006

## SHINE-X

Print date: 14.06.2017

Page 3 of 9

### self-contained breathing apparatus.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Wear personal protection equipment. Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13 See section 8.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Do not pierce or burn, even after use. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Dust must be exhausted directly at the point of origin. When using do not eat, drink, smoke, sniff.

### Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Vapours can form explosive mixtures with air. No special measures are necessary.

### Further information on handling

Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances. No special measures are necessary.

### Further information on storage conditions

Protect from frost. Protect against direct sunlight.

## 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

according to Regulation (EC) No 1907/2006

## SHINE-X

Print date: 14.06.2017

Page 4 of 9

## Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

## Additional advice on limit values

a no restriction

b End of exposure or shift

c in long-term exposure: after several shifts d prior to next shift

STEL (EC) : Short Term Exposure Limit TWA (EC): time-weighted average U: Urea B: Blood

### 8.2. Exposure controls

## Protective and hygiene measures

Wash hands before breaks and after work. When using do not eat or drink. Wear suitable protective clothing.

## Eye/face protection

Wear eye protection/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min Thickness of the glove material 0,45 mm DIN EN 374

## Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection. No special measures are necessary. In case of inadequate ventilation wear respiratory protection.

Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Suitable respiratory protection apparatus: Combination filtering device (EN 14387)

### **Environmental exposure controls**

Observe legal regulations and provisions.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Aerosol
Colour:	colourless
Odour:	characteristic

Test method

according to Regulation (EC) No 1907/2006

#### SHINE-X Print date: 14.06.2017 Page 5 of 9 pH-Value (at 20 °C): not applicable DIN 19268 Changes in the physical state No information available. Melting point: -40 °C Initial boiling point and boiling range: No information available. Sublimation point: No information available. Softening point: Flash point: -80 °C Flammability Solid: not applicable Gas: not applicable Lower explosion limits: No information available. Upper explosion limits: No information available. Ignition temperature: No information available. Auto-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: not determined **Oxidizing properties** Not oxidising. No information available. Vapour pressure: No information available. Vapour pressure: 0,862 g/cm3 DIN 51757 Density (at 20 °C): Bulk density: not applicable Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water Solubility in other solvents not determined Partition coefficient: No information available. Viscosity / dynamic: No information available. Viscosity / kinematic: 70 mm²/s Flow time: No information available. Vapour density: No information available. Evaporation rate: No information available. No information available. Solvent separation test: Solvent content: No information available. 9.2. Other information Solid content: No information available.

Relative density Data apply to the technically active substance. pressure  $\mbox{ - bar}\ (20^\circ C)$ 

**SECTION 10: Stability and reactivity** 

according to Regulation (EC) No 1907/2006

## SHINE-X

Print date: 14.06.2017

### 10.1. Reactivity

Flammable, Ignition hazard. Reacts with : Oxidizing agents.

## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No information available.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. No special precautionary measures are necessary. Do not mix with other chemicals.

## 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No information available.

### **Further information**

Do not mix with other chemicals.

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No information available.

### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
106-97-8	butane				
100-97-0	bulane	-			

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Specific effects in experiment on an animal

No information available.

### Additional information on tests

The mixture is classified as hazardous according to Directive 1999/45/EC.

Page 6 of 9

### according to Regulation (EC) No 1907/2006

## SHINE-X

Print date: 14.06.2017

Page 7 of 9

### **SECTION 12: Ecological information**

## 12.1. Toxicity

## The product is not: Ecotoxic.

## 12.2. Persistence and degradability

There are no data available on the mixture itself. AOX (mg/l): 0

### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-28-5	isobutane	2,8
74-98-6	propane	2,36
106-97-8	butane	2,89

## 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

### 12.6. Other adverse effects

No information available.

### Further information

Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

### Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

### Waste disposal number of contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

### Contaminated packaging

Completely emptied packages can be recycled.

**SECTION 14: Transport information** 

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2

according to Regulation (EC) No 1907/2006

Print date: 14.06.2017	SHINE-X	Page 8 of 9
14.4. Packing group:		
Hazard label:	2.1	
Classification code:	5F	
Special Provisions:	190 327 344 625	
Limited quantity:	1 L	
Excepted quantity:	EO	
Transport category:	2	
Tunnel restriction code:	D	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
<u>14.3. Transport hazard class(es):</u>	2	
14.4. Packing group:	-	
Hazard label:	2.1	
Classification code:	5F	
Special Provisions:	190 327 344 625	
Limited quantity:	1 L	
Excepted quantity:	E0	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label:	2.1	
Marine pollutant:	no	
Special Provisions:	63, 190, 277, 327, 344, 959	
Limited quantity:	1000 mL	
Excepted quantity:	E0	
EmS:	F-D, S-U	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN 1950	
14.2. UN proper shipping name:	AEROSOLS, flammable	
14.3. Transport hazard class(es):	2.1	
14.4. Packing group:	-	
Hazard label:	2.1	
Special Provisions:	A145 A167 A802	
Limited quantity Passenger:	30 kg G	
Passenger LQ:	Y203	
Excepted quantity:	E0	
IATA-packing instructions - Passenger:	203	
IATA-max. quantity - Passenger:	75 kg	
IATA-packing instructions - Cargo:	203 150 km	
IATA-max. quantity - Cargo:	150 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
<b><u>14.6. Special precautions for user</u></b> Warning: Flammable gases.		

according to Regulation (EC) No 1907/2006

## SHINE-X

Print date: 14.06.2017

Page 9 of 9

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory	information
---------------	-------------

2010/75/EU (VOC):	No information available.
2004/42/EC (VOC):	No information available.

### Additional information

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC , 2008/47/EC

### National regulatory information

Water contaminating class (D):

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). 1 - slightly water contaminating

### Additional information

94/69/EC (21st ATP). The benzene content of the product is less than 0.1%. It applies the annotation P. Classification and labeling as carcinogenic is not necessary.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 3,11,14.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)