

according to Regulation (EC) No 1907/2006

## FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 1 of 16

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

FOOD LUBE EXTREME AEROSOL NSF

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricant

## 1.3. Details of the supplier of the safety data sheet

TECHNIQUA HANDELS GmbH

Hartleitnerstraße 3 A-4653 Eberstalzell Tel: +43 (0) 7241 213 79 E-Mail: office@techniqua.at

#### 1.4. Emergency telephone number:

Poisoning Information Centre (VIZ), Stubenring 6, A-1010 Vienna

Emergency call 0-24 hrs: +43 1 406 43 43, Office hours: Monday to Friday, 8 to 16 hrs, Tel.: +43 1 406 68 98

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1

Aspiration hazard: Asp. Tox. 1 Skin corrosion/irritation: Skin Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Extremely flammable aerosol.

Pressurised container: May burst if heated. May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause drowsiness or dizziness.

Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

#### Regulation (EC) No. 1272/2008

## Hazard components for labelling

Hydrocarbons C7-C9, iso-alkanes

Signal word: Danger

Pictograms:





### **Hazard statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 1907/2006				
FOOD LUBE EXTREME AEROSOL NSF					
Revision date: 28.03.2018		Page 2 of 16			
P211	Do not spray on an open flame or other ignition source.				
P251	Do not pierce or burn, even after use.				
P261	Avoid breathing spray.				
P271	Use only outdoors or in a well-ventilated area.				
P273	Avoid release to the environment.				
P280	Wear protective gloves/protective clothing/eye protection/face protection.				
P302+P352	IF ON SKIN: Wash with plenty of water.				
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.				
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
P312	Call a POISON CENTER/doctor if you feel unwell.				
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.				
Special labelling of cert	ain mixtures				
EUH208	Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.				

## 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Print date: 28.03.2018

according to Regulation (EC) No 1907/2006

#### FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 3 of 16

#### **Hazardous components**

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regula	ition (EC) No. 1272/2008 [C	LP]	
75-28-5	isobutane			50 - <= 100 %
	200-857-2	601-004-00-0	01-2119485395-27	
	Flam. Gas 1, Liquefied gas; H220	H280		
90622-56-3	Hydrocarbons C7-C9, iso-alkanes	•		10 - < 20 %
	921-728-3		01-2119471305-42	
	Flam. Liq. 2, Skin Irrit. 2, STOT SI H411	∃ 3, Asp. Tox. 1, Aquatic Ch	ronic 2; H225 H315 H336 H304	
74-98-6	propane			5 - < 10 %
	200-827-9	601-003-00-5	01-2119486944-21	
	Flam. Gas 1, Liquefied gas; H220	H280	·	
90622-57-4	Hydrocarbons, C11-C12, isoalkan	5 - < 10 %		
	918-167-1		01-2119472146-39	
	Flam. Liq. 3, Asp. Tox. 1, Aquatic	Chronic 4; H226 H304 H413	3 EUH066	
106-97-8	butane			1 - < 3 %
	203-448-7	601-004-00-0	01-2119474691-32	
	Flam. Gas 1, Liquefied gas; H220	H280		
68584-23-6	Benzenesulfonic acid, C10-16-alk	yl derivs., calcium salts		0.1 - < 1 %
	271-529-4		01-2119492627-25	
	Skin Sens. 1B; H317	•	•	
61789-86-4	Sulfonic acids, petroleum, calcium	n salts		0.1 - < 1 %
	263-093-9		01-2119488992-18	
	Skin Sens. 1B; H317	•	•	
70024-69-0	Benzenesulfonic acid, mono-C16-	0.1 - < 1 %		
	274-263-7		01-2119492616-28	
	Skin Sens. 1B; H317			

Full text of H and EUH statements: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

## After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

### After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

according to Regulation (EC) No 1907/2006

#### FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 4 of 16

#### After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

#### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Danger of bursting container.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear personal protection equipment.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

according to Regulation (EC) No 1907/2006

#### FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 5 of 16

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Heating causes rise in pressure with risk of bursting.

### Further information on handling

Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

## Advice on storage compatibility

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

#### Further information on storage conditions

Protect from frost. Protect against direct sunlight. Store in a cool dry place. Observe legal regulations and provisions.

## 7.3. Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

according to Regulation (EC) No 1907/2006

## FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 6 of 16

## **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
61789-86-4	Sulfonic acids, petroleum, calcium salts		·	•
Worker DNEL	, long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL	., long-term	dermal	systemic	3,33 mg/kg bw/day
Worker DNEL	., long-term	dermal	local	1,03 mg/cm <sup>2</sup>
Consumer DN	NEL, long-term	inhalation	systemic	2,9 mg/m³
Consumer DN	NEL, long-term	dermal	systemic	1,667 mg/kg bw/day
Consumer DN	NEL, long-term	dermal	local	0,513 mg/cm <sup>2</sup>
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., cal	cium salts		
Worker DNEL	, long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL	., long-term	dermal	systemic	3,33 mg/kg bw/day
Worker DNEL	., long-term	dermal	local	1,03 mg/cm <sup>2</sup>
Consumer DN	NEL, long-term	inhalation	systemic	2,9 mg/m³
Consumer DNEL, long-term		dermal	systemic	1,667 mg/kg bw/day
Consumer DN	NEL, long-term	dermal	local	0,513 mg/cm <sup>2</sup>
Consumer DN	NEL, long-term	oral	systemic	0,833 mg/kg bw/day

according to Regulation (EC) No 1907/2006

#### FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 7 of 16

#### **PNEC values**

CAS No	Substance	
Environmental	compartment	Value
61789-86-4	Sulfonic acids, petroleum, calcium salts	
Freshwater		1 mg/l
Freshwater (in	termittent releases)	10 mg/l
Marine water		1 mg/l
Freshwater se	diment	226000000 mg/kg
Marine sedime	ent	226000000 mg/kg
Secondary poi	soning	16,667 mg/kg
Micro-organisr	1000 mg/l	
Soil		271000000 mg/kg
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	
Freshwater		1 mg/l
Freshwater (in	termittent releases)	10 mg/l
Marine water		1 mg/l
Freshwater se	diment	226000000 mg/kg
Marine sediment		226000000 mg/kg
Secondary poisoning		16,667 mg/kg
Micro-organisms in sewage treatment plants (STP)		1000 mg/l
Soil		271000000 mg/kg

#### Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long term exposure: after several previous shifts

d before next shift

blood (B) Urine (U)

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

#### Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

#### Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

**DIN EN 166** 

## **Hand protection**

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min

Thickness of the glove material 0,45 mm

**DIN EN 374** 

#### Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

according to Regulation (EC) No 1907/2006

#### **FOOD LUBE EXTREME AEROSOL NSF**

Revision date: 28.03.2018 Page 8 of 16

#### Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)...

Filtering device with filter or ventilator filtering device of type: AX

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

#### **Environmental exposure controls**

Observe legal regulations and provisions.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Aerosol Colour: brown

Odour: like mineral oil

Test method

pH-Value (at 20 °C): No information available. DIN 19268

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

No information available.

**Flammability** 

Solid: not applicable
Gas: not applicable

Lower explosion limits: 1
Upper explosion limits: 11

Ignition temperature: No information available.

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidising.

Vapour pressure:

Vapour pressure:

No information available.

No information available.

Density (at 20 °C): 0,744 g/cm³ DIN 51757

Bulk density: not applicable

Water solubility: The study does not need to be conducted

because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

No information available.

No information available.

according to Regulation (EC) No 1907/2006

#### FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 9 of 16

Viscosity / kinematic:

Flow time:

No information available.

Vapour density:

No information available.

Evaporation rate:

No information available.

Solvent separation test:

No information available.

No information available.

No information available.

No information available.

9.2. Other information

Solid content: No information available.

Data apply to technical substance: Relative density, Colour, Odour, Viscosity, pH.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air. Take precautionary measures against static discharges.

## 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

#### 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### **Further information**

Do not mix with other chemicals.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No information available.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

## FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 10 of 16

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
90622-56-3	Hydrocarbons C7-C9, iso	Hydrocarbons C7-C9, iso-alkanes							
	oral	LD50 mg/kg	> 5000	Rat					
	dermal	LD50 mg/kg	> 2000	Rabbit					
	inhalative (4 h) vapour	LC50	21 mg/l	Rat					
	inhalative (4 h) aerosol	LC50	>9,4 mg/l	Rat					
90622-57-4	Hydrocarbons, C11-C12,	isoalkanes	, <2% aromat	tics					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1988)	OECD Guideline 401			
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402			
	inhalative (4 h) vapour	LC50	>25 mg/l	Rat					
106-97-8	butane								
	inhalative (4 h) gas	LC50	658 ppm	Rat	GESTIS				
68584-23-6	Benzenesulfonic acid, C	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts							
	oral	LD50 mg/kg	>5000	Rat					
	dermal	LD50 mg/kg	>5000	Rat					
	inhalative (4 h) aerosol	LC50	>5 mg/l	Rat					
61789-86-4	Sulfonic acids, petroleum, calcium salts								
	oral	LD50 mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40			
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1981)	OECD Guideline 402			
70024-69-0	Benzenesulfonic acid, me	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts							
	oral	LD50 mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40			
	dermal	LD50 mg/kg	> 4000	Rabbit	Study report (1986)	other: 40 CFR, Section 163.81-2, Federal			
	inhalative (4 h) aerosol	LC50	>5 mg/l	Rat					

#### Irritation and corrosivity

Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indication of human carcinogenicity.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons C7-C9, iso-alkanes)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

### FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 11 of 16

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No information available.

## Additional information on tests

The mixture is classified as hazardous according to Directive 1999/45/EC.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

according to Regulation (EC) No 1907/2006

## FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 12 of 16

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
90622-56-3	Hydrocarbons C7-C9, iso-alkanes							
	Acute fish toxicity	LC50 mg/l	18,4	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50	29 mg/l	72 h	Pseudokirchneriella subcapitata			
	Acute crustacea toxicity	EC50	2,4 mg/l	48 h	Daphnia magna			
90622-57-4	Hydrocarbons, C11-C12,	isoalkanes,	<2% aromati	cs				
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	Study report; company data (1995)	OECD Guideline 201	
	Fish toxicity	NOEC mg/l	0,209	28 d	Oncorhynchus mykiss	Company report (2010)	The aquatic toxicity was estimated by a	
	Crustacea toxicity	NOEC	> 1 mg/l	21 d	Daphnia magna	Study report; company data (2012)	OECD Guideline 211	
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts							
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Oncorhynchus mykiss (Rainbow trout)			
	Acute algae toxicity	ErC50 mg/l	>1000	96 h	Scenedesmus subspicatus			
	Acute crustacea toxicity	EC50 mg/l	>1000	48 h	Daphnia magna			
61789-86-4	Sulfonic acids, petroleum, calcium salts							
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	Study report (1994)	EPA OTS 797.1050	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	Study report (1993)	EPA OTS 797.1300	
	Acute bacteria toxicity	(> 10000	) mg/l)	3 h	activated sludge of a predominantly domestic sewag	Study report (1994)	OECD Guideline 209	
70024-69-0	Benzenesulfonic acid, mo	no-C16-24-	alkyl derivs.,	calcium	salts			
	Acute fish toxicity	LC50 mg/l	>10000	96 h	Cyprinus carpio (Common Carp)			
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	EPA OTS 797.1050	
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h	Daphnia magna	REACh Registration Dossier	EPA OTS 797.1300	
	Acute bacteria toxicity	(> 10000	) mg/l)	3 h	activated sludge of a predominantly domestic sewag	REACh Registration Dossier	OECD Guideline 209	

## 12.2. Persistence and degradability

There are no data available on the mixture itself. AOX (mg/l): 0

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

according to Regulation (EC) No 1907/2006

#### **FOOD LUBE EXTREME AEROSOL NSF**

Revision date: 28.03.2018 Page 13 of 16

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-28-5	isobutane	2,8
74-98-6	propane	2,36
106-97-8	butane	2,89
61789-86-4	Sulfonic acids, petroleum, calcium salts	> 4,46
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	18,05

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH. Annex XIII.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

160504

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

#### Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; gases in pressure containers (including halons) containing hazardous

substances; hazardous waste

### Waste disposal number of contaminated packaging

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND 150104

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); metallic packaging

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

UN 1950 14.1. UN number: **AEROSOLS** 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 2 14.4. Packing group: Hazard label: 2 1 Classification code: 5F

**Special Provisions:** 190 327 344 625

Limited quantity: 1 L Excepted quantity: E0 Transport category: 2 Tunnel restriction code: D

Inland waterways transport (ADN)

14.1. UN number: UN 1950

according to Regulation (EC) No 1907/2006

FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 14 of 16

14.2. UN proper shipping name: AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.1Classification code:5F

Special Provisions: 190 327 344 625

Limited quantity: 1 L
Excepted quantity: E0

Marine transport (IMDG)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1Marine pollutant:no

Special Provisions: 63, 190, 277, 327, 344, 381,959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1950

14.2. UN proper shipping name: AEROSOLS, flammable

14.3. Transport hazard class(es):2.114.4. Packing group:-Hazard label:2.1

Special Provisions: A145 A167 A802

Limited quantity Passenger: 30 kg G
Passenger LQ: Y203
Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user
Warning: Flammable gases.

Warning. Flammable gadeo.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: isobutane; butane

2010/75/EU (VOC):

No information available.

2004/42/EC (VOC):

No information available.

**Additional information** 

according to Regulation (EC) No 1907/2006

#### FOOD LUBE EXTREME AEROSOL NSF

Revision date: 28.03.2018 Page 15 of 16

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]:

Calculation method.

Aerosol directive (75/324/EEC)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

#### **Additional information**

94/69/EC (21st ATP). The benzene content of the product is less than 0.1%. It applies the annotation P.

Classification and labeling as carcinogenic is not necessary.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Bridging principle "Aerosols"
STOT SE 3; H336	Bridging principle "Aerosols"
Aquatic Chronic 3; H412	Calculation method

# Relevant H and EUH statements (number and full text)

11220	Extremely naminable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

according to Regulation (EC) No 1907/2006

FOOD LUBE EXTREME AEROSOL NSF					
Revision date: 28.03.2018		Page 16 of 16			
H336	May cause drowsiness or dizziness.				
H411	Toxic to aquatic life with long lasting effects.				
H412	Harmful to aquatic life with long lasting effects.				
H413	May cause long lasting harmful effects to aquatic life.				
EUH066	Repeated exposure may cause skin dryness or cracking.				
EUH208	Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	S.			
	May produce an allergic reaction.				

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)