

# TFT

## SYNTHETIC TRANSPARENT VARNISH

- Fast drying time
- Easy application
- Can be used on all solvent-based paints
- UV resistant
- Highly suited for spot repairs due to good flow and being easy to polish
- Prevents against oxidation on stone, iron, copper, brass, aluminium, silver, bronze...
- Repairs scratches on equipments like ski, ski boots, snowboards, helmets, decoration, displays, letterings...
- Light blending
- High gloss
- TECHNO FINISHER does not discolour or crack, it remains flexible.



## NOTICE

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Tech-Masters is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Tech-Masters products provide, relates only to the standard conditions of sale of this product. In no case Tech-Masters can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.

# TECHNO FINISHER

## GENERAL INFORMATION

TECHNO FINISHER is a glossy, UV-resistant, fast-drying clear coat that can be applied universally to all existing base coats (solvent-based). Because of its very good flow and ease of polish, TECHNO FINISHER

is highly suitable for spot repairs with solvent-based paints. TECHNO FINISHER is ideal for protection of different kind of surfaces: iron, silver, copper, aluminium, bronze, plastic, paint surface, stones, textile, paper, wood, ...

## TECHNICAL INFORMATION

Form: aerosol  
 Colour: transparent  
 Smell: characteristic  
 Degree of gloss: at measurement angle 60° acc.  
 DIN 67530, 85 - 90 GE  
 Efficiency: Depending of consistence and colour of the substrate, 500 ml are sufficient for approx. 2,0 - 2,5 m²  
 Drying (at 20°C, 50% relative air humidity):  
 Outside powder: after 5 minutes  
 Touch-dry: after 10 minutes  
 Overpaintable: after 1 hour  
 Cured after 24 hours  
 The drying time is depending on the ambient

temperature, air humidity and the applied paint layer  
 Storage stability:  
 6 years if stored correctly (= 10°C - 25°C, relative humidity max. 60%)  
 Packaging: Aerosol cans, maximum nominal volume 500 ml  
 VOC-Value (Directive 2010/75/EC): 48,40% - 374,49 g/litre  
 VOC (volatile carbon): 29,24 % - 226,24 g/litre  
 For professional use only!

## APPLICATION AND USE

- **APPLICATIONS:**  
 To avoid the oxidation on metal surfaces like iron, silver, copper, aluminum, bronze...  
 Excellent for protection and waterproofing of hard textiles like camping tents, boat roofs, car roofs, ...  
 To protect wooden surfaces for long time. (waterproof)  
 To renovate and to protect ski, snow board, ski boots (to repair the scratches). Use TECHNO FINISHER and it will look like new!  
 TECHNO FINISHER can be used also to protect electric instruments.  
 Transparent varnish for body work, ideal for finishing the existing solvent based paints. Ideal also for internal parts of cars and industrial vehicle like hood, bumpers spoilers etc.  
 It is very useful also for motorcycle which must be polished.  
 Ideal for spot repairs and refinishing parts.

- **USE:**  
 The surface must be cleaned, degreased, dry, rust-free. If possible treat the surface with an anti-silicone solvent.  
 Solvent-based paints can be recoated with TECHNO FINISHER once they have dried for 60 minutes.  
 Shake can for 2 minutes. If necessary, repeat after 10-15 minutes. In order to improve the adhesion, sand the surface with abrasive (grain starting with P400, then 800 and 2000 depending on damage).  
 Carry out spray test.  
 Spray 2-3 thin layers from a distance of 15 - 20 cm and avoid dripping. Between each layer wait some minutes. The application temperature should be 20-25°C.  
 For application on water based paints, please test before use.  
 Do not spray on synthetic resin areas!  
 The best way to prepare the surface to be coated is to clean it with SAFETY CLEAN or MULTIFOAM.

Article nr	Name	Content	Section
T122001	Techno Finisher	500ml	SURFACE PROTECTION AND TREATMENT

