according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 17 Jan 2023 Print date: 12 May 2023



Version: 1 Page 1/9

Eco Fluid+ 25

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **1.1. Product identifier** Trade name/designation:

Eco Fluid+ 25

Article No.: T400025

# **1.2.** Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: All-purpose cleaner without abrasives

# 1.3. Details of the supplier of the safety data sheet

# Supplier:

Techniqua Handels GmbH Hartleitnerstraße 3 4653 Eberstalzell Austria Telephone: +43 (0) 7241 213 79 E-mail: office@techniqua.at

# **1.4. Emergency telephone number**

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

# 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

# Hazard statements: none

Suppleme	Supplemental hazard information	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	

# **Precautionary statements Prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

#### Precautionary statements Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

#### 2.3. Other hazards

#### Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Additional information:

Regulation (EC) No. 648/2004 [Detergents regulation]:

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 12 May 2023 Version: 1

Page 2/9

Eco Fluid+ 25



< 5% non-ionic surfactants

< 5% anionic surfactants, Preservative (Benzisothiazolinone, Octylisothiazolinone)

lazardous ingredients ,	/ Hazardous impurities / Stabilisers:	
Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 26183-52-8	Alkyl polyethoxilate Acute Tox. 4 (H302), Eye Dam. 1 (H318)	1 - < 5 Vol-%
CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6 REACH No.: 01-2120761540-60	<b>1,2-benzisothiazol-3(2H)-one</b> Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Eye Dam. 1 (H318), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) ① ① ② Danger <b>Specific concentration limit (SCL)</b> Skin Sens. 1; H317: C ≥ 0.05%	< 0.1 Vol-%
CAS No.: 26530-20-1 EC No.: 247-761-7 Index No.: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 2 (H330), Acute Tox. 3 (H311, H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1 (H314), Skin Sens. 1A (H317) $\bigcirc$ $\bigcirc$ $\bigcirc$ Danger EUH071 M-factor (acute): 100 M-factor (chronic): 100 Specific concentration limit (SCL) Skin Sens. 1A; H317: C ≥ 0.0015% Acute Toxicity Estimate ATE (oral): 125 mg/kg ATE (dermal): 311 mg/kg ATE (inhalation, dust/mist): 0.27 mg/L	< 0.1 Vol-%

Full text of H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### Following inhalation:

Provide fresh air.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

#### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

#### Following ingestion:

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting.

#### **4.2. Most important symptoms and effects, both acute and delayed** No further relevant information available.

# **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Carbon dioxide, Extinguishing powder

#### Unsuitable extinguishing media:

Full water jet

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 12 May 2023 Version: 1



Page 3/9

Eco Fluid+ 25

# 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide, Carbon monoxide

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

# 6.1.1. For non-emergency personnel

#### **Personal precautions:**

General information: Use personal protection equipment. Avoid contact with skin, eyes and clothes.

# 6.1.2. For emergency responders

No data available

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# 6.3. Methods and material for containment and cleaning up

#### **Other information:**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Further information on proper storage: see section 7. For further information on personal protective equipment: see section 8. For further information on disposal: see section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### **Protective measures**

#### Advices on safe handling:

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. Do not eat, drink or smoke when using this product.

#### Fire prevent measures:

No special fire protection measures are necessary.

#### Advices on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels:

Keep container tightly closed.

#### Hints on storage assembly:

No special measures are necessary.

**Storage class (TRGS 510, Germany):** 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

# 7.3. Specific end use(s)

# **Recommendation:**

There are no data available on the mixture itself.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 12 May 2023 Version: 1

Page 4/9

Eco Fluid+ 25

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	<ol> <li>Long-term occupational exposure limit value</li> <li>Short-term occupational exposure limit value</li> <li>Instantaneous value</li> <li>Monitoring and observation processes</li> <li>Remark</li> </ol>
МАК (АТ)	<b>2-octyl-2H-isothiazol-3-one</b> CAS No.: 26530-20-1 EC No.: 247-761-7	<ol> <li>0.05 mg/m<sup>3</sup></li> <li>0.05 mg/m<sup>3</sup></li> <li>(einatembare Fraktion, Momentanwert, kann über die Haut aufgenommen werden) H, S</li> </ol>

#### 8.1.2. Biological limit values No data available

# 8.1.3. DNEL-/PNEC-values

Substance name DNEL value 1		1 DNEL type	
		<ul><li>② Exposure route</li></ul>	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	6.81 mg/m <sup>3</sup>	<ul> <li>① DNEL worker</li> <li>② Long-term - inhalation, systemic effects</li> </ul>	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	1.2 mg/m <sup>3</sup>	<ol> <li>DNEL worker</li> <li>Long-term - inhalation, systemic effects</li> </ol>	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.966 mg/kg	<ol> <li>DNEL worker</li> <li>Long-term - dermal, systemic effects</li> </ol>	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.345 mg/kg	<ol> <li>DNEL worker</li> <li>Long-term - dermal, systemic effects</li> </ol>	
<b>2-octyl-2H-isothiazol-3-one</b> CAS No.: 26530-20-1 EC No.: 247-761-7	4 mg/m <sup>3</sup>	<ol> <li>DNEL worker</li> <li>Long-term - inhalation, local effects</li> </ol>	
Substance name	PNEC Value	① PNEC type	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.00403 mg/L	L ① PNEC aquatic, freshwater	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.000403 mg/ L	<ol> <li>PNEC aquatic, marine water</li> </ol>	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.0499 mg/kg	<ol> <li>PNEC sediment, freshwater</li> </ol>	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.00499 mg/ kg	① PNEC sediment, marine water	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	3 mg/kg	① PNEC soil	
<b>1,2-benzisothiazol-3(2H)-one</b> CAS No.: 2634-33-5 EC No.: 220-120-9	0.0011 mg/L	① PNEC aquatic, intermittent release	

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

No data available



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 12 May 2023 Version: 1

Page 5/9

Eco Fluid+ 25

# 8.2.2. Personal protection equipment

#### Eye/face protection:

Wear eye/face protection. (EN 166)

#### Skin protection:

Hand protection:

Tested protective gloves must be worn. (EN 374, Breakthrough time: > 10 min.)

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material:  $\geq$  0,1 mm

A list of suitable makes with detailed information on wearing time is available on request.

Diluted application solutions  $\leq 1\%$ :

Protective gloves may be dispensed with, provided equivalent protective measures are taken, taking into account increased skin exposure due to wet work (e.g. use of suitable skin protection ointments). Body protection:

Wear suitable work clothing.

#### **Respiratory protection:**

Usually no personal respirative protection necessary.

# 8.2.3. Environmental exposure controls

No data available

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state: Liquid

Colour: blue

**Odour:** characteristic

# Safety relevant basis data

Parameter	Value	at °C	<ol> <li>Method</li> </ol>
			② Remark
рН	9.2 - 10.2	20 °C	
Melting point	≈ 0 °C		
Freezing point	not determined		
Initial boiling point and boiling range	≈ 100 °C		
Decomposition temperature	not determined		
Flash point	not applicable		
Evaporation rate	not determined		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	not determined		
Vapour pressure	not determined		
Vapour density	not determined		
Density	1.01 g/cm <sup>3</sup>		
Relative density	not determined		
Bulk density	not determined		
Water solubility	not determined		
Partition coefficient: n-octanol/water	not determined		
Dynamic viscosity	< 0.01 Pa* s	25 °C	
Kinematic viscosity	not determined		
Self ignition temperature	not applicable		

# 9.2. Other information

No further relevant information available.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 12 May 2023 Version: 1

Page 6/9

Eco Fluid+ 25l

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### **10.2.** Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Alkyl polyethoxilate CAS No.: 26183-52-8	
LD <sub>50</sub> oral: 500 mg/kg (Ratte)	
LD <sub>50</sub> dermal: >2,000 mg/kg (Ratte)	
LC <sub>50</sub> Acute inhalation toxicity (dust/mist): >5 mg/L (Ratte)	
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	
LD <sub>50</sub> oral: 500 mg/kg (Rat)	
LD <sub>50</sub> dermal: >2,000 mg/kg (Rat)	
LC <sub>50</sub> Acute inhalation toxicity (dust/mist): >5 mg/L	i
2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7	
ATE (oral) <sup>1</sup> : 125 mg/kg	
ATE (dermal) <sup>1</sup> : 311 mg/kg	
ATE (inhalation, dust/mist) <sup>1</sup> : 0.27 mg/L	
LD <sub>50</sub> oral: 125 mg/kg (Rat) OECD 401	
LD <sub>50</sub> dermal: 311 mg/kg (Rabbit)	
LC <sub>50</sub> Acute inhalation toxicity (dust/mist): >0.139 mg/L (Rat) OECD 402	
<sup>1</sup> : Acute Toxicity Estimate. Harmonised (legal) classification.	·
Acute oral toxicity:	
Based on available data, the classification criteria are not met.	
Acute dermal toxicity:	
Based on available data, the classification criteria are not met.	
Acute inhalation toxicity:	
Based on available data, the classification criteria are not met.	
Skin corrosion/irritation:	
Based on available data, the classification criteria are not met.	
Serious eye damage/irritation:	
Based on available data, the classification criteria are not met.	
Respiratory or skin sensitisation:	
Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May cause allergic reactions.	
Germ cell mutagenicity:	
Based on available data, the classification criteria are not met.	
Carcinogenicity:	
Based on available data, the classification criteria are not met.	
Reproductive toxicity:	
Based on available data, the classification criteria are not met.	
	en / AT



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 12 May 2023 Version: 1

Page 7/9

# Eco Fluid+ 25

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

# STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

No data available

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Alkyl polyethoxilate CAS No.: 26183-52-8

EC<sub>50</sub>: 15 mg/L 2 d (crustaceans, Daphnia magna (Großer Wasserfloh)) OECD 202

ErC<sub>50</sub>: 19.6 mg/L 3 d (Algae/water plant) OECD 201

**1,2-benzisothiazol-3(2H)-one** CAS No.: 2634-33-5 EC No.: 220-120-9

**LC<sub>50</sub>:** >0.1 - 1 mg/L 4 d (fish)

**EC<sub>50</sub>:** >0.1 – 1 mg/L 2 d (crustaceans)

EC<sub>50</sub>: >0.1 - 1 mg/L 3 d (Algae/water plant)

**2-octyl-2H-isothiazol-3-one** CAS No.: 26530-20-1 EC No.: 247-761-7

LC50: 0.047 mg/L 4 d (fish, Oncorhynchus mykiss)

NOEC: 0.003 mg/L 21 d (crustaceans, Daphnia magna) OECD 202

IC<sub>50</sub>: 9 mg/L 4 d (crustaceans) OECD 301

NOEC: 0.0085 mg/L (fish, Pimephales promelas)

EC50: 0.32 mg/L 2 d (Algae/water plant, Daphnia magna)

ErC<sub>50</sub>: 0.000224 mg/L 2 d (Algae/water plant, Navicula pelliculosa) OECD 201

EC<sub>50</sub>: 0.00129 mg/L 3 d (Algae/water plant, Navicula pelliculosa) OECD 201

# 12.2. Persistence and degradability

Alkyl polyethoxilate CAS No.: 26183-52-8

# Biodegradation: Yes, rapidly

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Biodegradation: Yes, slowly

#### **Biodegradation:**

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

# 12.3. Bioaccumulative potential

**1,2-benzisothiazol-3(2H)-one** CAS No.: 2634-33-5 EC No.: 220-120-9

Log K<sub>OW</sub>: 1.45

#### Accumulation / Evaluation:

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

Alkyl polyethoxilate CAS No.: 26183-52-8

Results of PBT and vPvB assessment: -

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Results of PBT and vPvB assessment: -

2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7

Results of PBT and vPvB assessment: -



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 12 May 2023 Version: 1

Page 8/9

Eco Fluid+ 25l

TECH MASTERS world of innovations

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

# 13.1.1. Product/Packaging disposal

# Waste codes/waste designations according to EWC/AVV

Waste code product

07 06 99 Wastes not otherwise specified

#### Waste code packaging

15 01 02 Plastic packaging

#### Waste treatment options

Appropriate disposal / Package:

Uncleaned packaging: Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number	-	
No dangerous good in sense of these transport regulations.			
14.2. UN proper ship	ping name	·	
No dangerous good in sense of these transport regulations.			
14.3. Transport haza	rd class(es)		· ·
not relevant	not relevant	not relevant	not relevant
14.4. Packing group	·		
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards	Ţ	
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

#### **14.7. Maritime transport in bulk according to IMO instruments** No data available

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

#### Restrictions on use:

Restrictions on use (REACH, Annex XVII) Entry 75

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 12 May 2023 Version: 1

Page 9/9

Eco Fluid+ 25

# Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

#### **Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:** Volatile organic compounds (VOC) content in percent by weight: 30 weight-%

# 15.1.2. National regulations

No data available

# 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

# 16.1. Indication of changes

No data available

# 16.2. Abbreviations and acronyms

No data available

# 16.3. Key literature references and sources for data

No data available

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

# 16.5. Relevant R-, H- and EUH-phrases (Number and full text)

Hazard statements	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

# Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

# 16.6. Training advice

No data available

# 16.7. Additional information

No data available