

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 10 Mar 2023

**Print date:** 10 Jan 2024

**Version:** 2

Page 1/10



## Bond & Fix (Comp. B) 300ml

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name/designation:**

Bond & Fix (Comp. B) 300ml

**Article No.:**

T595003

**UFI:**

94MV-FSEK-2R0S-9Q3D

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture:**

Chemical anchorage (Catalyst)

#### 1.3. Details of the supplier of the safety data sheet

**Supplier:**

**KANDO Service GmbH**

Hartleitnerstraße 3

4653 Eberstälzell

Austria

**Telephone:** +43 (0) 7241 213 79

**E-mail:** msds@kando.eu

**Supplier:**

**TECH-MASTERS Austria GmbH**

Gewerbestraße 1

4720 Kallham

Austria

**Telephone:** +43 7733 20090

**Telefax:** +43 7733 20092

**E-mail:** info@tech-masters.at

**Website:** www.tech-masters.eu/at

#### 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	

#### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms:**



**GHS07**

Exclamation mark

**Signal word:** Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 10 Mar 2023

Print date: 10 Jan 2024

Version: 2



Page 2/10

## Bond & Fix (Comp. B) 300ml

### Hazard components for labelling:

Benzoylperoxid

#### Hazard statements for health hazards

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

#### Hazard statements for environmental hazards

H412	Harmful to aquatic life with long lasting effects.
------	--

### Supplemental hazard information: none

#### Precautionary statements Prevention

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands, forearms and the face thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective clothing, eye protection, face protection.

#### Precautionary statements Response

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
-------------	---

### 2.3. Other hazards

#### Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The mixture does not contain substances listed for endocrine disrupting properties in accordance with REACH Article 59(1) or has been determined not to have endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 94-36-0 EC No.: 202-327-6 REACH No.: 01-2119511472-50	<b>Benzoylperoxid</b> Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Irrit. 2 (H319), Org. Perox. B (H241), Skin Sens. 1 (H317) Danger M-factor (acute): 10 M-factor (chronic): 10	10 – 20 Vol-%
CAS No.: 107-21-1 EC No.: 203-473-3 REACH No.: 01-2119456816-28	<b>ethane-1,2-diol</b> Acute Tox. 4 (H302), STOT RE 2 (H373) Warning	3 – < 10 Vol-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

#### In case of skin contact:

Rinse affected areas with water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

#### After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Following ingestion:

Call a POISON CENTER or doctor/physician if you feel unwell.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 10 Mar 2023

**Print date:** 10 Jan 2024

**Version:** 2



Page 3/10

## Bond & Fix (Comp. B) 300ml

### 4.2. Most important symptoms and effects, both acute and delayed

Following skin contact: May cause an allergic skin reaction.

In case of eye contact: Causes eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Water spray jet, Dry extinguishing powder, Foam

### 5.2. Special hazards arising from the substance or mixture

Possible release of toxic fumes.

### 5.3. Advice for firefighters

Do not attempt to operate without suitable protective equipment. Self-contained respirator (breathing apparatus). Full protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Ensure good ventilation/extraction at the workplace. Avoid contact with eyes and skin. Avoid breathing dust/fume/gas/mist/vapours/spray.

#### 6.1.2. For emergency responders

##### Personal protection equipment:

Do not attempt to operate without suitable protective equipment. Additional information: SECTION 8: Exposure controls/personal protection

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up:

Take up mechanically.

#### Other information:

Feed substances or residues in solid form to an approved facility.

### 6.4. Reference to other sections

For further information on disposal: see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Ensure good ventilation/extraction at the workplace. Avoid contact with eyes and skin. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protection equipment (refer to section 8).

##### Advices on general occupational hygiene

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage class (TRGS 510, Germany):** 13 - Non-combustible solids that cannot be assigned to any of the above storage classes

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 10 Mar 2023

Print date: 10 Jan 2024

Version: 2



Page 4/10

## Bond & Fix (Comp. B) 300ml

### Further information on storage conditions:

Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

#### Recommendation:

No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	<b>Benzoylperoxid</b> CAS No.: 94-36-0 EC No.: 202-327-6	② 10 mg/m <sup>3</sup> ⑤ (einatembare Fraktion max. 8x5 min./Schicht, Momentanwert, Momentanwert) Sh
MAK (AT)	<b>Benzoylperoxid</b> CAS No.: 94-36-0 EC No.: 202-327-6	① 5 mg/m <sup>3</sup> ⑤ (einatembare Fraktion) Sh
MAK (AT)	<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	① 10 ppm (26 mg/m <sup>3</sup> ) ⑤ (kann über die Haut aufgenommen werden) H
MAK (AT)	<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	② 20 ppm (52 mg/m <sup>3</sup> ) ⑤ (max. 8x5 min./Schicht, Momentanwert, kann über die Haut aufgenommen werden) H
IOELV (EU)	<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	① 20 ppm (52 mg/m <sup>3</sup> ) ② 40 ppm (104 mg/m <sup>3</sup> ) ⑤ (may be absorbed through the skin)

#### 8.1.2. Biological limit values

No data available

#### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	35 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, local effects
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	7 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, local effects
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	106 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	53 mg/kg	① DNEL Consumer ② Long-term - dermal, systemic effects
Substance name	PNEC Value	① PNEC type
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	10 mg/L	① PNEC aquatic, freshwater
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	1 mg/L	① PNEC aquatic, marine water

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 10 Mar 2023

Print date: 10 Jan 2024

Version: 2



Page 5/10

## Bond & Fix (Comp. B) 300ml

Substance name	PNEC Value	① PNEC type
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	37 mg/kg	① PNEC sediment, freshwater
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	3.7 mg/kg	① PNEC sediment, marine water
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	1.53 mg/kg	① PNEC soil
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3	10 mg/L	① PNEC aquatic, intermittent release

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Ensure good ventilation/extraction at the workplace.

#### 8.2.2. Personal protection equipment



##### Eye/face protection:

Safety goggles

##### Skin protection:

Hand protection:

Chemical protective gloves (according to European standard EN 374 or equivalent)

Type: Disposable gloves, Reusable gloves

Glove material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber), Viton® II

Breakthrough time: 6 (> 480 min.)

0,4mm; EN ISO 374

The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use.

Body protection: Wear suitable protective clothing when working.

##### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. EN141

##### Thermal hazards:

No further relevant information available.

##### Other protection measures:

Personal protection

#### 8.2.3. Environmental exposure controls

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Paste

**Colour:** grey

**Odour:** characteristic

#### Safety relevant basis data

Parameter	Value	① Method ② Remark
pH	No data available	
Melting point	0 °C	
Freezing point	not applicable	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 10 Mar 2023

Print date: 10 Jan 2024

Version: 2



Page 6/10

## Bond & Fix (Comp. B) 300ml

Parameter	Value	① Method ② Remark
Initial boiling point and boiling range	No data available	
Flash point	not applicable	
Evaporation rate	No data available	
Auto-ignition temperature	not applicable	
Upper/lower flammability or explosive limits	not applicable	
Vapour pressure	No data available	
Vapour density	not applicable	
Density	No data available	
Relative density	1.45	
Bulk density	not applicable	
Water solubility	practically insoluble	
Dynamic viscosity	No data available	
Kinematic viscosity	not applicable	

### 9.2. Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is not reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Chemically stable under conditions of storage, handling and use.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

None under the recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No further relevant information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>Benzoylperoxid</b> CAS No.: 94-36-0 EC No.: 202-327-6
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat)
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat)
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> >2.5 ppmV (Mouse)
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> >20 mg/L

#### Acute oral toxicity:

Not classified

#### Acute dermal toxicity:

Not classified

#### Acute inhalation toxicity:

Not classified

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 10 Mar 2023

Print date: 10 Jan 2024

Version: 2



Page 7/10

## Bond & Fix (Comp. B) 300ml

### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation:

Causes serious eye irritation.

### Respiratory or skin sensitisation:

May cause an allergic skin reaction.

### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

### Carcinogenicity:

Based on available data, the classification criteria are not met.

### Reproductive toxicity:

Based on available data, the classification criteria are not met.

### STOT-single exposure:

Based on available data, the classification criteria are not met.

### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

### Aspiration hazard:

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties:

No further relevant information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Benzoylperoxid</b> CAS No.: 94-36-0 EC No.: 202-327-6
<b>LC<sub>50</sub></b> : 0.0602 mg/L (fish, <i>Oncorhynchus mykiss</i> )
<b>EC<sub>50</sub></b> : 0.11 mg/L (crustaceans, <i>Daphnia magna</i> )
<b>ErC<sub>50</sub></b> : 0.071 mg/L (Algae/water plant)
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3
<b>LC<sub>50</sub></b> : >72,860 mg/L 4 d (fish, <i>Pimephales promelas</i> )
<b>LC<sub>50</sub></b> : ≥100 mg/L (fish)
<b>EC<sub>50</sub></b> : >100 mg/L 2 d (crustaceans, <i>Daphnia magna</i> )
<b>EC<sub>50</sub></b> : ≥1,000 mg/L 3 d (Algae/water plant)
<b>NOEC</b> : ≥1,000 mg/L (crustaceans, <i>Americamysis bahia</i> )
<b>NOEC</b> : 8,590 mg/L (crustaceans, <i>Ceriodaphnia dubia</i> )

### Assessment/classification:

Harmful to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3
<b>Biodegradation</b> : Yes, rapidly
<b>Remark</b> : Readily biodegradable (according to OECD criteria).

### Additional information:

No further relevant information available.

### 12.3. Bioaccumulative potential

<b>Benzoylperoxid</b> CAS No.: 94-36-0 EC No.: 202-327-6
<b>Log K<sub>ow</sub></b> : 3.46
<b>ethane-1,2-diol</b> CAS No.: 107-21-1 EC No.: 203-473-3
<b>Log K<sub>ow</sub></b> : -1.36
<b>Bioconcentration factor (BCF)</b> : 10

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 10 Mar 2023

Print date: 10 Jan 2024

Version: 2



Page 8/10

## Bond & Fix (Comp. B) 300ml

### Accumulation / Evaluation:

No further relevant information available.

### 12.4. Mobility in soil

No further relevant information available.

### 12.5. Results of PBT and vPvB assessment

<b>Benzoylperoxid</b>	CAS No.: 94-36-0	EC No.: 202-327-6
<b>Results of PBT and vPvB assessment:</b> —		
<b>ethane-1,2-diol</b>	CAS No.: 107-21-1	EC No.: 203-473-3
<b>Results of PBT and vPvB assessment:</b> —		

No further relevant information available.

### 12.6. Endocrine disrupting properties

No further relevant information available.

### 12.7. Other adverse effects

No further relevant information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Waste treatment options

##### Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

##### Appropriate disposal / Package:

Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 10 Mar 2023

**Print date:** 10 Jan 2024

**Version:** 2

Page 9/10



## Bond & Fix (Comp. B) 300ml

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

###### Authorisations:

REACH Annex XVII (Restriction List): Does not contain any substance subject to the restrictions of Annex XVII of REACH.

REACH Annex XIV (Authorisation List): Does not contain any substance listed in REACH Annex XIV.

REACH Candidate List (SVHC): Does not contain a REACH candidate substance.

PIC Regulation (Prior Informed Consent): Does not contain any substances subject to Regulation (EU) 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals.

POPs Regulation (Persistent Organic Pollutants): Does not contain substances subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

###### Other regulations (EU):

This product is not assigned to a hazard category.

###### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 180 g/L

##### 15.1.2. National regulations

No data available

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### 16.1. Indication of changes

No data available

#### 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC <sub>50</sub>	Effective Concentration 50%
ES	Exposure scenario
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
LC <sub>50</sub>	Lethal (fatal) Concentration 50%
LD <sub>50</sub>	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 10 Mar 2023

**Print date:** 10 Jan 2024

**Version:** 2

Page 10/10



## Bond & Fix (Comp. B) 300ml

VOC Volatile organic compounds

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
Respiratory or skin sensitisation ( <i>Skin Sens. 1</i> )	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment ( <i>Aquatic Chronic 3</i> )	H412: Harmful to aquatic life with long lasting effects.	

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H241	Heating may cause a fire or explosion.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### 16.6. Training advice

No data available

### 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.