according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 1/9



Eco Fluid+ 251

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Eco Fluid+ 251

Article No.:

T400025

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

All-purpose cleaner without abrasives

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3 4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information	
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Precautionary statements Prevention		
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	

Precautionary statements Response		
P302 + P352	IF ON SKIN: Wash with plenty of water and soap.	

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Additional information:

Regulation (EC) No. 648/2004 [Detergents regulation]:

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 2/9



Eco Fluid+ 251

- < 5% non-ionic surfactants
- < 5% anionic surfactants, Preservative (Benzisothiazolinone, Octylisothiazolinone)

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 26183-52-8	Alkyl polyethoxilate Acute Tox. 4 (H302), Eye Dam. 1 (H318)	1 - < 5 Vol-%
CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6 REACH No.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Eye Dam. 1 (H318), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) Danger Specific concentration limit (SCL) Skin Sens. 1; H317: C ≥ 0.05%	< 0.1 Vol-%
CAS No.: 26530-20-1 EC No.: 247-761-7 Index No.: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 2 (H330), Acute Tox. 3 (H311, H301), Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1 (H314), Skin Sens. 1A (H317)	< 0.1 Vol-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion:

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Carbon dioxide, Extinguishing powder

Unsuitable extinguishing media:

Full water jet

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 3/9



Eco Fluid+ 251

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide, Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

General information: Use personal protection equipment. Avoid contact with skin, eyes and clothes.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Other information:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Further information on proper storage: see section 7.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. Do not eat, drink or smoke when using this product.

Fire prevent measures:

No special fire protection measures are necessary.

Advices on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep container tightly closed.

Hints on storage assembly:

No special measures are necessary.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation:

There are no data available on the mixture itself.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 4/9



Eco Fluid+ 251

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

in 11: Occupational exposure milit values		
Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
MAK (AT)	2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7	 ① 0.05 mg/m³ ② 0.05 mg/m³ ⑤ (einatembare Fraktion, Momentanwert, kann über die Haut aufgenommen werden) H, S

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	6.81 mg/m ³	① DNEL worker ② Long-term – inhalation, systemic effects
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	1.2 mg/m³	① DNEL worker ② Long-term – inhalation, systemic effects
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.966 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.345 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects
2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7	4 mg/m³	① DNEL worker ② Long-term – inhalation, local effects

Substance name	PNEC Value	① PNEC type
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.00403 mg/L	① PNEC aquatic, freshwater
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.000403 mg/ L	① PNEC aquatic, marine water
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.0499 mg/kg	① PNEC sediment, freshwater
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.00499 mg/ kg	① PNEC sediment, marine water
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	3 mg/kg	① PNEC soil
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.0011 mg/L	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 5/9



Eco Fluid+ 251

8.2.2. Personal protection equipment

Eye/face protection:

Wear eye protection/face protection. (EN 166)

Skin protection:

Hand protection:

Tested protective gloves must be worn. (EN 374, Breakthrough time: > 10 min.)

Suitable material: NBR (Nitrile rubber)
Thickness of the glove material: ≥ 0,1 mm

A list of suitable makes with detailed information on wearing time is available on request.

Diluted application solutions <= 1%:

Protective gloves may be dispensed with, provided equivalent protective measures are taken, taking into account increased skin exposure due to wet work (e.g. use of suitable skin protection ointments).

Body protection:

Wear suitable work clothing.

Respiratory protection:

Usually no personal respirative protection necessary.

8.2.3. Environmental exposure controls

No data available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: blue

Odour: characteristic

Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	9.2 - 10.2	20 °C	
Melting point	≈ 0 °C		
Freezing point	No data available		
Initial boiling point and boiling range	≈ 100 °C		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1.01 g/cm³		
Bulk density	not applicable		
Water solubility	No data available		
Dynamic viscosity	< 0.01 Pa* s	25 °C	
Kinematic viscosity	No data available		
Self ignition temperature	not applicable		

9.2. Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 6/9



Eco Fluid+ 251

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Alkyl polyethoxilate CAS No.: 26183-52-8
LD₅₀ oral: 500 mg/kg (Ratte)
LD₅₀ dermal: >2,000 mg/kg (Ratte)
LC ₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L (Ratte)
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9
LD₅₀ oral: 500 mg/kg (Rat)
LD₅₀ dermal: >2,000 mg/kg (Rat)
LC ₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L
2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7
ATE (oral) ¹ : 125 mg/kg
ATE (dermal)¹: 311 mg/kg
ATE (inhalation, dust/mist)¹: 0.27 mg/L
LD₅₀ oral: 125 mg/kg (Rat) OECD 401
LD ₅₀ dermal: 311 mg/kg (Rabbit)
LC ₅₀ Acute inhalation toxicity (dust/mist): >0.139 mg/L (Rat) OECD 402

^{1:} Acute Toxicity Estimate. Harmonised (legal) classification.

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Contains 1,2-benzisothiazol-3(2H)-one, 2-octyl-2H-isothiazol-3-one. May cause allergic reactions.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 7/9



Eco Fluid+ 251

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Alkyl polyethoxilate CAS No.: 26183-52-8

EC₅₀: 15 mg/L 2 d (crustaceans, Daphnia magna (Großer Wasserfloh)) OECD 202

ErC₅₀: 19.6 mg/L 3 d (Algae/water plant) OECD 201

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

LC₅₀: >0.1 - 1 mg/L 4 d (fish)

EC₅₀: >0.1 - 1 mg/L 2 d (crustaceans)

EC₅₀: > 0.1 - 1 mg/L 3 d (Algae/water plant)

2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7

LC₅₀: 0.047 mg/L 4 d (fish, Oncorhynchus mykiss)

NOEC: 0.003 mg/L 21 d (crustaceans, Daphnia magna) OECD 202

IC₅₀: 9 mg/L 4 d (crustaceans) OECD 301

NOEC: 0.0085 mg/L (fish, Pimephales promelas)

EC₅₀: 0.32 mg/L 2 d (Algae/water plant, Daphnia magna)

ErC₅₀: 0.000224 mg/L 2 d (Algae/water plant, Navicula pelliculosa) OECD 201

EC₅₀: 0.00129 mg/L 3 d (Algae/water plant, Navicula pelliculosa) OECD 201

12.2. Persistence and degradability

Alkyl polyethoxilate CAS No.: 26183-52-8

Biodegradation: Yes, rapidly

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Biodegradation: Yes, slowly

Biodegradation:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Log Kow: 1.45

Accumulation / Evaluation:

No indication of bioaccumulation potential.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Alkyl polyethoxilate CAS No.: 26183-52-8

Results of PBT and vPvB assessment: -

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Results of PBT and vPvB assessment: —

2-octyl-2H-isothiazol-3-one CAS No.: 26530-20-1 EC No.: 247-761-7

Results of PBT and vPvB assessment: -

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 8/9



Eco Fluid+ 251

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

07 06 99 Wastes not otherwise specified

Waste code packaging

15 01 02 Plastic packaging

Waste treatment options

Appropriate disposal / Package:

Uncleaned packaging: Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		
sense of these transport sense of these transport		No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper ship	ping name		
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport haza	rd class(es)		
not relevant	not relevant	not relevant	not relevant
14.4. Packing group		`	
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Restrictions on use:

Restrictions on use (REACH, Annex XVII) Entry 75

Other regulations (EU):

This product is not assigned to a hazard category.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 30 weight-%

15.1.2. National regulations

No data available

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Jan 2023 Print date: 15 Feb 2024

Version: 2 Page 9/9



Eco Fluid+ 251

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

No data available

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Supplemental hazard information	
EUH071	Corrosive to the respiratory tract.

16.6. Training advice

No data available

16.7. Additional information

No data available