according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 17 Apr 2023 Print date: 19 Feb 2024 Version: 2



Breeze Neutro strawberry 500ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Trade name/designation:

Breeze Neutro strawberry 500ml

Article No.:

T404002 UFI:

1Y95-XFH2-0Q07-TJQS

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Air care products for indoor rooms (instant action)

Relevant identified uses:

Process categories [PROC]

PROC 11: Non industrial spraying

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH Hartleitnerstraße 3 4653 Eberstalzell Austria Telephone: +43 (0) 7241 213 79 E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

Additional information:

The product is not self-sustainingly combustible. Despite a flash point < 60 $^{\circ}$ C, classification as flammable is therefore not applicable.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:





according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023 Print date: 19 Feb 2024 Version: 2



Page 2/11

Breeze Neutro strawberry 500ml

Signal word: Warning

Hazard statements for health hazards

H319

Supplemental hazard information

EUH208 Contains 3,7-dimethyloctan-3-ol. May produce an allergic reaction.

Precautionary statements Prevention

P280	Wear protective gloves/protective clothing and eye protection/face protection.
Precautionary sta	tements Response
P302 + P352	IF ON SKIN: Wash with plenty of water and soap.
	PLE IN EVES, Binso continuely with water for several minutes. Bemove contact longer, if pro

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Causes serious eye irritation.

2.3. Other hazards

Other adverse effects:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Additional information:

Labelling for contents according to regulation (EC) No. 648/2004 < 5% non-ionic surfactants

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 64-17-5 EC No.: 200-578-6 REACH No.: 01-2119457610-43	ethanol Eye Irrit. 2 (H319), Flam. Liq. 2 (H225) \bigcirc \bigcirc Danger Specific concentration limit (SCL) Eye Irrit. 2; H319: 50% \leq C $<$ 100%	15 - < 20 Vol-%
CAS No.: 1569-02-4 EC No.: 216-374-5 Index No.: 603-177-00-8 REACH No.: 01-2119462792-32	1-ethoxypropan-2-ol Flam. Liq. 3 (H226), STOT SE 3 (H336)	1 - < 5 Vol-%
CAS No.: 78330-21-9 EC No.: 616-609-5	Alkyl polyethoxilate Acute Tox. 4 (H302), Aquatic Chronic 3 (H412), Eye Dam. 1 (H318) Onger	1 - < 5 Vol-%
CAS No.: 78-69-3 EC No.: 201-133-9	3,7-dimethyloctan-3-ol The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].	< 1 Vol-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Remove contaminated, saturated clothing immediately.

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023 Print date: 19 Feb 2024 Version: 2

Page 3/11

Breeze Neutro strawberry 500ml

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion:

Rinse mouth immediately and drink 1 glass of of water. Do NOT induce vomiting.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed No information available.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon dioxide (CO2), Carbon monoxide

5.3. Advice for firefighters

Adapt fire extinguishing measures to the surroundings.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Ventilate affected area.

6.1.2. For emergency responders

Personal protection equipment:

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). **For cleaning up:**

Treat the recovered material as prescribed in the section on waste disposal.

Other information:

Collect in closed and suitable containers for disposal. Ventilate affected area.

6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8. For further information on disposal: see section 13.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023 Print date: 19 Feb 2024 Version: 2

Page 4/11

Breeze Neutro strawberry 500ml

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. Do not eat, drink or smoke when using this product. Do not breathe gas/fumes/vapour/spray. Use only outdoors or in a well-ventilated area.

Fire prevent measures:

No special fire protection measures are necessary.

Advices on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep container tightly closed.

Hints on storage assembly:

No special measures are necessary. **Storage class (TRGS 510, Germany):** 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation: Cleaning agent GISCODE: GU 70

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
MAK (AT)	ethanol CAS No.: 64-17-5 EC No.: 200-578-6	 1,000 ppm (1,900 mg/m³)
MAK (AT)	ethanol CAS No.: 64-17-5 EC No.: 200-578-6	 2,000 ppm (3,800 mg/m³) (max. 3x60 min./Schicht, Momentanwert)
MAK (AT) from 10 Apr 2021	1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5	 50 ppm (220 mg/m³) 200 ppm (880 mg/m³)

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No further relevant information available.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 17 Apr 2023 Print date: 19 Feb 2024 Version: 2

Page 5/11

Breeze Neutro strawberry 500ml

8.2.2. Personal protection equipment



Eye/face protection:

Wear eye protection/face protection. EN 166

Skin protection:

Hand protection: Tested protective gloves must be worn EN ISO 374 Suitable material: NBR (Nitrile rubber) Breakthrough time: > 10min Thickness of the glove material >= 0,1 mm A list of suitable makes with detailed information on wearing time is available on request.

Diluted application solutions $\leq 1\%$:

Protective gloves may be dispensed with, provided equivalent protective measures are taken, taking into account increased skin exposure due to wet work (e.g. use of suitable skin protection ointments).

Body protection: Wear suitable work clothing.

Respiratory protection:

When using the HD method or spraying over large areas: combination filter A1/P2 (EN 143, EN 14387).

Thermal hazards:

No further relevant information available.

Other protection measures: Wear suitable work clothing.

wear suitable work clothing.

8.2.3. Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid

Colour: light yellow

Odour: Perfumes, fragrances

Safety relevant basis data

Parameter	Value	at °C	1 Method
			② Remark
рН	7.5 - 8.5	20 °C	
Melting point	-5 °C		
Freezing point	-5 °C		
Initial boiling point and boiling range	> 90 °C		
Flash point	39 °C		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	0.98 g/cm ³	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible	20 °C	
Partition coefficient: n-octanol/water	not applicable		



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 17 Apr 2023

Print date: 19 Feb 2024 Version: 2



Page 6/11

Breeze Neutro strawberry 500ml

Parameter	Value		 Method Remark
Dynamic viscosity	< 10 mPa* s	25 °C	
Kinematic viscosity	No data available		

9.2. Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

ATE (oral): 10,470 mg/kg

LD₅₀ oral: >2,000 mg/kg (Rat) IUCLID

LD₅₀ dermal: >2,000 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (vapour): >20 mg/L (Rat) RTECS

1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5

LD₅₀ oral: >5,000 mg/kg (Rat)

LD₅₀ dermal: 8,100 mg/kg (Rabbit)

LC₅₀ Acute inhalation toxicity (vapour): >10,000 mg/L (Rat)

Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5

LD₅₀ oral: 500 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (vapour): >5 mg/L (Rat)

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

May cause allergic reactions.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 17 Apr 2023

Print date: 19 Feb 2024 Version: 2



Page 7/11

Breeze Neutro strawberry 500ml

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met. **Aspiration hazard:**

Based on available data, the classification criteria are not met.

Additional information:

No further relevant information available.

11.2. Information on other hazards

Endocrine disrupting properties: None of the ingredients are included.

SECTION 12: Ecological information

12.1. Toxicity

ethanol CAS No.: $64-17-5$ EC No.: $200-578-6$ LC ₅₀ : >1,000 mg/L 4 d (fish) LC ₅₀ : =11,200 mg/L 1 d EC ₅₀ : >1,000 mg/L 2 d (crustaceans, Daphnia magna) EC ₅₀ : =275 mg/L 3 d NOEC: =9.6 mg/L ErC ₅₀ : >100 mg/L 2 d (fish, Leuciscus idus (golden orfe)) EC ₅₀ : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe)) EC ₅₀ : 6,500 mg/L (Algae/water plant, Pseudomonas putida) 1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5 EC ₅₀ : 5.465 mg/L 2 d (crustaceans, Daphnia magna) Alkyl polyethoxilate CAS No.: 78330-21-9 EC ₅₀ : >1 mg/L 4 d (fish) EC ₅₀ : >1 mg/L 2 d (crustaceans) EC ₅₀ : >1 mg/L 2 d (crustaceans)	
LC ₅₀ : =11,200 mg/L 1 d EC ₅₀ : >1,000 mg/L 2 d (crustaceans, Daphnia magna) EC ₅₀ : =275 mg/L 3 d NOEC: =9.6 mg/L ErC ₅₀ : >100 mg/L LC ₅₀ : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe)) EC ₅₀ : 6,500 mg/L (Algae/water plant, Pseudomonas putida) 1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5 EC ₅₀ : 5.465 mg/L 2 d (crustaceans, Daphnia magna) Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5 LC ₅₀ : ~1 mg/L 4 d (fish) EC ₅₀ : >1 mg/L 2 d (crustaceans)	ethanol CAS No.: 64-17-5 EC No.: 200-578-6
EC_{50}: >1,000 mg/L 2 d (crustaceans, Daphnia magna)EC_{50}: =275 mg/L 3 dNOEC: =9.6 mg/LErC_{50}: >100 mg/LLC_{50}: 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe))EC_{50}: 6,500 mg/L (Algae/water plant, Pseudomonas putida)1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5EC_{50}: 5.465 mg/L 2 d (crustaceans, Daphnia magna)Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5LC_{50}: $\approx 1 mg/L 4 d$ (fish)EC_{50}: >1 mg/L 2 d (crustaceans)	LC ₅₀ : >1,000 mg/L 4 d (fish)
EC_{50} : =275 mg/L 3 dNOEC: =9.6 mg/L ErC_{50} : >100 mg/L LC_{50} : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe)) EC_{50} : 6,500 mg/L (Algae/water plant, Pseudomonas putida)1-ethoxypropan-2-olCAS No.: 1569-02-4EC S0: 5.465 mg/L 2 d (crustaceans, Daphnia magna)Alkyl polyethoxilateCAS No.: 78330-21-9EC S0: $\approx 1 mg/L 4 d$ (fish)EC_{50}: >1 mg/L 2 d (crustaceans)	LC₅₀: =11,200 mg/L 1 d
NOEC: =9.6 mg/L ErC_{50} : >100 mg/L LC_{50} : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe)) EC_{50} : 6,500 mg/L (Algae/water plant, Pseudomonas putida) 1 -ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5 EC_{50} : 5.465 mg/L 2 d (crustaceans, Daphnia magna)Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5 LC_{50} : $\approx 1 mg/L 4 d$ (fish) EC_{50} : >1 mg/L 2 d (crustaceans)	EC ₅₀ : >1,000 mg/L 2 d (crustaceans, Daphnia magna)
ErC_{50} : >100 mg/L LC_{50} : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe)) EC_{50} : 6,500 mg/L (Algae/water plant, Pseudomonas putida) 1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC_{50} : 5.465 mg/L 2 d (crustaceans, Daphnia magna) Alkyl polyethoxilate CAS No.: 78330-21-9 EC_{50} : $\approx 1 mg/L 4 d$ (fish) EC_{50} : >1 mg/L 2 d (crustaceans)	EC₅₀: =275 mg/L 3 d
LC50: $8,140 \text{ mg/L } 2 \text{ d}$ (fish, Leuciscus idus (golden orfe))EC50: $6,500 \text{ mg/L}$ (Algae/water plant, Pseudomonas putida)1-ethoxypropan-2-olCAS No.: 1569-02-4EC50: $5.465 \text{ mg/L } 2 \text{ d}$ (crustaceans, Daphnia magna)Alkyl polyethoxilateCAS No.: 78330-21-9EC50: $\approx 1 \text{ mg/L } 4 \text{ d}$ (fish)EC50: $\approx 1 \text{ mg/L } 2 \text{ d}$ (crustaceans)	NOEC: =9.6 mg/L
EC ₅₀ : 6,500 mg/L (Algae/water plant, Pseudomonas putida) 1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5 EC ₅₀ : 5.465 mg/L 2 d (crustaceans, Daphnia magna) Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5 LC ₅₀ : ≈1 mg/L 4 d (fish) EC ₅₀ : >1 mg/L 2 d (crustaceans)	ErC ₅₀ : >100 mg/L
1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5 EC ₅₀ : 5.465 mg/L 2 d (crustaceans, Daphnia magna) Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5 LC ₅₀ : ≈1 mg/L 4 d (fish) EC ₅₀ : >1 mg/L 2 d (crustaceans)	LC ₅₀ : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe))
EC ₅₀ : 5.465 mg/L 2 d (crustaceans, Daphnia magna) Alkyl polyethoxilate CAS No.: 78330-21-9 EC ₅₀ : ≈1 mg/L 4 d (fish) EC ₅₀ : >1 mg/L 2 d (crustaceans)	EC ₅₀ : 6,500 mg/L (Algae/water plant, Pseudomonas putida)
Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5 LC ₅₀ : ≈1 mg/L 4 d (fish) EC ₅₀ : >1 mg/L 2 d (crustaceans)	1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5
LC50: ≈1 mg/L 4 d (fish) EC50: >1 mg/L 2 d (crustaceans)	EC ₅₀ : 5.465 mg/L 2 d (crustaceans, Daphnia magna)
EC ₅₀ : >1 mg/L 2 d (crustaceans)	Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5
	LC ₅₀ : ≈1 mg/L 4 d (fish)
ErCso: >1 mg/L (Algae/water plant)	EC ₅₀ : >1 mg/L 2 d (crustaceans)
	ErC ₅₀ : >1 mg/L (Algae/water plant)

Assessment/classification:

No further relevant information available.

12.2. Persistence and degradability

ethanol CAS No.: 64-17-5 EC No.: 200-578-6	
Biodegradation: Yes, rapidly	
Remark: Readily biodegradable (according to OECD criteria).	
1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5	
Biodegradation: Yes, rapidly	
Remark: Readily biodegradable (according to OECD criteria).	
Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5	
Biodegradation: Yes, rapidly	
Remark: Readily biodegradable (according to OECD criteria).	

Biodegradation:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 17 Apr 2023

Print date: 19 Feb 2024 Version: 2

Page 8/11

Breeze Neutro strawberry 500ml

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

Log K_{OW}: -0.31

1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5

Log K_{OW}: < 1

Bioconcentration factor (BCF): 3.16

Partition coefficient: n-octanol/water:

not applicable

Accumulation / Evaluation:

No indication of bioaccumulation potential.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

ethanol CAS No.: 64-17-5 EC No.: 200-578-6

Results of PBT and vPvB assessment: -

1-ethoxypropan-2-ol CAS No.: 1569-02-4 EC No.: 216-374-5

Results of PBT and vPvB assessment: —

Alkyl polyethoxilate CAS No.: 78330-21-9 EC No.: 616-609-5

Results of PBT and vPvB assessment: -

3,7-dimethyloctan-3-ol CAS No.: 78-69-3 EC No.: 201-133-9

Results of PBT and vPvB assessment: -

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

07 06 01 * aqueous washing liquids and mother liquors

*: Evidence for disposal must be provided.

Waste code packaging

15 01 02 Plastic packaging

Waste treatment options

Appropriate disposal / Package:

Non-contaminated packages may be recycled.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 17 Apr 2023 Print date: 19 Feb 2024



Version: 2 Page 9/11

Breeze Neutro strawberry 500ml

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		,
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper ship	ping name		
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport haza	rd class(es)	*	,
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Restrictions on use:

Use restriction according to REACH annex XVII, no.: Entry 3, Entry 40, Entry 75

Other regulations (EU):

This product is not assigned to a hazard category.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: V(2) content in percent by weight: 21.8 V(2)

Volatile organic compounds (VOC) content in percent by weight: 21.8 Vol-%

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

15.3. Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR European Agreement concerning the International Carriage of Dangerous Goods by Road BCF Bioconcentration Factor
- CAS Chemical Abstracts Service
- CLP Classification, Labelling and Packaging
- DIN German Institute for Standardization / German Industrial Standard

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 17 Apr 2023

Print date: 19 Feb 2024 Version: 2



Page 10/11

Breeze Neutro strawberry 500ml

DNEL	derived no-effect level
EC ₅₀	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
IUCLID	International Uniform Chemical Information Database
KG	body weight
LC ₅₀	Lethal (fatal) Concentration 50%
LD ₅₀	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
PROC	Process Category
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
RTECS	Registry of Toxic Effects of Chemical Substances
SCL	Specific concentration limit
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
VOC	Volatile organic compounds
ZNS	central nervous system
10 2 1/-	. It and the manual second sec

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard state	Hazard statements	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	٦
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting effects.	

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 17 Apr 2023 Print date: 19 Feb 2024 Version: 2



Page 11/11

Breeze Neutro strawberry 500ml

caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.