according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 2 Jun 2023 Print date: 15 Feb 2024



Version: 2 Page 1/14

Food Lube Extreme LS 400g

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Trade name/designation:

Food Lube Extreme LS 400g

Article No.:

T203101

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Lubricating agent

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH Hartleitnerstraße 3 4653 Eberstalzell Austria Telephone: +43 (0) 7241 213 79 E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

According to EC directives or the corresponding national regulations the product does not have to be labelled.

Hazard statements: none

Supplemental hazard information		
	Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts; Sulfonic acids, petroleum, calcium salts; Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	

Precautionary statements: none

2.3. Other hazards

Other adverse effects:

This mixture does not contain substances classified as PBT or vPvB substances.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 2 Jun 2023

Revision date: 2 Jun 202 Print date: 15 Feb 2024 Version: 2

Page 2/14

Food Lube Extreme LS 400g

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 61789-86-4 EC No.: 263-093-9 REACH No.: 01-2119488992-18	Sulfonic acids, petroleum, calcium salts Skin Sens. 1B (H317)	5 - < 10 Vol-%
CAS No.: 68411-46-1 EC No.: 270-128-1 REACH No.: 01-2119491299-23	Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene Aquatic Chronic 3 (H412)	5 - < 10 Vol-%
CAS No.: 70024-69-0 EC No.: 274-263-7 REACH No.: 01-2119492616-28	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts Skin Sens. 1B (H317) ♦ Warning Specific concentration limit (SCL) Skin Sens. 1B; H317: 10% ≤ C < 100%	5 - < 10 Vol-%
CAS No.: 68584-23-6 EC No.: 271-529-4 REACH No.: 01-2119492627-25	 Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts Skin Sens. 1B (H317) Warning Specific concentration limit (SCL) Skin Sens. 1B; H317: 10% ≤ C < 100% 	5 - < 10 Vol-%
CAS No.: 26264-06-2 EC No.: 247-557-8 REACH No.: 01-2120122335-68 Full toxt of H_and FUH phra	calcium dodecylbenzenesulphonate Acute Tox. 4 (H302), Aquatic Chronic 4 (H413), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) Tonger	1 - < 3 Vol-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

Following inhalation:

Remove person to fresh air and keep comfortable for breathing. When in doubt or if symptoms are observed, get medical advice.

In case of skin contact:

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. When in doubt or if symptoms are observed, get medical advice.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If symptoms occur or persist, consult an ophthalmologist.

Following ingestion:

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed Headache, Nausea, Dizziness, Fatigue, Skin irritation

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

en / AT GeSi.de

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2

Page 3/14

Food Lube Extreme LS 400g

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water mist, Foam, Carbon dioxide (CO2), Extinguishing powder

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis can produce gases of varying toxicity. In the case of products containing hydrocarbons, e.g. CO, CO2, aldehydes and soot. These can be very dangerous if inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

Do not inhale explosion and combustion gases. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protection equipment. First aider: Pay attention to self-protection!

6.1.2. For emergency responders

Personal protection equipment:

Fight fire with normal precautions from a reasonable distance.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

For containment:

Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Clean contaminated articles and floor according to the environmental legislation.

Other information:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Further information on proper storage: see section 7. For further information on personal protective equipment: see section 8. For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2

Page 4/14

Food Lube Extreme LS 400g

Avoid contact with eyes and skin.

Fire prevent measures:

Keep away from sources of ignition - No smoking.

Advices on general occupational hygiene

Avoid exposure - obtain special instructions before use. Wear suitable work clothing. Draw up and observe skin protection programme.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep container tightly closed. Observe legal rules and regulations.

Hints on storage assembly:

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Keep away from food, drink and animal feed.

Storage class (TRGS 510, Germany): 11 – Combustible solids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a cool dry place. Observe legal rules and regulations.

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	 DNEL type Exposure route
Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9	11.75 mg/m ³	 DNEL worker Long-term - inhalation, systemic effects
Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9	2.9 mg/m ³	 DNEL Consumer Long-term - inhalation, systemic effects
Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9	3.33 mg/kg bw/day	 DNEL worker Long-term - dermal, systemic effects
Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9	1.667 mg/kg bw/day	 DNEL Consumer Long-term - dermal, systemic effects
Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9	1.03 mg/cm ²	 DNEL worker Long-term - dermal, local effects
Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9	0.513 mg/cm ²	 DNEL Consumer Long-term - dermal, local effects

TECH MASTERS

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2



Page 5/14

Food Lube Extreme LS 400g

Substance name	DNEL value	1 DNEL type
		② Exposure route
Sulfonic acids, petroleum, calcium	0.833 mg/kg	① DNEL Consumer
salts	bw/day	 Long-term - oral, systemic effects
CAS No.: 61789-86-4 EC No.: 263-093-9		
Benzenamine, N-phenyl-, reaction	0.6 mg/m ³	① DNEL worker
products with 2,4,4-trimethylpentene	0.0 mg/m	 2 Long-term – inhalation, systemic effects
CAS No.: 68411-46-1		
EC No.: 270-128-1		-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0.14 mg/m ³	① DNEL Consumer
CAS No.: 68411-46-1		② Long-term – inhalation, systemic effects
EC No.: 270-128-1		
Benzenamine, N-phenyl-, reaction	0.08 mg/kg	① DNEL worker
products with 2,4,4-trimethylpentene	bw/day	② Long-term - dermal, systemic effects
CAS No.: 68411-46-1 EC No.: 270-128-1		
Benzenamine, N-phenyl-, reaction	0.04 mg/kg	① DNEL Consumer
products with 2,4,4-trimethylpentene		 DNLL Consumer 2 Long-term - dermal, systemic effects
CAS No.: 68411-46-1		
EC No.: 270-128-1	0.04 m = //	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0.04 mg/kg bw/day	① DNEL Consumer
CAS No.: 68411-46-1	,	② Long-term - oral, systemic effects
EC No.: 270-128-1		
Benzenesulfonic acid, mono-C16-24-	11.75 mg/m³	① DNEL worker
alkyl derivs., calcium salts CAS No.: 70024-69-0		② Long-term – inhalation, systemic effects
EC No.: 274-263-7		
Benzenesulfonic acid, mono-C16-24-	2.9 mg/m ³	① DNEL Consumer
alkyl derivs., calcium salts	-	② Long-term – inhalation, systemic effects
CAS No.: 70024-69-0 EC No.: 274-263-7		
Benzenesulfonic acid, mono-C16-24-	3.33 mg/kg	① DNEL worker
alkyl derivs., calcium salts	bw/day	 2 Long-term - dermal, systemic effects
CAS No.: 70024-69-0		
EC No.: 274-263-7	1.007.000	
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts	1.667 mg/kg bw/day	① DNEL Consumer
CAS No.: 70024-69-0	,,	② Long-term - dermal, systemic effects
EC No.: 274-263-7		
Benzenesulfonic acid, mono-C16-24-	1.03 mg/cm ²	1 DNEL worker
alkyl derivs., calcium salts CAS No.: 70024-69-0		② Long-term - dermal, local effects
EC No.: 274-263-7		
Benzenesulfonic acid, mono-C16-24-	0.513 mg/cm ²	① DNEL Consumer
alkyl derivs., calcium salts		② Long-term - dermal, local effects
CAS No.: 70024-69-0 EC No.: 274-263-7		
Benzenesulfonic acid, mono-C16-24-	0.833 mg/kg	① DNEL Consumer
alkyl derivs., calcium salts	bw/day	 2 Long-term - oral, systemic effects
CAS No.: 70024-69-0		
EC No.: 274-263-7	F D m m /== 3	
calcium dodecylbenzenesulphonate	52 mg/m ³	① DNEL worker
CAS No.: 26264-06-2		② Long-term – inhalation, systemic effects
CAS No.: 26264-06-2 EC No.: 247-557-8		
	26 mg/m ³	① DNEL Consumer
EC No.: 247-557-8	26 mg/m ³	 DNEL Consumer Long-term - inhalation, systemic effects

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2



Page 6/14

Food Lube Extreme LS 400g

Substance name	DNEL value	1 DNEL type
		② Exposure route
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	52 mg/m ³	 DNEL worker Acute - inhalation, systemic effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	26 mg/m ³	 DNEL Consumer Acute - inhalation, systemic effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	52 mg/m ³	 DNEL worker Long-term - inhalation, local effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	26 mg/m ³	 DNEL Consumer Long-term - inhalation, local effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	52 mg/m ³	 DNEL worker Acute - inhalation, local effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	26 mg/m ³	 DNEL Consumer Acute - inhalation, local effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	57.2 mg/kg bw/day	 DNEL worker Long-term - dermal, systemic effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	28.6 mg/kg bw/day	 DNEL Consumer Long-term - dermal, systemic effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	80 mg/kg bw/ day	 DNEL worker Acute - dermal, systemic effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	40 mg/kg bw/ day	 DNEL Consumer Acute - dermal, systemic effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	1.57 mg/cm ²	 DNEL worker Long-term - dermal, local effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	0.787 mg/cm ²	 DNEL Consumer Long-term - dermal, local effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	1.57 mg/m ³	 DNEL worker Acute - dermal, local effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	0.787 mg/cm ²	 DNEL Consumer Acute - dermal, local effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	13 mg/kg bw/ day	 DNEL Consumer Long-term - oral, systemic effects
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	13 mg/kg bw/ day	 DNEL Consumer Acute - oral, systemic effects
Substance name	PNEC Value	① PNEC type
Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9	1 mg/L	① PNEC aquatic, freshwater
Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9	1 mg/L	① PNEC aquatic, marine water

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 2 Jun 2023 Print date: 15 Feb 2024



Version: 2 Page 7/14

Food Lube Extreme LS 400g

Substance name	PNEC Value	① PNEC type
Sulfonic acids, petroleum, calcium	1,000 mg/L	① PNEC sewage treatment plant
salts CAS No.: 61789-86-4 EC No.: 263-093-9		
Sulfonic acids, petroleum, calcium salts	226,000,000	① PNEC sediment, freshwater
CAS No.: 61789-86-4 EC No.: 263-093-9	mg/kg	
Sulfonic acids, petroleum, calcium salts	226,000,000 mg/kg	${f 1}$ PNEC sediment, marine water
CAS No.: 61789-86-4 EC No.: 263-093-9		
Sulfonic acids, petroleum, calcium salts	271,000,000 mg/kg	1 PNEC soil
CAS No.: 61789-86-4 EC No.: 263-093-9		
Sulfonic acids, petroleum, calcium salts	16.667 mg/kg	 PNEC secondary poisoning
CAS No.: 61789-86-4 EC No.: 263-093-9		
Sulfonic acids, petroleum, calcium salts	10 mg/L	${f 1}$ PNEC aquatic, intermittent release
CAS No.: 61789-86-4 EC No.: 263-093-9		
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.034 mg/L	 PNEC aquatic, freshwater
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.003 mg/L	 PNEC aquatic, marine water
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	10 mg/L	① PNEC sewage treatment plant
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.446 mg/kg	 PNEC sediment, freshwater
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.045 mg/kg	① PNEC sediment, marine water
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	1.76 mg/kg	① PNEC soil
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1	0.51 mg/L	${ m (1)}$ PNEC aquatic, intermittent release
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	1	 PNEC aquatic, freshwater
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	1	 PNEC aquatic, marine water

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2 TECH MASTERS

Page 8/14

Food Lube Extreme LS 400g

Substance name	PNEC Value	① PNEC type
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	1,000	① PNEC sewage treatment plant
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	226,000,000	① PNEC sediment, freshwater
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	226,000,000	① PNEC sediment, marine water
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	271,000,000	① PNEC soil
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	10	 PNEC secondary poisoning
Benzenesulfonic acid, mono-C16-24- alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7	16.667	 PNEC secondary poisoning
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	0.28 mg/L	① PNEC aquatic, freshwater
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	0.458 mg/L	① PNEC aquatic, marine water
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	50 mg/L	1 PNEC sewage treatment plant
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	27.5 mg/kg	${f 1}$ PNEC sediment, freshwater
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	2.75 mg/kg	1 PNEC sediment, marine water
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	25 mg/kg	① PNEC soil
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	20 mg/kg	① PNEC secondary poisoning
calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8	0.654 mg/L	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

8.2.2. Personal protection equipment



Eye/face protection:

Suitable eye protection: Safety goggles with side shields (EN 166).

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2

Page 9/14

Food Lube Extreme LS 400g

Skin protection:

Hand protection:

Use protective skin cream before handling the product. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber)

Breakthrough time: 480 min.

Thickness of the glove material: 0,45 mm EN ISO 374

Body protection:

Wear suitable work clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection:

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

If the relevant occupational exposure limits are exceeded, the following must be observed: Suitable respiratory protective device: Combination filter device (DIN EN 141). Filter unit with filter or blower filter unit type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal rules and regulations.

8.2.3. Environmental exposure controls

Observe legal rules and regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: pasty Odour: solvent-like Colour: cream

Safety relevant basis data

Parameter	Value	at °C	 Method Remark
Initial boiling point and boiling range	100 °C		
Flash point	> 200 °C		① ISO 3679
Evaporation rate	No data available		
Vapour pressure	No data available		
Density	0.9225 g/cm ³	20 °C	① DIN 51757
Water solubility	practically insoluble		

9.2. Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Do not expose to temperatures above 50 °C. Heating causes rise in pressure with risk of bursting.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2 TECH MASTERS world of innovations

Page 10/14

Food Lube Extreme LS 400g

10.5. Incompatible materials

Oxidizing agent. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis can produce gases of varying toxicity. In the case of products containing hydrocarbons, e.g. CO, CO2, aldehydes and soot. These can be very dangerous if inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9

LD₅₀ oral: >16,000 mg/kg (Rat)

LD₅₀ dermal: >5,000 mg/kg (Rabbit) OECD 402

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1

LD₅₀ oral: >5,000 mg/kg (Rat) other: Section 772 .112-21 CFR 40

LD₅₀ dermal: >2,000 mg/kg (Rat) OECD 402

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L 4 h (Rat)

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7

LD₅₀ oral: >16,000 mg/kg (Rat) other: Section 772.112-21 CFR 40

LD₅₀ dermal: >4,000 mg/kg (Rabbit) other: 40 CFR, Section 163.81-2, Federal

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L (Rat)

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts CAS No.: 68584-23-6 EC No.: 271-529-4

LD₅₀ oral: >5,000 mg/kg (Rat)

LD₅₀ dermal: >5,000 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L (Rat)

calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8

LD₅₀ oral: 1,300 mg/kg (Rat) other: Defined oral LD₅₀.

LD₅₀ dermal: 2,000 mg/kg (Rabbit) Method: other: Test material was applied

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause allergic reactions. (Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts; Sulfonic acids, petroleum, calcium salts; Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts)

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

May cause drowsiness or dizziness. (Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics)

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2

Page 11/14

Food Lube Extreme LS 400g

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

May be fatal if swallowed and enters airways.

Additional information:

No data available

11.2. Information on other hazards

Endocrine disrupting properties:

None of the ingredients are included.

SECTION 12: Ecological information

12.1. Toxicity

Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9

ErC₅₀: >1,000 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) EPA OTS 797.1050

EC₅₀: >1,000 mg/L 2 d (crustaceans, Daphnia magna) EPA OTS 797.1300

EC₅₀: >10,000 mg/L (Activated sludge of a predominantly domestic sewag) OECD 209

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1

LC₅₀: >100 mg/L 4 d (fish, Danio rerio) OECD 203

ErC₅₀: >100 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus) OECD 201

EC₅₀: >51 mg/L 2 d (crustaceans, Daphnia magna) OECD 202

 Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts
 CAS No.: 70024-69-0
 EC No.: 274-263-7

 LC50: >10,000 mg/L 4 d (fish, Cyprinus carpio) EPA OTS 797.1050
 EC No.: 274-263-7

ErC₅₀: >1,000 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) EPA OTS 797.1300

EC₅₀: >1,000 mg/L 2 d (crustaceans, Daphnia magna) OECD 209

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts CAS No.: 68584-23-6 EC No.: 271-529-4

LC₅₀: >10,000 mg/L 4 d (fish, Oncorhynchus mykiss)

ErC₅₀: >1,000 mg/L 4 d (Algae/water plant, Scenedesmus subspicatus)

EC₅₀: >1,000 mg/L 2 d (crustaceans, Daphnia magna)

calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8

LC₅₀: 1.74 mg/L 4 d (fish, Fishes species) other: QSAR

 ErC_{50} : 65.4 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201

EC₅₀: 1.276 mg/L 2 d (crustaceans, Daphnid species) other: QSAR model

NOEC: 0.23 mg/L 28 d (fish, Fish species) other: QSAR

NOEC: 1.65 mg/L 21 d (crustaceans, Daphnia magna) OECD 211

Aquatic toxicity:

The product is not: Ecotoxic

12.2. Persistence and degradability

Additional information:

There are no data available on the mixture itself. AOX (mg/l): 0

12.3. Bioaccumulative potential

Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9

Log K_{OW}: > 4.46

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1

Log K_{OW}: > 6

Bioconcentration factor (BCF): 411

 Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts
 CAS No.: 70024-69-0
 EC No.: 274-263-7

 Log K_{OW}: 18.05
 Cas No.: 70024-69-0
 EC No.: 274-263-7

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2

Page 12/14

Food Lube Extreme LS 400g

calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8

Log K_{OW}: 4.77

Bioconcentration factor (BCF): 70.79

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

Sulfonic acids, petroleum, calcium salts CAS No.: 61789-86-4 EC No.: 263-093-9

Results of PBT and vPvB assessment: -

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene CAS No.: 68411-46-1 EC No.: 270-128-1

Results of PBT and vPvB assessment: —

Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts CAS No.: 70024-69-0 EC No.: 274-263-7 Results of PBT and vPvB assessment: —

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts CAS No.: 68584-23-6 EC No.: 271-529-4

Results of PBT and vPvB assessment: -

calcium dodecylbenzenesulphonate CAS No.: 26264-06-2 EC No.: 247-557-8

Results of PBT and vPvB assessment: -

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

12 01 12 * spent waxes and fats

*: Evidence for disposal must be provided.

Waste code packaging

15 01 10 * packaging containing residues of or contaminated by dangerous substances

**:* Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Consult the appropriate local waste disposal expert about waste disposal.

Appropriate disposal / Package:

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or ID number				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.		No dangerous good in sense of these transport regulations.	



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2



Page 13/14

Food Lube Extreme LS 400g

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)		
14.2. UN proper shij	oping name				
No dangerous good in sense of these transport regulations.					
14.3. Transport haza	ard class(es)	·			
not relevant	not relevant	not relevant	not relevant		
14.4. Packing group					
not relevant	not relevant	not relevant	not relevant		
14.5. Environmenta	14.5. Environmental hazards				
not relevant	not relevant	not relevant	not relevant		
14.6. Special precau	itions for user	·			
not relevant	not relevant	not relevant	not relevant		

14.7. Maritime transport in bulk according to IMO instruments not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Regulation (EC) No 1907/2006 ANNEX XVII

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

- ACGIH American Conference of Governmental Industrial Hygienists
- ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- ADR European Agreement concerning the International Carriage of Dangerous Goods by Road AOX Adsorbable Organic halogen compounds
- BCF Bioconcentration Factor
- CAS Chemical Abstracts Service
- CLP Classification, Labelling and Packaging
- DIN German Institute for Standardization / German Industrial Standard
- DNEL derived no-effect level
- EC₅₀ Effective Concentration 50%
- EN European Standard
- ES Exposure scenario
- EWC European Waste Catalogue
- ICAO International Civil Aviation Organization
- IMDG International Maritime Dangerous Goods
- IMO International Maritime Organization
- ISO International Standards Organisation
- KG body weight
- LC₅₀ Lethal (fatal) Concentration 50%
- LD₅₀ Lethal (fatal) Dose 50%

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 2 Jun 2023 Print date: 15 Feb 2024 Version: 2



Page 14/14

Food Lube Extreme LS 400g

MAK Maximum concentration in the	e workplace air (CH)
----------------------------------	----------------------

- NFPA National Fire Protection Association
- NIOSH National Institute for Occupational Safety & Health
- NOEC No Observed Effect Concentration
- OECD Organisation for Economic Cooperation and Development
- OSHA Occupational Safety & Health Administration
- PBT persistent and bioaccumulative and toxic
- PNEC Predicted No Effect Concentration
- QSAR Quantitative Structure-Activity Relationship
- REACH Registration, Evaluation and Authorization of Chemicals
- RID Dangerous goods regulations for transport by rail
- SCL Specific concentration limit
- TRGS Technische Regeln für Gefahrstoffe
- UN United Nations
- ZNS central nervous system

16.3. Key literature references and sources for data No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statement	Hazard statements		
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H412	Harmful to aquatic life with long lasting effects.		
H413	May cause long lasting harmful effects to aquatic life.		

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.