according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

**Version:** 3 Page 1/13



# Super Block SF 50ml

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Trade name/designation:

# Super Block SF 50ml

#### **Article No.:**

T541004

UFI:

HRWT-E8FA-FYQJ-PAJ0

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Adhesive

## 1.3. Details of the supplier of the safety data sheet

# Supplier:

#### **KANDO Service GmbH**

Hartleitnerstraße 3 4653 Eberstalzell

Austria

**Telephone:** +43 (0) 7241 213 79

E-mail: msds@kando.eu

# 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	
STOT-single exposure (STOT SE 3)	H335: May cause respiratory irritation.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



**GHS05** Corrosion



GHS07 Exclamation mark

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

**Version:** 3 Page 2/13



# Super Block SF 50ml

#### Hazard components for labelling:

Hydroxypropyl methacrylate (mixture of isomers); acrylic acid; [3-(2,3-epoxypropyl)propyl]trimethoxysilane

Hazard statements for health hazards		
H317	H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.		

Hazard statements for environmental hazards		
H412	Harmful to aquatic life with long lasting effects.	

#### Supplemental hazard information: none

Precautionary statements Prevention		
P261 Avoid breathing vapours.		
P280	Wear protective gloves/eye protection.	

Precautionary statements Response		
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.	

#### 2.3. Other hazards

#### Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **Description:**

Adhesive

### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 27813-02-1 EC No.: 248-666-3 Index No.: 607-125-00-5	Hydroxypropyl methacrylate (mixture of isomers) Eye Irrit. 2 (H319), Skin Sens. 1 (H317)  Warning	> 15 - ≤ 30 Vol-%
CAS No.: 79-10-7 EC No.: 201-177-9 Index No.: 607-061-00-8	acrylic acid Acute Tox. 4 (H302, H312, H332), Aquatic Acute 1 (H400), Aquatic Chronic 2 (H411), Eye Dam. 1 (H318), Flam. Liq. 3 (H226), Skin Corr. 1A (H314)	≥ 3 - < 5 Vol-%
CAS No.: 80-15-9 EC No.: 201-254-7 Index No.: 617-002-00-8	α, $α$ -Dimethylbenzylhydroperoxid  Acute Tox. 3 (H331), Acute Tox. 4 (H302, H312),  Aquatic Chronic 2 (H411), Org. Perox. E (H242), STOT RE 2 (H373),  STOT SE 3 (H335), Skin Corr. 1B (H314) $◊$ - $◊$ - $◊$ - $◊$ - $◊$ - $◊$ - $◊$ - $◊$ - $◊$ - $◊$ -	1 - < 2.5 Vol-%
CAS No.: 2530-83-8 EC No.: 219-784-2 REACH No.: 01-2119513212-58	[3-(2,3-epoxypropoxy)propyl]trimethoxysilane Aquatic Chronic 3 (H412), Eye Dam. 1 (H318)  Danger	1 - < 2.5 Vol-%

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

Version: 3 Page 3/13



# Super Block SF 50ml

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 114-83-0 EC No.: 204-055-3	2-Phenylacetohydrazide Acute Tox. 3 (H301)	≤ 1 Vol-%
CAS No.: 123-31-9 EC No.: 204-617-8 Index No.: 604-005-00-4	hydroquinone Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Carc. 2 (H351), Eye Dam. 1 (H318), Muta. 2 (H341), Skin Sens. 1 (H317)  Danger M-factor (acute): 10	< 0.025 Vol-%

Full text of H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information:

Immediately remove any contaminated clothing, shoes or stockings.

#### Following inhalation:

Get plenty of fresh air and consult a doctor to be on the safe side.

If unconscious, position and transport in stable lateral position.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

Consult a doctor if skin irritation persists.

#### After eye contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

# Following ingestion:

Rinse out mouth immediately and drink plenty of water.

Do NOT induce vomiting. Seek medical advice immediately and show this container or label.

# 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

Adapt fire extinguishing measures to the surroundings.

### 5.2. Special hazards arising from the substance or mixture

Formation of toxic gases when heated or in case of fire.

# 5.3. Advice for firefighters

Special protective equipment for firefighters:

Wear self-contained breathing apparatus.

Do not inhale explosion and combustion gases.

# 5.4. Additional information

Cool endangered containers with water spray. Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

#### Personal precautions:

Wear protective equipment. Keep unprotected persons away.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

**Version:** 3 Page 4/13



# Super Block SF 50ml

Provide adequate ventilation.

Use respiratory protection when exposed to vapours/dust/aerosol.

## 6.1.2. For emergency responders

No data available

# 6.2. Environmental precautions

In case of spillage into water or sewage system, inform the competent authorities.

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

#### For cleaning up:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information:

Provide adequate ventilation. Dispose of the ingested material in accordance with the regulations.

#### 6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### **Protective measures**

# Advices on safe handling:

Ensure good ventilation/extraction at the workplace.

Ensure good room ventilation also in the floor area (vapours are heavier than air).

#### Fire prevent measures:

No special measures required if handled and stored properly.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels:

Keep/Store only in original container.

#### Hints on storage assembly:

Not required.

**Storage class (TRGS 510, Germany):** 10 - 13 - Other combustible and non-combustible substances **Further information on storage conditions:** 

Store in a cool, dry place in well-sealed containers. Protect from heat and direct sunlight. Store in a well-ventilated place.

#### 7.3. Specific end use(s)

## **Recommendation:**

No further relevant information available.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

**Version:** 3 Page 5/13



# Super Block SF 50ml

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	<ol> <li>Long-term occupational exposure limit value</li> <li>Short-term occupational exposure limit value</li> <li>Instantaneous value</li> <li>Monitoring and observation processes</li> <li>Remark</li> </ol>
IOELV (EU) from 13 Jul 2023	acrylic acid CAS No.: 79-10-7 EC No.: 201-177-9	<ol> <li>10 ppm (29 mg/m³)</li> <li>20 ppm (59 mg/m³)</li> <li>(Short-term exposure limit value in relation to a reference period of 1 minute.)</li> </ol>
MAK (AT) from 25 Sept 2018	acrylic acid CAS No.: 79-10-7 EC No.: 201-177-9	① 10 ppm (29 mg/m³) ② 20 ppm (59 mg/m³) ⑤ (Momentanwert)
MAK (AT)	hydroquinone CAS No.: 123-31-9 EC No.: 204-617-8	① 2 mg/m³ ⑤ (einatembare Fraktion) III B, S
MAK (AT)	hydroquinone CAS No.: 123-31-9 EC No.: 204-617-8	② 4 mg/m³ ⑤ (einatembare Fraktion max. 8x5 min./Schicht, Momentanwert) III B, S

# 8.1.2. Biological limit values

No data available

# 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type
		② Exposure route
Hydroxypropyl methacrylate (mixture of isomers) CAS No.: 27813-02-1 EC No.: 248-666-3	4.2 mg/kg bw/ day	① DNEL Consumer ② Long-term - dermal, systemic effects
[3-(2,3- epoxypropoxy)propyl]trimethoxysiland CAS No.: 2530-83-8 EC No.: 219-784-2	147 mg/m <sup>3</sup>	① DNEL worker ② Long-term – inhalation, systemic effects
[3-(2,3-epoxypropoxy)propyl]trimethoxysiland CAS No.: 2530-83-8 EC No.: 219-784-2	147 mg/m³	① DNEL worker ② Acute - inhalation, systemic effects
[3-(2,3- epoxypropoxy)propyl]trimethoxysiland CAS No.: 2530-83-8 EC No.: 219-784-2	21 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
[3-(2,3- epoxypropoxy)propyl]trimethoxysiland CAS No.: 2530-83-8 EC No.: 219-784-2	21 mg/kg bw/ eday	① DNEL worker ② Acute – dermal, systemic effects
hydroquinone CAS No.: 123-31-9 EC No.: 204-617-8	1.74 mg/m³	① DNEL worker ② Long-term – inhalation, systemic effects
hydroquinone CAS No.: 123-31-9 EC No.: 204-617-8	7 mg/m³	DNEL worker     Long-term – inhalation, systemic effects
hydroquinone CAS No.: 123-31-9 EC No.: 204-617-8	0.5 mg/m³	DNEL worker     Long-term – inhalation, local effects

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

**Version:** 3 Page 6/13



# Super Block SF 50ml

Substance name	DNEL value	① DNEL type
		② Exposure route
hydroquinone	1 mg/m³	① DNEL worker
CAS No.: 123-31-9	1 1119/111	
EC No.: 204-617-8		② Long-term – inhalation, local effects
hydroquinone	128 mg/kg bw/	① DNEL worker
CAS No.: 123-31-9 EC No.: 204-617-8	day	② Long-term - dermal, systemic effects
hydroquinone	64 mg/kg bw/	① DNEL Consumer
CAS No.: 123-31-9	day	② Long-term - dermal, systemic effects
EC No.: 204-617-8		Esting term dermai, systemic effects
Substance name	PNEC Value	① PNEC type
Hydroxypropyl methacrylate (mixture of isomers) CAS No.: 27813-02-1	0.904 mg/L	① PNEC aquatic, freshwater
EC No.: 248-666-3		
Hydroxypropyl methacrylate (mixture	0.904 mg/L	① PNEC aquatic, marine water
of isomers) CAS No.: 27813-02-1		
EC No.: 248-666-3		
Hydroxypropyl methacrylate (mixture	10 mg/L	① PNEC sewage treatment plant
of isomers) CAS No.: 27813-02-1		
EC No.: 248-666-3		
Hydroxypropyl methacrylate (mixture	6.28 mg/kg	① PNEC sediment, freshwater
of isomers)		
CAS No.: 27813-02-1 EC No.: 248-666-3		
Hydroxypropyl methacrylate (mixture	6.28 mg/kg	① PNEC sediment, marine water
of isomers)		
CAS No.: 27813-02-1 EC No.: 248-666-3		
Hydroxypropyl methacrylate (mixture	0.727 mg/kg	① PNEC soil
of isomers)		WEC 3011
CAS No.: 27813-02-1 EC No.: 248-666-3		
[3-(2,3-	1 mg/L	DNEC aquatic freehwater
epoxypropoxy)propyl]trimethoxysilan		① PNEC aquatic, freshwater
CAS No.: 2530-83-8		
EC No.: 219-784-2	0.1 m = //	A DUE
[3-(2,3-epoxypropoxy)propyl]trimethoxysiland	0.1 mg/L	① PNEC aquatic, marine water
CAS No.: 2530-83-8		
EC No.: 219-784-2	0.116	
hydroquinone CAS No.: 123-31-9	0.114 mg/L	① PNEC aquatic, freshwater
EC No.: 204-617-8		
hydroquinone	0.0114 mg/L	① PNEC aquatic, marine water
CAS No.: 123-31-9		
EC No.: 204-617-8 hydroguinone	0.71 mg/L	® PMEC
CAS No.: 123-31-9	U. / I IIIG/L	① PNEC sewage treatment plant
EC No.: 204-617-8		
hydroquinone	0.00098 mg/	① PNEC sediment, freshwater
CAS No.: 123-31-9 EC No.: 204-617-8	kg	
hydroquinone	0.000097 mg/	① PNEC sediment, marine water
CAS No.: 123-31-9	kg	W FINEC Sediment, marine water
EC No.: 204-617-8	-	

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

**Version:** 3 Page 7/13



# Super Block SF 50ml

Substance name	PNEC Value	① PNEC type
<b>hydroquinone</b> CAS No.: 123-31-9 EC No.: 204-617-8	0.000129 mg/ kg	① PNEC soil

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No further details. See section 7.

## 8.2.2. Personal protection equipment

#### Eye/face protection:

Safety goggles with side shields (EN 166).

#### Skin protection:

Hand protection:

Wear protective gloves. (EN 374)

Check protective gloves for proper condition before each use.

The glove material must be impermeable and resistant to the product / substance / preparation. Selection of the glove material considering the breakthrough times, permeation rates and degradation.

Glove material:

Breakthrough time: 480 min.

Nitril I, Nr. 0730, 0732, 0733, 0736, 0737, 0738, 0739 oder 0836

Viton, Nr. 0890 Butyl II, Nr. 0897 Butyl, Nr. 0898

Breakthrough time: 240 min. Naturlatex I , Nr. 0395 oder 0403 Chloropren Nitril II, Nr. 0717

Chloropren, Nr. 0720, 0722, 0723, 0725 oder 0726

Nitril VI, Nr. 0754

This recommendation is based exclusively on chemical compatibility and testing according to EN 374 under laboratory conditions. Depending on the application, different requirements may arise. Therefore, the recommendations of the protective glove supplier must also be taken into account. The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use. The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

## Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Filter A/P2

# Other protection measures:

General protective and hygienic measures:

The usual precautions when handling chemicals must be observed.

Keep away from food, drink and animal feed.

Remove contaminated, saturated clothing immediately.

Wash hands before breaks and after work.

Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

# 8.2.3. Environmental exposure controls

No data available

#### 8.3. Additional information

No further relevant information available.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state: Liquid Colour: green

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

Version: 3 Page 8/13



# Super Block SF 50ml

Odour: characteristic Odour threshold: not determined

# Safety relevant basis data

Parameter	Value	at °C	1 Method
			② Remark
pH	4 - 5	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	No data available		
Flash point	> 100 °C		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1.1 g/cm³	20 °C	
Bulk density	not applicable		
Water solubility	Immiscible		
Dynamic viscosity	2,000 mPa* s	20 °C	
Kinematic viscosity	No data available		

### 9.2. Other information

The product is not self-igniting. The product is not explosive.

# 9.2.1. Information with regard to physical hazard classes

# **Explosives:**

Not applicable

# Flammable gases:

Not applicable

#### **Aerosols:**

Not applicable

# Oxidizing gases:

Not applicable

# **Gases under pressure:**

Not applicable

# Flammable liquids:

Not applicable

#### Flammable solids:

Not applicable

# **Self-reactive substances and mixtures:**

Not applicable

# **Pyrophoric liquids:**

Not applicable

### **Pyrophoric solids:**

Not applicable

### Self-heating substances and mixtures:

Not applicable

#### Substances or mixtures which, in contact with water, emit flammable gases:

Not applicable

# Oxidizing liquids:

Not applicable

# Oxidizing solids:

Not applicable

# **Organic peroxides:**

Not applicable

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

Version: 3 Page 9/13



# Super Block SF 50ml

#### Corrosive to metals:

Not applicable

#### Desensitised explosives:

Not applicable

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No further relevant information available.

## 10.2. Chemical stability

Thermal decomposition/Conditions to avoid: The product is stable under storage at normal ambient temperatures.

Protect from heat and direct sunlight.

# 10.3. Possibility of hazardous reactions

Reactions with metal salts.

#### 10.4. Conditions to avoid

No further relevant information available.

### 10.5. Incompatible materials

No further relevant information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7

**LD<sub>50</sub> oral:** 382 mg/kg (Rat)

LD<sub>50</sub> dermal: 500 mg/kg (Rat)

LC<sub>50</sub> Acute inhalation toxicity (vapour): 1.37 mg/L 4 h (Rat)

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2

**LD<sub>50</sub> oral:** 8,025 mg/kg (Rat) OECD TG 401

**LD<sub>50</sub> dermal:** 4,250 mg/kg (Rabbit) OECD TG 402

2-Phenylacetohydrazide CAS No.: 114-83-0 EC No.: 204-055-3

**LD<sub>50</sub> oral:** 270 mg/kg (Rat)

**hydroquinone** CAS No.: 123-31-9 EC No.: 204-617-8

LD<sub>50</sub> oral: 375 mg/kg (Rat) OECD 401

**LD<sub>50</sub> dermal:** >2,000 mg/kg (Rabbit) OECD 402

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### **Skin corrosion/irritation:**

Causes skin irritation.

#### Serious eye damage/irritation:

Causes serious eye damage.

#### Respiratory or skin sensitisation:

May cause an allergic skin reaction.

## Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

Version: 3 Page 10/13



# Super Block SF 50ml

### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

May cause respiratory irritation.

# **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard:**

Based on available data, the classification criteria are not met.

#### **Additional information:**

The product is a preparation for which no experimentally determined toxicity data are available.

#### 11.2. Information on other hazards

# **Endocrine disrupting properties:**

None of the ingredients are included.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

**hydroquinone** CAS No.: 123-31-9 EC No.: 204-617-8

LC<sub>50</sub>: 0.638 mg/L 4 d (fish, Oncorhynchus mykiss) OECD 203

EC<sub>50</sub>: 0.061 mg/L 2 d (crustaceans, Daphnia magna)

EC<sub>50</sub>: 0.335 mg/L 3 d (Algae/water plant, Pseudokirchneriella subcapitata) OECD 201

EC<sub>50</sub>: 0.162 - 0.29 mg/L 2 d (crustaceans, Daphnia magna) OECD 202

NOEC: 0.0057 mg/L 21 d (crustaceans, Daphnia magna) OECD 211

#### Aquatic toxicity:

No further relevant information available.

#### Assessment/classification:

No further relevant information available.

#### 12.2. Persistence and degradability

**hydroquinone** CAS No.: 123-31-9 EC No.: 204-617-8

**Biodegradation:** Yes, rapidly

#### **Additional information:**

No further relevant information available.

### 12.3. Bioaccumulative potential

**hydroquinone** CAS No.: 123-31-9 EC No.: 204-617-8

**Bioconcentration factor (BCF):** 40

### **Accumulation / Evaluation:**

No further relevant information available.

## 12.4. Mobility in soil

No further relevant information available.

#### 12.5. Results of PBT and vPvB assessment

Hydroxypropyl methacrylate (mixture of isomers) CAS No.: 27813-02-1 EC No.: 248-666-3

Results of PBT and vPvB assessment: -

α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7

Results of PBT and vPvB assessment: —

[3-(2,3-epoxypropoxy)propyl]trimethoxysilane CAS No.: 2530-83-8 EC No.: 219-784-2

Results of PBT and vPvB assessment: -

**2-Phenylacetohydrazide** CAS No.: 114-83-0 EC No.: 204-055-3

Results of PBT and vPvB assessment: -

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

Version: 3 Page 11/13



# Super Block SF 50ml

**hydroquinone** CAS No.: 123-31-9 EC No.: 204-617-8

Results of PBT and vPvB assessment: —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Endocrine disrupting properties

The product does not contain any substances with endocrine-disrupting properties.

# 12.7. Other adverse effects

Drinking water hazard even when small quantities leak into the subsoil.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

### 13.1.1. Product/Packaging disposal

# Waste codes/waste designations according to EWC/AVV

## Waste code product

08 04 09 \* Waste adhesives and sealants containing organic solvents or other dangerous substances

\*: Evidence for disposal must be provided.

#### Waste treatment options

### Appropriate disposal / Package:

Uncleaned packaging: Dispose of waste according to applicable legislation.

# **SECTION 14: Transport information**

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or ID number				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.2. UN proper shipping name				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.3. Transport hazard class(es)				
not relevant	not relevant	not relevant	not relevant	
14.4. Packing group				
not relevant	not relevant	not relevant	not relevant	
14.5. Environmental hazards				
not relevant	not relevant	not relevant	not relevant	
14.6. Special precautions for user				
not relevant	not relevant	not relevant	not relevant	

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU legislation

#### Restrictions on use:

Regulation (EC) No 1907/2006 ANNEX XVII: Restriction conditions: 3

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

**Version:** 3 Page 12/13



# Super Block SF 50ml

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II: None of the ingredients are included.

Regulation (EU) 2019/1148

Annex I - RESTRICTED EXPORT SUBSTANCES FOR EXPLOSIVES (upper concentration limit for a permit pursuant to Article 5(3)): None of the ingredients are included.

Annex II - EXPLOSIVES REPORTABLE FOR EXPLOSIVES: None of the ingredients are included. Regulation (EC) No 273/2004 on drug precursors: None of the ingredients are included.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade in drug precursors between the Community and third countries: None of the ingredients are included.

## 15.1.2. National regulations

No data available

# 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

# 16.1. Indication of changes

No data available

## 16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

DIN German Institute for Standardization / German Industrial Standard

DNEL derived no-effect level EC<sub>50</sub> Effective Concentration 50%

EN European Standard ES Exposure scenario

EWC European Waste Catalogue

ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 IMO International Maritime Organization
 ISO International Standards Organisation

KG body weight

LC<sub>50</sub> Lethal (fatal) Concentration 50%

LD<sub>50</sub> Lethal (fatal) Dose 50%

MAK Maximum concentration in the workplace air (CH)

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety & Health

NOEC No Observed Effect Concentration

OECD Organisation for Economic Cooperation and Development

OSHA Occupational Safety & Health Administration PBT persistent and bioaccumulative and toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation and Authorization of Chemicals RID Dangerous goods regulations for transport by rail

SCL Specific concentration limit

TRGS Technische Regeln für Gefahrstoffe

UN United Nations

ZNS central nervous system

#### 16.3. Key literature references and sources for data

No data available

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 23 Aug 2023 Print date: 23 Feb 2024

Version: 3 Page 13/13



# **Super Block SF 50ml**

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Skin corrosion/irritation (Skin Irrit. 2)	H315: Causes skin irritation.	
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	
STOT-single exposure (STOT SE 3)	H335: May cause respiratory irritation.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

# 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements		
H226	Flammable liquid and vapour.	
H242	Heating may cause a fire.	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H351	Suspected of causing cancer.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

# 16.6. Training advice

No data available

### 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.