

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 1/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

Article No.:

T910204

UFI:

WSVW-3QN0-1H1M-H9DN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Adhesive

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3

4653 Eberstälzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|--|--|--------------------------|
| Respiratory or skin sensitisation (<i>Skin Sens. 1</i>) | H317: May cause an allergic skin reaction. | |
| Acute toxicity (inhalative) (<i>Acute Tox. 4</i>) | H332: Harmful if inhaled. | |
| STOT-single exposure (<i>STOT SE 3</i>) | H335: May cause respiratory irritation. | |

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms:



GHS07

Exclamation mark

Signal word: Warning

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 2/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

Hazard components for labelling:

Polyisocyanate, aliphatic

Hazard statements for health hazards

| | |
|------|--------------------------------------|
| H317 | May cause an allergic skin reaction. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |

Supplemental hazard information

| | |
|--------|---|
| EUH204 | Contains isocyanates. May produce an allergic reaction. |
|--------|---|

Precautionary statements Prevention

| | |
|------|------------------------------------|
| P261 | Avoid breathing vapours and spray. |
| P280 | Wear protective gloves. |

Precautionary statements Response

| | |
|------|---|
| P312 | Call a POISON CENTER/doctor if you feel unwell. |
|------|---|

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product does not contain any substances with endocrine-disrupting properties in concentrations of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|--|---|---------------------|
| CAS No.: 28182-81-2 EC No.: 931-274-8 REACH No.: 01-2119485796-17 | Polyisocyanate, aliphatic The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. | 75 - < 100 Vol-% |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Never give anything by mouth to an unconscious person!

Following inhalation:

Fresh air supply, consult a doctor in case of complaints.

In case of skin contact:

Wash with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings.
In case of skin irritation, consult a physician.

After eye contact:

First rinse with water for a long time, (remove contact lenses if this is easily possible), then consult a doctor.

Following ingestion:

Rinse mouth thoroughly with water. Drink plenty of water. Call a physician immediately.

Self-protection of the first aider:

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

If applicable, delayed symptoms and effects can be found in section 11. or in the routes of intake under section 4.1.

Symptoms of poisoning may not appear for many hours, therefore medical monitoring for at least 48 hours after an accident.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 3/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Adapt fire extinguishing measures to the surroundings.

Water spray jet, Foam, Carbon dioxide (CO₂), Dry extinguishing powder

Unsuitable extinguishing media:

None known

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon oxides, Nitrogen oxides, toxic gases

5.3. Advice for firefighters

Personal protection equipment: see section 8. Do not inhale explosion and combustion gases. Use suitable breathing apparatus.

Cool endangered containers with water spray. Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Wear personal protection equipment (refer to section 8). Provide adequate ventilation. Remove all sources of ignition. Avoid dust formation with solid or powdery products. Wear protective equipment.

Keep unprotected persons away. Avoid contact with skin, eyes and clothes. If necessary, observe the risk of slipping.

Emergency procedures:

Leave the danger zone as far as possible, use existing emergency plans if necessary.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8.

6.2. Environmental precautions

Contain in case of escape of larger quantities. Stop leak if safe to do so. Do not allow to enter into surface water or drains. Prevent the product from entering waste water, surface water, ground water. In case of spillage into water or sewage system, inform the competent authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Ensure good ventilation/extraction at the workplace. Avoid contact with skin, eyes and clothes. When using do not eat, drink, smoke, sniff. Take care for the labels and safety data sheets of the chemicals to be used.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 4/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

Advices on general occupational hygiene

The usual precautions when handling chemicals must be observed. Wash hands before breaks and after work. Keep away from food, drink and animal feed. Remove contaminated clothing and protective equipment before entering areas where food will be served.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Prevent access for unauthorised persons.

Requirements for storage rooms and vessels:

Do not store product in passageways and stairways. Keep only in the original container in a cool, well-ventilated place. Store at room temperature. Store in a dry place.

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

No data available

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

| Substance name | DNEL value | ① DNEL type ② Exposure route |
|--|-----------------------|--|
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 0.5 mg/m ³ | ① DNEL worker ② Long-term – inhalation, local effects |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 1 mg/m ³ | ① DNEL worker ② Acute - inhalation, local effects |
| Substance name | PNEC Value | ① PNEC type |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 0.127 mg/L | ① PNEC aquatic, freshwater |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 0.0127 mg/L | ① PNEC aquatic, marine water |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 38.3 mg/L | ① PNEC sewage treatment plant |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 266,700 mg/kg | ① PNEC sediment, freshwater |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 26,670 mg/kg | ① PNEC sediment, marine water |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 53,182 mg/kg | ① PNEC soil |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | 1.27 mg/L | ① PNEC aquatic, intermittent release |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 5/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation. This can be achieved by local exhaust ventilation or general exhaust air. If this is not sufficient to keep the concentration below the occupational exposure limits (OEL), suitable respiratory protection must be worn. Applies only if exposure limits are listed here. Appropriate assessment methods for verifying the effectiveness of the protective measures taken include metrological and non-measured methods of determination. Such methods are described by e.g. EN 14042, TRGS 402 (Germany). EN 14042 "Workplace atmospheres. Guidance for the application and use of methods and equipment for the determination of chemical and biological agents". TRGS 402 (Germany) "Determining and assessing the hazards of activities involving hazardous substances - Inhalation exposure".

8.2.2. Personal protection equipment

Eye/face protection:

Safety goggles with side shields (EN 166).

Skin protection:

Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Glove material:

Butyl caoutchouc (butyl rubber)

Neoprene®

NBR (Nitrile rubber)

PVC (polyvinyl chloride)

Thickness of the glove material: 0,5mm

Breakthrough time: ≥ 480 min.

The determined breakthrough times according to EN 16523-1 were not carried out under practical conditions. A maximum wearing time corresponding to 50% of the breakthrough time is recommended. Hand protection cream recommended.

Additional information on hand protection - No tests have been carried out. For mixtures, the selection was made to the best of our knowledge and based on the information provided by the ingredients. For substances, the selection was derived from the glove manufacturer's information. Final selection of glove material must be made with consideration of breakthrough times, permeation rates and degradation. The selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer. In the case of mixtures, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use. The exact breakthrough time of the glove material must be obtained from the protective glove manufacturer and must be observed.

Body protection:

Protective work clothing (e.g. safety shoes EN ISO 20345, long-sleeved work clothing).

Respiratory protection:

Filter A (EN 14387), brown

Filter B (EN 14387), grey

Filter P3 (EN 143), white

Observe the wear time limits as specified by the manufacturer.

Thermal hazards:

No further relevant information available.

Other protection measures:

The usual precautions when handling chemicals must be observed. Wash hands before breaks and after work. Keep away from food, drink and animal feed. Remove contaminated clothing and protective equipment before entering areas where food will be served.

8.2.3. Environmental exposure controls

No further relevant information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Paste

Colour: transparent

Odour: characteristic

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 6/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

Safety relevant basis data

| Parameter | Value | ① Method ② Remark |
|---|------------------------|----------------------|
| Initial boiling point and boiling range | > 220 °C | |
| Flash point | 228 °C | |
| Evaporation rate | No data available | |
| Vapour pressure | No data available | |
| Density | 1.19 g/cm ³ | |
| Water solubility | No data available | |
| Dynamic viscosity | 55,000 mPa* s | |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Oxidizing liquids:

No.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product has not been tested.

10.2. Chemical stability

Chemically stable under conditions of storage, handling and use.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Alkalies, strong oxidants, Acids

10.6. Hazardous decomposition products

No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information

| Acute Toxicity Estimate for Mixtures | |
|---|-----------------------------|
| ATE (inhalation, gases): | 1.6 ppmV calculated. |
| ATE (inhalation, vapour): | 11.6 mg/L calculated. |
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 | |
| LD ₅₀ oral: | >2,500 mg/kg (Rat) OECD 423 |
| LD ₅₀ dermal: | >2,000 mg/kg (Rat) OECD 402 |
| LC ₅₀ Acute inhalation toxicity (dust/mist): | 1.5 mg/L (Rat) OECD 403 |

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

May cause an allergic skin reaction.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

May cause respiratory irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 7/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No further relevant information available.

11.2. Information on other hazards

Endocrine disrupting properties:

None of the ingredients are included.

SECTION 12: Ecological information

12.1. Toxicity

| |
|--|
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 |
| LC₅₀ : >100 mg/L 4 d (fish, Brachydanio rerio) OECD 203 |
| EC₅₀ : >100 mg/L 2 d (crustaceans, Daphnia magna) OECD 202 |
| ErC₅₀ : >1,000 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus) DIN 38412 T.9 |
| IC₅₀ : >100 mg/L 3 d (Algae/water plant, Scenedesmus subspicatus) OECD 201 |

Assessment/classification:

No further relevant information available.

12.2. Persistence and degradability

| |
|--|
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 |
| Biodegradation : Poorly biodegradable. |

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

| |
|--|
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 |
| Log K_{OW} : 3.2 |
| Bioconcentration factor (BCF) : 376.7 |

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

| |
|--|
| Polyisocyanate, aliphatic CAS No.: 28182-81-2 EC No.: 931-274-8 |
| Results of PBT and vPvB assessment : — |

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

None of the ingredients are included.

12.7. Other adverse effects

No further relevant information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3

Page 8/10



Top Plast Eco transparent 50 sec. 50ml (Comp. A)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The waste codes given are recommendations based on the expected use of this product. Due to the specific use and disposal conditions at the user's site, other waste codes may be assigned under certain circumstances. (2014/955/EU)

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

| | |
|------------|--|
| 08 04 09 * | Waste adhesives and sealants containing organic solvents or other dangerous substances |
|------------|--|

*: Evidence for disposal must be provided.

Waste treatment options

Appropriate disposal / Product:

Disposal via waste water is not recommended. Observe local regulations. For example, suitable incineration plant. Cured product: Can be disposed of with household waste.

Appropriate disposal / Package:

Uncleaned packaging: Observe local regulations. Empty container completely. Non-contaminated packaging can be reused. Packaging that cannot be cleaned must be disposed of in the same way as the substance.

SECTION 14: Transport information

| Land transport (ADR/RID) | Inland waterway craft (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|--|--|--|--|
| 14.1. UN number or ID number | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| 14.2. UN proper shipping name | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| 14.3. Transport hazard class(es) | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.4. Packing group | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.5. Environmental hazards | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.6. Special precautions for user | | | |
| not relevant | not relevant | not relevant | not relevant |

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Observe national regulations/laws on maternity protection (especially the national implementation of Directive 92/85/EEC)! The general hygiene measures for handling chemicals must be applied. Regulation (EU) No. 649/2012 "concerning the export and import of dangerous chemicals" must be observed, as the product contains a substance that falls within the scope of this regulation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 9/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1. Indication of changes

No data available

16.2. Abbreviations and acronyms

| | |
|------------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| AGW | Threshold Limit Value |
| BCF | Bioconcentration Factor |
| CAS | Chemical Abstracts Service |
| CLP | Classification, Labelling and Packaging |
| DIN | German Institute for Standardization / German Industrial Standard |
| DNEL | derived no-effect level |
| EC ₅₀ | Effective Concentration 50% |
| EN | European Standard |
| ES | Exposure scenario |
| EWC | European Waste Catalogue |
| IC ₅₀ | Inhibition Concentration 50 % |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| IMO | International Maritime Organization |
| KG | body weight |
| LC ₅₀ | Lethal (fatal) Concentration 50% |
| LD ₅₀ | Lethal (fatal) Dose 50% |
| MAK | Maximum concentration in the workplace air (CH) |
| NFPA | National Fire Protection Association |
| NIOSH | National Institute for Occupational Safety & Health |
| NOEC | No Observed Effect Concentration |
| OECD | Organisation for Economic Cooperation and Development |
| OEL | Threshold Limit Value |
| OSHA | Occupational Safety & Health Administration |
| PBT | persistent and bioaccumulative and toxic |
| PNEC | Predicted No Effect Concentration |
| REACH | Registration, Evaluation and Authorization of Chemicals |
| RID | Dangerous goods regulations for transport by rail |
| TRGS | Technische Regeln für Gefahrstoffe |
| UN | United Nations |

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Hazard classes and hazard categories | Hazard statements | Classification procedure |
|--|--|--------------------------|
| Respiratory or skin sensitisation (<i>Skin Sens. 1</i>) | H317: May cause an allergic skin reaction. | |
| Acute toxicity (inhalative) (<i>Acute Tox. 4</i>) | H332: Harmful if inhaled. | |
| STOT-single exposure (<i>STOT SE 3</i>) | H335: May cause respiratory irritation. | |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 6 Sept 2023

Print date: 23 Feb 2024

Version: 3



Page 10/10

Top Plast Eco transparent 50 sec. 50ml (Comp. A)

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

No data available

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.