according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

**Version:** 4 Page 1/10



# **CA Buster 51**

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name/designation:

## CA Buster 51

#### **Article No.:**

T106005

UFI:

R37G-HMT2-PJ0G-HR14

# 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Descaling products

#### Relevant identified uses:

**Process categories [PROC]** 

**PROC 10:** Roller application or brushing **PROC 11:** Non industrial spraying

## 1.3. Details of the supplier of the safety data sheet

## **Supplier:**

#### **KANDO Service GmbH**

Hartleitnerstraße 3 4653 Eberstalzell

Austria

**Telephone:** +43 (0) 7241 213 79

E-mail: msds@kando.eu

### 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Skin corrosion/irritation (Skin Corr. 1B)	H314: Causes severe skin burns and eye damage.	

#### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS05 Corrosion

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

**Version:** 4 Page 2/10



# **CA Buster 5**l

# Hazard components for labelling:

orthophosphoric acid

Hazard statements	for physical hazards
H290	May be corrosive to metals.

Hazard statements	for health hazards
H314	Causes severe skin burns and eye damage.

## Supplemental hazard information: none

Precautionary state	ements Prevention
P280	Wear protective gloves/protective clothing and eye protection/face protection.

<b>Precautionary stat</b>	Precautionary statements Response				
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.				
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].				
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P310	Immediately call a POISON CENTER.				

#### 2.3. Other hazards

#### Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

# **SECTION 3: Composition/information on ingredients**

## \* 3.2. Mixtures

## Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 7664-38-2 EC No.: 231-633-2 Index No.: 015-011-00-6 REACH No.: 01-2119485924-24	orthophosphoric acid  Met. Corr. 1 (H290), Skin Corr. 1B (H314)  Danger  Specific concentration limit (SCL)  Skin Corr. 1B; H314: C ≥ 25%  Skin Irrit. 2; H315: 10% ≤ C < 25%  Eye Dam. 1; H318: C ≥ 25%  Eye Irrit. 2; H319: 10% ≤ C < 25%  Acute Toxicity Estimate  ATE (oral) 500 mg/kg  ATE (dermal) > 2,000 mg/kg  ATE (inhalation, gases) > 5 ppmV  ATE (inhalation, vapour) ≥ 50 mg/L  ATE (inhalation, dust/mist) > 5 mg/L	45 - < 50 Vol-%
CAS No.: 77-92-9 EC No.: 201-069-1 Index No.: 607-750-00-3 REACH No.: 01-2119457026-42	citric acid  Eye Irrit. 2 (H319), STOT SE 3 (H335)	1 - < 5 Vol-%

Full text of H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information:**

Remove contaminated, saturated clothing immediately.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

Version: 4 Page 3/10



## CA Buster 51

## Following inhalation:

Provide fresh air.

#### In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

#### After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

#### Following ingestion:

Rinse mouth immediately and drink 1 glass of of water.

Do NOT induce vomiting.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Carbon dioxide, Extinguishing powder

## Unsuitable extinguishing media:

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

#### **Hazardous combustion products:**

Carbon dioxide, Carbon monoxide

#### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

#### 5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

#### **Personal precautions:**

Avoid contact with skin, eyes and clothes. Ventilate affected area.

#### **Protective equipment:**

Use personal protection equipment.

## **6.1.2. For emergency responders**

#### **Personal protection equipment:**

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

# 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

#### For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### For cleaning up:

Treat the recovered material as prescribed in the section on waste disposal.

#### Other information:

Collect in closed and suitable containers for disposal.

Ventilate affected area.

## 6.4. Reference to other sections

See section 7 for further information on safe handling.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

**Version:** 4 Page 4/10



## CA Buster 51

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### **Protective measures**

#### Advices on safe handling:

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. When using do not eat, drink, smoke, sniff. In case of major fire and large quantities: Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas.

#### Fire prevent measures:

No special fire protection measures are necessary.

## Advices on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels:

Keep container tightly closed.

## Hints on storage assembly:

No special measures are necessary.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

## 7.3. Specific end use(s)

#### **Recommendation:**

Cleaning agent

#### GISCODE:

80

# **SECTION 8: Exposure controls/personal protection**

## \* 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	<ol> <li>Long-term occupational exposure limit value</li> <li>Short-term occupational exposure limit value</li> <li>Instantaneous value</li> <li>Monitoring and observation processes</li> <li>Remark</li> </ol>
MAK (AT)	<b>orthophosphoric acid</b> CAS No.: 7664-38-2 EC No.: 231-633-2	② 2 mg/m³ ⑤ (max. 4x15 min./Schicht)
IOELV (EU)	orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	① 1 mg/m³ ② 2 mg/m³
MAK (AT)	orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	① 1 mg/m³

## 8.1.2. Biological limit values

No data available

### 8.1.3. DNEL-/PNEC-values

No data available

# 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

No information available.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

**Version:** 4 Page 5/10



# **CA Buster 51**

## 8.2.2. Personal protection equipment





#### Eye/face protection:

Wear eye protection/face protection. (EN166)

## Skin protection:

Hand protection:

Wear protective gloves. (EN374, Breakthrough time: >10 min)

Suitable material: NBR (Nitrile rubber)
Thickness of the glove material >= 0,1 mm

A list of suitable makes with detailed information on wearing time is available on request.

#### Diluted application solutions <= 1%:

Protective gloves may be dispensed with, provided equivalent protective measures are taken, taking into account increased skin exposure due to wet work (e.g. use of suitable skin protection ointments).

#### Body protection:

Wear suitable work clothing.

#### Respiratory protection:

When using the HD method or spraying over large areas: combination filter A1/P2 (EN 143, EN 14387).

#### Thermal hazards:

No further relevant information available.

#### 8.2.3. Environmental exposure controls

Section 6: Accidental Release Measures

# **SECTION 9: Physical and chemical properties**

## \* 9.1. Information on basic physical and chemical properties

## **Appearance**

Physical state: Liquid Colour: red

**Odour:** Fragrances **flammability:** No data available

#### Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	0.5	20 °C	
Melting point	≈ 0 °C		
Freezing point	≈ 0 °C		
Initial boiling point and boiling range	≈ 100 °C		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	not applicable		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1.33 g/cm <sup>3</sup>	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible		
Dynamic viscosity	< 10 mPa* s	25 °C	
Kinematic viscosity	No data available		

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

Version: 4 Page 6/10



# **CA Buster 51**

## 9.2. Other information

No further relevant information available.

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Corrosive to metals.

Exothermic reaction with: Alkali (lye)

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

Corrosive to metals.

Exothermic reaction with: Alkali (lye)

#### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

# 10.5. Incompatible materials

Corrosive to metals.

Alkali (lye)

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## $^{f k}$ 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2

LD<sub>50</sub> oral: 500 mg/kg (Ratte)

**LD<sub>50</sub> dermal:** >2,000 mg/kg (Ratte)

LC<sub>50</sub> Acute inhalation toxicity (gas): >5 ppmV

LC<sub>50</sub> Acute inhalation toxicity (vapour): ≥50 mg/L 4 h (Rat)

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): >5 mg/L (Ratte)

**citric acid** CAS No.: 77-92-9 EC No.: 201-069-1

**LD<sub>50</sub> oral:** >2,000 mg/kg (Rat)

 $LD_{50}$  dermal: >2,000 mg/kg (Rat)

LC<sub>50</sub> Acute inhalation toxicity (vapour): ≥50 mg/L 4 h (Rat)

LC<sub>50</sub> Acute inhalation toxicity (dust/mist): >5 mg/L 4 h (Rat)

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Causes severe skin burns and eye damage.

#### Serious eve damage/irritation:

Causes serious eye damage.

## Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

## Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

Version: 4 Page 7/10



## CA Buster 51

## Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure:**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard:**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties:**

None of the ingredients are included.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

#### Assessment/classification:

No further relevant information available.

#### 12.2. Persistence and degradability

#### **Additional information:**

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

## 12.3. Bioaccumulative potential

#### **Accumulation / Evaluation:**

No indication of bioaccumulation potential. No further relevant information available.

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

## 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

#### 13.1.1. Product/Packaging disposal

## Waste codes/waste designations according to EWC/AVV

#### Waste code product

06	01 04 *	phosp	horic	and p	nospr	noro	us	acıd

\*: Evidence for disposal must be provided.

## Waste code packaging

15 01 02 Plastic packaging

#### Waste treatment options

#### Appropriate disposal / Package:

Non-contaminated packages may be recycled.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

**Version:** 4 Page 8/10



**CA Buster 51** 

# **SECTION 14: Transport information**

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		·
UN 1805	UN 1805	UN 1805	UN 1805
14.2. UN proper ship	ping name		•
PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID, SOLUTION	PHOSPHORIC ACID SOLUTION	PHOSPHORIC ACID SOLUTION
14.3. Transport haza	rd class(es)	•	
8	8	8	8
14.4. Packing group	•	•	<u> </u>
III	III	III	III
14.5. Environmental	hazards	•	
No data available	No data available	No data available	No data available
14.6. Special precau	tions for user	•	<u> </u>
Limited quantity (LQ): 5 L	Limited quantity (LQ): 5 L	Special Provisions: 223	Special Provisions: A3 A803
Excepted Quantities (EQ): E1	Excepted Quantities (EQ): E1	Limited quantity (LQ): 5 L Excepted Quantities	Limited quantity (LQ): 1 L (LQ) Excepted Quantities
Hazard identification number (Kemler No.):	Classification code:	( <b>EQ):</b> E1	( <b>EQ):</b> E1
80 Classification code: C1 Tunnel restriction code: (E) Remark: Transport category 3		EmS-No.: F-A, S-B	Remark: Passenger LQ: Y841 IATA Packing Instructions - Passenger: 852 IATA Maximum Quantity - Passenger: 5 L IATA- Verpackungsanweisung - Cargo: 856 IATA Maximum Quantity -

# **14.7. Maritime transport in bulk according to IMO instruments** not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

#### **Restrictions on use:**

Restrictions on use (REACH, Annex XVII) Entry 3

#### Other regulations (EU):

Information on the IE Directive 2010/75/EU <30% Regulation (EC) No. 648/2004 [Detergents regulation]

## Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 0.1 Vol-%

#### 15.1.2. National regulations

No data available

## 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

en / AT

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

**Version:** 4 Page 9/10



# **CA Buster 51**

#### 15.3. Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

## **SECTION 16: Other information**

# \* 16.1. Indication of changes

3.2.	Mixtures
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
14.3.	Transport hazard class(es)
16.1.	Indication of changes
16.2.	Abbreviations and acronyms

## \* 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists	
-------	---	--

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

DNEL derived no-effect level EN European Standard ES Exposure scenario

EWC European Waste Catalogue

ICAO International Civil Aviation Organization
 IMDG International Maritime Dangerous Goods
 IMO International Maritime Organization
 LC<sub>50</sub> Lethal (fatal) Concentration 50%

LD<sub>50</sub> Lethal (fatal) Dose 50%

MAK Maximum concentration in the workplace air (CH)

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety & Health
OSHA Occupational Safety & Health Administration
PBT persistent and bioaccumulative and toxic

PC Product category

PNEC Predicted No Effect Concentration

PROC Process Category

REACH Registration, Evaluation and Authorization of Chemicals RID Dangerous goods regulations for transport by rail

SCL Specific concentration limit

TRGS Technische Regeln für Gefahrstoffe

UN United Nations

VOC Volatile organic compounds

# 16.3. Key literature references and sources for data

No data available

# 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Skin corrosion/irritation (Skin Corr. 1B)	H314: Causes severe skin burns and eye damage.	

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025

**Version:** 4 Page 10/10



# **CA Buster 5**l

# 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

## 16.6. Training advice

No data available

#### 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

$^st$ Data changed compared with the previous versic	on.
--	-----