according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 13 Jan 2025 Print date: 24 Jan 2025



Version: 3 Page 1/11

Bond & Fix (Comp. B) 300ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1. Product identifier Trade name/designation:

Bond & Fix (Comp. B) 300ml

Article No.:

T595003 UFI: 94MV-FSEK-2R0S-9Q3D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: Chemical anchorage (Catalyst)

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH Hartleitnerstraße 3 4653 Eberstalzell Austria Telephone: +43 (0) 7241 213 79 E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment (<i>Aquatic Chronic 3</i>)	H412: Harmful to aquatic life with long lasting effects.	

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



Exclamation mark Signal word: Warning

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025 Version: 3



Page 2/11

Bond & Fix (Comp. B) 300ml

Hazard components for labelling:

Benzoylperoxid

Hazard statements for health hazards	
H317 May cause an allergic skin reaction.	
H319	Causes serious eye irritation.
Hazard statements for environmental hazards	

H412 Harmful to aquatic life with long lasting effects.

Supplemental hazard information: none

Precautionary statements Prevention		
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P264	264 Wash hands, forearms and the face thoroughly after handling.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273 Avoid release to the environment.		
P280	Wear protective clothing, eye protection, face protection.	

Precautionary statements Response

P302 + P352 IF ON SKIN: Wash with plenty of water and soap.

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The mixture does not contain substances listed for endocrine disrupting properties in accordance with REACH Article 59(1) or has been determined not to have endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

* 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 94-36-0 EC No.: 202-327-6 REACH No.: 01-2119511472-50	Benzoylperoxid Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Irrit. 2 (H319), Org. Perox. B (H241), Skin Sens. 1 (H317) Context Constant Context Chronic (H317) Context Context Co	10 - 20 Vol-%
CAS No.: 107-21-1 EC No.: 203-473-3 REACH No.: 01-2119456816-28	ethane-1,2-diol Acute Tox. 4 (H302), STOT RE 2 (H373)	3 - < 10 Vol-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

In case of skin contact:

Rinse affected areas with water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025 Version: 3

Page 3/11

Bond & Fix (Comp. B) 300ml

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion:

Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed Following skin contact: May cause an allergic skin reaction. In case of eye contact: Causes eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet, Dry extinguishing powder, Foam

5.2. Special hazards arising from the substance or mixture Possible release of toxic fumes.

5.3. Advice for firefighters

Do not attempt to operate without suitable protective equipment. Self-contained respirator (breathing apparatus). Full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Ensure good ventilation/extraction at the workplace. Avoid contact with eyes and skin. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Personal protection equipment:

Do not attempt to operate without suitable protective equipment. Additional information: SECTION 8: Exposure controls/personal protection

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Take up mechanically.

Other information:

Feed substances or residues in solid form to an approved facility.

6.4. Reference to other sections

For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Ensure good ventilation/extraction at the workplace. Avoid contact with eyes and skin. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protection equipment (refer to section 8).

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025 Version: 3 TECH MASTERS

Page 4/11

Bond & Fix (Comp. B) 300ml

Advices on general occupational hygiene

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Storage class (TRGS 510, Germany): 13 – Non-combustible solids that cannot be assigned to any of the above storage classes

Further information on storage conditions:

Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
MAK (AT)	Benzoylperoxid CAS No.: 94-36-0 EC No.: 202-327-6	 2 10 mg/m³ (einatembare Fraktion max. 8x5 min./Schicht, Momentanwert, Momentanwert) Sh
MAK (AT)	Benzoylperoxid CAS No.: 94-36-0 EC No.: 202-327-6	 5 mg/m³ (einatembare Fraktion) Sh
MAK (AT)	ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	 10 ppm (26 mg/m³) (kann über die Haut aufgenommen werden) H
MAK (AT)	ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	 20 ppm (52 mg/m³) (max. 8x5 min./Schicht, Momentanwert, kann über die Haut aufgenommen werden) H
IOELV (EU)	ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	 20 ppm (52 mg/m³) 40 ppm (104 mg/m³) (may be absorbed through the skin)

8.1.2. Biological limit values No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type	
		② Exposure route	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	35 mg/m³	 DNEL worker Long-term - inhalation, local effects 	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	7 mg/m ³	 DNEL Consumer Long-term – inhalation, local effects 	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	106 mg/kg	 DNEL worker Long-term - dermal, systemic effects 	

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025 Version: 3



Page 5/11

Bond & Fix (Comp. B) 300ml

Substance name	DNEL value	① DNEL type	
		② Exposure route	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	53 mg/kg	 DNEL Consumer Long-term - dermal, systemic effects 	
Substance name	PNEC Value	① PNEC type	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	10 mg/L	① PNEC aquatic, freshwater	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	1 mg/L	① PNEC aquatic, marine water	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	37 mg/kg	 PNEC sediment, freshwater 	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	3.7 mg/kg	 PNEC sediment, marine water 	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	1.53 mg/kg	① PNEC soil	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	10 mg/L	① PNEC aquatic, intermittent release	

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation/extraction at the workplace.

8.2.2. Personal protection equipment



Eye/face protection:

Safety goggles

Skin protection:

Hand protection:

Chemical protective gloves (according to European standard EN 374 or equivalent) Type: Disposable gloves, Reusable gloves

Glove material: NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber), Viton® II

Breakthrough time: 6 (> 480 min.)

0,4mm; EN ISO 374

The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use. Body protection: Wear suitable protective clothing when working.

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. EN141

Thermal hazards:

No further relevant information available.

Other protection measures:

Personal protection

8.2.3. Environmental exposure controls

Avoid release to the environment.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 **Revision date:** 13 Jan 2025

Print date: 24 Jan 2025 Version: 3

Page 6/11

*

Bond & Fix (Comp. B) 300ml

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Form: Paste Odour: characteristic Colour: grey flammability: No data available

Safety relevant basis data

Parameter	Value	 Method
		② Remark
рН	No data available	
Melting point	0 °C	
Freezing point	not applicable	
Initial boiling point and boiling range	No data available	
Flash point	not applicable	
Evaporation rate	No data available	
Auto-ignition temperature	not applicable	
Upper/lower flammability or explosive limits	not applicable	
Vapour pressure	No data available	
Vapour density	not applicable	
Density	No data available	
Relative density	1.45	
Bulk density	not applicable	
Water solubility	practically insoluble	
Dynamic viscosity	No data available	
Kinematic viscosity	not applicable	

9.2. Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is not reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Chemically stable under conditions of storage, handling and use.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

None under the recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Benzoylperoxid CAS No.: 94-36-0 EC No.: 202-327-6

LD₅₀ oral: >2,000 mg/kg (Rat)



according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 **Revision date:** 13 Jan 2025

Revision date: 13 Jan 202 Print date: 24 Jan 2025 Version: 3

Page 7/11

Bond & Fix (Comp. B) 300ml



ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3

LD₅₀ oral: >7,712 mg/kg (Rat)

LD₅₀ dermal: 3,500 mg/kg

Acute oral toxicity:

Not classified

Acute dermal toxicity: Not classified

Acute inhalation toxicity: Not classified

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met. **Aspiration hazard:**

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties:

No further relevant information available.

SECTION 12: Ecological information

* 12.1. Toxicity

•	
Benzoylperoxid CAS No.: 94-36-0 EC No.: 202-327-6	
LC₅₀: 0.0602 mg/L (fish, Oncorhynchus mykiss)	
EC₅₀: 0.11 mg/L (crustaceans, Daphnia magna)	
ErC ₅₀ : 0.071 mg/L (Algae/water plant)	
ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3	
LC ₅₀ : >72,860 mg/L (fish, Pimephales promelas)	
EC₅₀: >100 mg/L (crustaceans, Daphnia magna)	
EC₅₀: 6,500 – 13,000 mg/L 4 d (Algae/water plant)	
EC ₅₀ : 100 mg/L	
NOEC: ≥1,000 mg/L 21 d (crustaceans, Americamysis bahia)	
NOEC: 8,590 mg/L (crustaceans, Chronic Crustacea)	
NOEC: 15,380 mg/L (fish)	

Assessment/classification:

Harmful to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 13 Jan 2025 Print date: 24 Jan 2025 Version: 3



Page 8/11

Bond & Fix (Comp. B) 300ml

* 12.2. Persistence and degradability

Benzoylperoxid CAS No.: 94-36-0 EC No.: 202-327-6

Biodegradation: not determined

Remark: IARC Group: 3 - Not classified

ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3

Biodegradation: Yes, rapidly

Remark: Readily biodegradable (according to OECD criteria).

Additional information:

No further relevant information available.

12.3. Bioaccumulative potential

Benzoylperoxid CAS No.: 94-36-0 EC No.: 202-327-6

Log K_{OW}: 3.46

ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3

Log K_{OW}: -1.36

Bioconcentration factor (BCF): 10

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

Benzoylperoxid CAS No.: 94-36-0 EC No.: 202-327-6

Results of PBT and vPvB assessment: —

ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3

Results of PBT and vPvB assessment: —

No further relevant information available.

12.6. Endocrine disrupting properties

No further relevant information available.

12.7. Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment options

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package:

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		
No dangerous good in sense of these transport regulations.			
14.2. UN proper ship	ping name		
No dangerous good in sense of these transport regulations.			

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878 Revision date: 13 Jan 2025 Print date: 24 Jan 2025 Version: 3



Page 9/11

*

Bond & Fix (Comp. B) 300ml

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.3. Transport haza	rd class(es)		
not relevant	not relevant	not relevant	not relevant
14.4. Packing group		•	
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards		
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

REACH Annex XVII (Restriction List): Does not contain any substance subject to the restrictions of Annex XVII of REACH.

REACH Annex XIV (Authorisation List): Does not contain any substance listed in REACH Annex XIV. REACH Candidate List (SVHC): Does not contain a REACH candidate substance.

PIC Regulation (Prior Informed Consent): Does not contain any substances subject to Regulation (EU) 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals.

POPs Regulation (Persistent Organic Pollutants): Does not contain substances subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants.

Other regulations (EU):

This product is not assigned to a hazard category.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds: Volatile organic compounds (VOC) content in percent by weight: 180 g/L

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

* 16.1. Indication of changes

3.2.	Mixtures
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
12.2.	Persistence and degradability
14.3.	Transport hazard class(es)
16.1.	Indication of changes
16.2.	Abbreviations and acronyms

* 16.2. Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025 Version: 3



Page 10/11

Bond & Fix (Comp. B) 300ml

European Agreement concerning the International Carriage of Dangerous Goods by Road ADR **Bioconcentration Factor** BCF CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging derived no-effect level DNEL Effective Concentration 50% EC50 ES Exposure scenario IARC International Agency for Research on Cancer International Civil Aviation Organization **ICAO** IMDG International Maritime Dangerous Goods International Maritime Organization IMO Lethal (fatal) Concentration 50% LC_{50} Lethal (fatal) Dose 50% LD₅₀ Maximum concentration in the workplace air (CH) MAK NFPA National Fire Protection Association National Institute for Occupational Safety & Health NIOSH NOEC No Observed Effect Concentration Organisation for Economic Cooperation and Development OECD Occupational Safety & Health Administration OSHA persistent and bioaccumulative and toxic PBT PNEC Predicted No Effect Concentration REACH Registration, Evaluation and Authorization of Chemicals RID Dangerous goods regulations for transport by rail TRGS Technische Regeln für Gefahrstoffe United Nations UN VOC Volatile organic compounds 16.3. Key literature references and sources for data No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	
Hazardous to the aquatic environment (Aquatic Chronic 3)	H412: Harmful to aquatic life with long lasting effects.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements		
H241	Heating may cause a fire or explosion.	
H302	Harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025 Print date: 24 Jan 2025 Version: 3



Page 11/11

Bond & Fix (Comp. B) 300ml

is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

* Data changed compared with the previous version.