

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Jan 2025

**Print date:** 24 Jan 2025

**Version:** 3

Page 1/12



## Bacto Clean Liquid 500ml

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name/designation:**

Bacto Clean Liquid 500ml

**Article No.:**

T463050

**UFI:**

FMCM-8GJ2-03K9-WJ99

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture:**

skin disinfection, hand disinfection

#### 1.3. Details of the supplier of the safety data sheet

**Supplier:**

**KANDO Service GmbH**

Hartleitnerstraße 3

4653 Eberstälzell

Austria

**Telephone:** +43 (0) 7241 213 79

**E-mail:** msds@kando.eu

#### 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Hazard classes and hazard categories	Hazard statements	Classification procedure
flammable liquids ( <i>Flam. Liq. 2</i> )	H225: Highly flammable liquid and vapour.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
STOT-single exposure ( <i>STOT SE 3</i> )	H336: May cause drowsiness or dizziness.	

#### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms:**



**GHS07**  
Exclamation mark



**GHS02**  
Flame

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025

Print date: 24 Jan 2025

Version: 3



Page 2/12

## Bacto Clean Liquid 500ml

**Signal word:** Danger

### Hazard statements for physical hazards

H225	Highly flammable liquid and vapour.
------	-------------------------------------

### Hazard statements for health hazards

H319	Causes serious eye irritation.
------	--------------------------------

H336	May cause drowsiness or dizziness.
------	------------------------------------

**Supplemental hazard information:** none

### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
------	---

P102	Keep out of reach of children.
------	--------------------------------

P103	Read carefully and follow all instructions.
------	---

### Precautionary statements Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
------	--

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
------	---

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
------	---

### Precautionary statements Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
--------------------	--

P337 + P313	If eye irritation persists: Get medical advice/attention.
-------------	---

### Precautionary statements Disposal

P501	Dispose of contents/container to an appropriate recycling or disposal facility.
------	---

## 2.3. Other hazards

No data available

## SECTION 3: Composition/information on ingredients

### \* 3.2. Mixtures

#### Description:

Alcoholic solution

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 67-63-0 EC No.: 200-661-7 Index No.: 603-117-00-0 REACH No.: 01-2119457558-25	<b>propan-2-ol</b> Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) ⚠️ Danger <b>Acute Toxicity Estimate</b> ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, gases) > 25 ppmV ATE (inhalation, vapour) > 20 mg/L	50 - 100 weight-%
CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5 REACH No.: 01-2119457610-43-XXXX	<b>ethanol</b> Flam. Liq. 2 (H225) ⚠️ Danger <b>Acute Toxicity Estimate</b> ATE (oral) 10,470 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) > 20 mg/L	≥ 2.5 - < 10 weight-%

Full text of H- and EUH-phrases: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

Remove/Take off immediately all contaminated clothing.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Jan 2025

**Print date:** 24 Jan 2025

**Version:** 3



Page 3/12

## Bacto Clean Liquid 500ml

### Following inhalation:

Fresh air supply, consult a doctor in case of complaints.

### In case of skin contact:

Wash with plenty of water and soap. Consult a doctor if skin irritation persists.

### After eye contact:

Rinse opened eye for several minutes under running water. Consult a doctor if symptoms persist. Remove contact lenses, if present and easy to do. Continue rinsing.

### Following ingestion:

Rinse mouth. Drink plenty of water. If swallowed Seek medical advice immediately and show this container or label.

### 4.2. Most important symptoms and effects, both acute and delayed

Headache Dizziness Dizziness Unconsciousness

### 4.3. Indication of any immediate medical attention and special treatment needed

May cause drowsiness or dizziness.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

Carbon dioxide (CO<sub>2</sub>) Extinguishing powder Water spray jet Fight larger fires with water spray or alcohol-resistant foam.

#### Unsuitable extinguishing media:

Water in full jet

### 5.2. Special hazards arising from the substance or mixture

#### Hazardous combustion products:

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) May form explosive gas-air mixtures.

### 5.3. Advice for firefighters

Protective equipment Wear self-contained breathing apparatus.

### 5.4. Additional information

Cool endangered containers with water spray. Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations. If possible, remove containers from the danger zone.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

##### Personal precautions:

Wear protective equipment. Keep unprotected persons away. Provide adequate ventilation. Remove all sources of ignition. Avoid contact with eyes. Use respiratory protection when exposed to vapours/dust/aerosol.

#### 6.1.2. For emergency responders

No data available

### 6.2. Environmental precautions

Suppress gases/vapours/mists with water spray jet. Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

#### Other information:

Provide adequate ventilation. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Dispose of the ingested material in accordance with the regulations.

### 6.4. Reference to other sections

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025

Print date: 24 Jan 2025

Version: 3

Page 4/12



## Bacto Clean Liquid 500ml

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Protective measures

##### Advices on safe handling:

Ensure good ventilation/extraction at the workplace. Ensure good room ventilation also in the floor area (vapours are heavier than air). Use only in well-ventilated areas. Avoid contact with eyes. Avoid prolonged/repeated skin contact. Do not breathe gas/fumes/vapour/spray. Ensure compliance with the occupational exposure limit value(s) (OEL) and/or other limit values

##### Fire prevent measures:

Protect from heat and direct sunlight.. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Vapours can form explosive mixtures with air. Flammable mixtures may form in the empty container

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels:

Keep/Store only in original container. Vorschriften zur Lagerung brennbare Flüssigkeiten beachten.. Observe water regulations.

##### Hints on storage assembly:

Keep away from food, drink and animal feed. Store separately from oxidising agent.

##### Storage class (TRGS 510, Germany): 3 - Flammable liquids

##### Further information on storage conditions:

Store in a well-ventilated place. Store in a cool, dry place in well-sealed containers. Protect from heat and direct sunlight. Store and transport upright. Betriebssicherheitsverordnung (BetrSichV) flammable liquids

#### 7.3. Specific end use(s)

##### Recommendation:

No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### \* 8.1. Control parameters

##### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	② 800 ppm (2,000 mg/m <sup>3</sup> ) ⑤ (max. 4x15 min./Schicht)
MAK (AT)	<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	① 200 ppm (500 mg/m <sup>3</sup> )
MAK (AT)	<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6	① 1,000 ppm (1,900 mg/m <sup>3</sup> )
MAK (AT)	<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6	② 2,000 ppm (3,800 mg/m <sup>3</sup> ) ⑤ (max. 3x60 min./Schicht, Momentanwert)

##### 8.1.2. Biological limit values

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025

Print date: 24 Jan 2025

Version: 3



Page 5/12

## Bacto Clean Liquid 500ml

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	500 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	89 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	888 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	319 mg/kg bw/ day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	26 mg/kg bw/ day	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, freshwater
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, marine water
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	2,251 mg/L	① PNEC sewage treatment plant
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	552 mg/kg	① PNEC sediment, freshwater
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	552 mg/kg	① PNEC sediment, marine water
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	28 mg/kg	① PNEC soil
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, intermittent release

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No data available

#### 8.2.2. Personal protection equipment

##### Eye/face protection:

Safety goggles with side protection Eye glasses EN 166

##### Skin protection:

Use protective gloves in case of prolonged contact. To avoid skin problems, gloves should be worn only as much as necessary. Check the tightness of the glove before each re-use. The glove material must be impermeable and resistant to the product / substance / preparation. Due to the lack of tests, no recommendation can be given for the glove material for the product / the preparation / the chemical mixture Selection of glove material considering breakthrough times, permeation rates and degradation. Glove material: The selection of a suitable glove depends not only on the material but also on other quality features and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Jan 2025

**Print date:** 24 Jan 2025

**Version:** 3



Page 6/12

## Bacto Clean Liquid 500ml

Permeation time (maximum wear duration): The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

Body protection: Protective clothing Personal protective equipment must be selected depending on the activity and possible exposure.

### Respiratory protection:

Respiratory protection in case of insufficient ventilation. No special measures are normally required if the occupational exposure limit value(s) (OEL) and other limit values are safely complied with at all times.

Recommended filter device for short-term use: Gas filter device according to EN 14387 type A (organic gas/vapours, boiling point > 65 °C) - identification colour brown

### Other protection measures:

General protective and hygienic measures: Keep away from food, drink and animal feed. Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work. Avoid contact with eyes. Avoid prolonged/repeated skin contact.. Do not inhale gases/vapours/aerosols. Do not eat, drink or smoke when using this product.

### 8.2.3. Environmental exposure controls

No data available

## SECTION 9: Physical and chemical properties

### \* 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** colourless

**Odour:** Isopropanol

**flammability:** Yes

#### Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	No data available		
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	> 78 °C		
Flash point	< 23 °C		
Evaporation rate	No data available		
Auto-ignition temperature	400 °C		
Upper/lower flammability or explosive limits	2 – 15 Vol-%		② Not oxidising.
Vapour pressure	48 hPa	20 °C	
Vapour density	No data available		
Density	0.87 g/cm <sup>3</sup>		
Bulk density	not applicable		
Water solubility			② completely miscible
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

See section 10.3

### 10.2. Chemical stability

Thermal decomposition / Conditions to avoid Keep away from sources of ignition - No smoking. Take action to prevent static discharges. none Zersetzung Bei bestimmungsgemäßer Lagerung und Handling

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025

Print date: 24 Jan 2025

Version: 3



Page 7/12

## Bacto Clean Liquid 500ml

### 10.3. Possibility of hazardous reactions

development of Gases/vapours, flammable. Flammable/explosive vapour-air mixtures may be formed. Uncleaned empty containers may contain product gases which form explosive mixtures with air.

### 10.4. Conditions to avoid

No further relevant information available.

### 10.5. Incompatible materials

strong oxidants

### 10.6. Hazardous decomposition products

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>)

## SECTION 11: Toxicological information

### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>propan-2-ol</b>	CAS No.: 67-63-0	EC No.: 200-661-7
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat)		
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)		
<b>LC<sub>50</sub> Acute inhalation toxicity (gas):</b> >25 ppmV 4 h (Rat)		
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >20 mg/L 6 h (Rat)		
<b>ethanol</b>	CAS No.: 64-17-5	EC No.: 200-578-6
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat) IUCLID		
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)		
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >20 mg/L (Rat) RTECS		

#### Acute oral toxicity:

No data available

#### Acute dermal toxicity:

No data available

#### Acute inhalation toxicity:

No data available

#### Skin corrosion/irritation:

Prolonged or repeated skin contact can lead to skin defatting and consequently to skin irritation.

#### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

May cause drowsiness or dizziness.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### Aspiration hazard:

Based on available data, the classification criteria are not met.

#### Additional information:

Based on the calculation method of Regulation (EC) No 1272/2008 (CLP/GHS), the product presents the following hazards: Eye Irrit. 2

### 11.2. Information on other hazards

#### Endocrine disrupting properties:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025

Print date: 24 Jan 2025

Version: 3

Page 8/12



## Bacto Clean Liquid 500ml

### SECTION 12: Ecological information

#### \* 12.1. Toxicity

<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7
<b>LC<sub>50</sub></b> : >1,000 mg/L 4 d (fish)
<b>EC<sub>50</sub></b> : >1,000 mg/L 2 d (crustaceans)
<b>LC<sub>50</sub></b> : 9,640 mg/L 4 d (fish, Pimephales promelas)
<b>LC<sub>50</sub></b> : 9,714 mg/L 1 d (Daphnia magna)
<b>EC<sub>50</sub></b> : >100 mg/L (Algae/water plant, Bacteria)
<b>LOEC</b> : 1,000 mg/L (Alge)
<b>EC<sub>50</sub></b> : >100 mg/L 2 d (crustaceans, Daphnia magna)
<b>ErC<sub>50</sub></b> : >100 mg/L 3 d (Algae/water plant, Desmodemus subspicatus)
<b>LOEC</b> : 1,000 mg/L (Algae/water plant, Algae)
<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6
<b>LC<sub>50</sub></b> : >1,000 mg/L 4 d (fish)
<b>LC<sub>50</sub></b> : =11,200 mg/L 1 d
<b>EC<sub>50</sub></b> : >1,000 mg/L 2 d (crustaceans, Daphnia magna)
<b>EC<sub>50</sub></b> : =275 mg/L 3 d
<b>NOEC</b> : =9.6 mg/L (crustaceans, Ceriodaphnia dubia)
<b>ErC<sub>50</sub></b> : >100 mg/L
<b>LC<sub>50</sub></b> : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe))
<b>EC<sub>50</sub></b> : 6,500 mg/L (Algae/water plant, Pseudomonas putida)
<b>NOEC</b> : 250 mg/L (fish, Danio rerio)
<b>ErC<sub>50</sub></b> : 275 mg/L 3 d (Algae/water plant, Chlorella vulgaris)

#### Additional ecotoxicological information:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. water hazard class 1 Self-classification according to AwSV (substance).

#### 12.2. Persistence and degradability

<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7
<b>Biodegradation</b> : Yes, rapidly
<b>Remark</b> : Readily biodegradable (according to OECD criteria).
<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6
<b>Biodegradation</b> : Yes, rapidly
<b>Remark</b> : Readily biodegradable (according to OECD criteria).

#### Biodegradation:

Readily biodegradable (according to OECD criteria).

#### Additional information:

No further relevant information available.

#### 12.3. Bioaccumulative potential

<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7
<b>Log K<sub>OW</sub></b> : 0.05
<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6
<b>Log K<sub>OW</sub></b> : -0.31

#### Accumulation / Evaluation:

No further relevant information available.

#### 12.4. Mobility in soil

No further relevant information available.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025

Print date: 24 Jan 2025

Version: 3

Page 9/12



## Bacto Clean Liquid 500ml

### 12.5. Results of PBT and vPvB assessment

**propan-2-ol** CAS No.: 67-63-0 EC No.: 200-661-7

**Results of PBT and vPvB assessment:** —

**ethanol** CAS No.: 64-17-5 EC No.: 200-578-6

**Results of PBT and vPvB assessment:** —

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No further relevant information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Must not be disposed of together with household waste. Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

##### Remark:

The waste code number according to the List of Wastes Ordinance (AVV) depends on the waste producer and can therefore be different for a product. The waste code number must therefore be determined separately by each waste producer.

##### Waste code packaging

##### Remark:

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Waste treatment options

##### Appropriate disposal / Product:

Dispose of waste according to applicable legislation.




##### Appropriate disposal / Package:

Dispose of waste according to applicable legislation.

##### Other disposal recommendations:

Dispose of waste according to applicable legislation.

## SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
UN 1987	No dangerous good in sense of these transport regulations.	UN 1987	UN 1987
<b>14.2. UN proper shipping name</b>			
UN1987 ALKOHOLE, N.A.G. (ISOPROPANOL), SONDERVORSCHRIFT 640D	No dangerous good in sense of these transport regulations.	ALCOHOLS, N.O.S. (ISOPROPANOL)	ALCOHOLS, N.O.S. (ISOPROPANOL)
<b>14.3. Transport hazard class(es)</b>			
 3	not relevant	 3	 3
<b>14.4. Packing group</b>			
II	not relevant	II	II

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025

Print date: 24 Jan 2025

Version: 3



Page 10/12

## Bacto Clean Liquid 500ml

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.5. Environmental hazards</b>			
No data available	not relevant	No data available	No data available
<b>14.6. Special precautions for user</b>			
<b>Special Provisions:</b> Achtung: Entzündbare flüssige Stoffe <b>Limited quantity (LQ):</b> 1L <b>Hazard identification number (Kemler No.):</b> 33 <b>Classification code:</b> - <b>Tunnel restriction code:</b> (D/E)	not relevant	<b>Special Provisions:</b> Achtung: Entzündbare flüssige Stoffe <b>Limited quantity (LQ):</b> 1L <b>EmS-No.:</b> F-E,S-D	<b>Special Provisions:</b> Achtung: Entzündbare flüssige Stoffe

### 14.7. Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU legislation

##### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 66 Vol-%

#### 15.1.2. National regulations

No data available

### 15.2. Chemical Safety Assessment

No data available

## SECTION 16: Other information

### \* 16.1. Indication of changes

3.2.	Mixtures
8.1.	Control parameters
9.1.	Information on basic physical and chemical properties
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
14.3.	Transport hazard class(es)
16.1.	Indication of changes
16.2.	Abbreviations and acronyms
16.7.	Additional information

### \* 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AGW	Threshold Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC <sub>50</sub>	Effective Concentration 50%

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 13 Jan 2025

Print date: 24 Jan 2025

Version: 3



Page 11/12

## Bacto Clean Liquid 500ml

EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
IUCLID	International Uniform Chemical Information Database
KG	body weight
LC <sub>50</sub>	Lethal (fatal) Concentration 50%
LD <sub>50</sub>	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OEL	Threshold Limit Value
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
RTECS	Registry of Toxic Effects of Chemical Substances
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
VOC	Volatile organic compounds
ZNS	central nervous system

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
flammable liquids ( <i>Flam. Liq. 2</i> )	H225: Highly flammable liquid and vapour.	
Serious eye damage/eye irritation ( <i>Eye Irrit. 2</i> )	H319: Causes serious eye irritation.	
STOT-single exposure ( <i>STOT SE 3</i> )	H336: May cause drowsiness or dizziness.	

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

### 16.6. Training advice

No data available

### \* 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 13 Jan 2025

**Print date:** 24 Jan 2025

**Version:** 3



Page 12/12

## Bacto Clean Liquid 500ml

\* Data changed compared with the previous version.