

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 18 Sept 2023

**Print date:** 21 Feb 2025

**Version:** 3

Page 1/12



## Sanclean 1I

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name/designation:**

Sanclean 1I

**Article No.:**

T100113

**UFI:**

FXM3-YUSA-XU0D-JAUT

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of the substance/mixture:**

Other bathroom and toilet cleaning/care products (excludes biocidal products)

**Relevant identified uses:**

**Product Categories [PC]**

**PC 35:** Washing and cleaning products

**Environmental release categories [ERC]**

**ERC 2:** Formulation into mixture (mixtures)

#### 1.3. Details of the supplier of the safety data sheet

**Supplier:**

**KANDO Service GmbH**

Hartleitnerstraße 3

4653 Eberstalzell

Austria

**Telephone:** +43 (0) 7241 213 79

**E-mail:** msds@kando.eu

#### 1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

#### 2.2. Label elements

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms:**



**GHS07**

Exclamation mark

**Signal word:** Warning

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 18 Sept 2023

Print date: 21 Feb 2025

Version: 3



Page 2/12

## Sanclean 1I

### Hazard components for labelling:

citric acid; Alcohol, ethoxylated; ethanol; propan-2-ol

#### Hazard statements for health hazards

H319	Causes serious eye irritation.
------	--------------------------------

#### Precautionary statements Prevention

P264	Wash hands and affected body parts thoroughly after handling.
P280	Wear eye protection/face protection.

#### Precautionary statements Response

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

#### Adverse physicochemical effects:

Materials to avoid: Acids, Light metal, Aluminium, zinc, Organic peroxides.

#### Adverse human health effects and symptoms:

Causes serious eye irritation.

#### Other adverse effects:

The mixture shall not contain substances whose properties interfere with endocrine disruption, in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 77-92-9 EC No.: 201-069-1 Index No.: 607-750-00-3 REACH No.: 01-2119457026-42	<b>citric acid</b> Eye Irrit. 2 (H319), STOT SE 3 (H335) ⚠ Warning <b>Acute Toxicity Estimate</b> ATE (oral) > 2,000 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) ≥ 50 mg/L ATE (inhalation, dust/mist) > 5 mg/L	< 5 Vol-%
CAS No.: 166736-08-9 EC No.: 605-450-7	<b>Alcohol, ethoxylated</b> Acute Tox. 4 (H302), Eye Dam. 1 (H318) ⚠ Danger <b>Acute Toxicity Estimate</b> ATE (oral) > 300 - 2,000 mg/kg	< 1.5 Vol-%
CAS No.: 64-17-5 EC No.: 200-578-6 Index No.: 603-002-00-5 REACH No.: 01-2119457610-43-XXXX	<b>ethanol</b> Flam. Liq. 2 (H225) ⚠ Danger <b>Acute Toxicity Estimate</b> ATE (oral) 10,470 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) > 20 mg/L	< 1.25 Vol-%
CAS No.: 67-63-0 EC No.: 200-661-7 Index No.: 603-117-00-0 REACH No.: 01-2119457558-25	<b>propan-2-ol</b> Eye Irrit. 2 (H319), Flam. Liq. 2 (H225), STOT SE 3 (H336) ⚠ Danger <b>Acute Toxicity Estimate</b> ATE (oral) 5.84 mg/kg ATE (dermal) 13,900 mg/kg ATE (inhalation, dust/mist) > 25 mg/L	< 0.5 Vol-%

Full text of H- and EUH-phrases: see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 18 Sept 2023

**Print date:** 21 Feb 2025

**Version:** 3

Page 3/12



## Sanclean 1I

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information:

Pay attention to your own safety. If health problems occur or in case of doubt, inform the doctor and give him/her information from this safety data sheet.

##### Following inhalation:

Immediately stop exposure, remove affected person to fresh air.

##### In case of skin contact:

Take off contaminated clothing. Wash the affected person with plenty of lukewarm water. If there is no injury to the skin, it is advisable to use soap, soap solution or shampoo. Seek medical attention if the skin irritation persists.

##### After eye contact:

Immediately rinse the eyes with a stream of running water, open the eyelids (with force if necessary); if the affected person has contact lenses, remove them immediately. Rinse for at least 10 minutes. Seek medical treatment, preferably from a specialist.

##### Following ingestion:

Rinse the oral cavity with clean water and give 2 - 5 dl of water to drink. Ensure medical treatment for people who have health complaints.

#### 4.2. Most important symptoms and effects, both acute and delayed

IF INHALED: Not expected.

IF ON SKIN: Not expected.

IF IN EYES: Causes serious eye irritation.

IF SWALLOWED: Irritation, Malaise

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media:

Co-ordinate fire-fighting measures to the fire surroundings. Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Foam.

##### Unsuitable extinguishing media:

Water jet

#### 5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon oxide and carbon dioxide and other toxic gases may be produced. Inhalation of hazardous decomposing (pyrolysing) products may cause serious damage to health.

#### 5.3. Advice for firefighters

Self-contained breathing apparatus (SCBA) with a chemical protective suit if (close) personal contact.

Wear self-contained breathing apparatus and full protective suit.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

##### Personal precautions:

Wear personal protection equipment (refer to section 8). Avoid contact with eyes and skin.

##### 6.1.2. For emergency responders

No data available

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 18 Sept 2023

Print date: 21 Feb 2025

Version: 3

Page 4/12



## Sanclean 1I

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up:

Cover a spill with a suitable (non-flammable) absorbent material (sand, diatomaceous earth, soil and other suitable absorbent materials), collect it in a well-sealed container and dispose of it in accordance with section 13. In case of leakage of large quantities of the product, inform the fire brigade and other competent bodies. After removing the product, wash contaminated area with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Protective measures

##### Advices on safe handling:

Prevent the formation of gases and vapours in concentrations exceeding the occupational exposure limits for hazardous substances. Do not inhale the dust. Avoid contact with skin and eyes. Wash hands and affected body parts thoroughly after use. Use personal protective equipment according to section 8. Observe the applicable legislation on health and safety.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels:

Keep container tightly closed in a cool, well-ventilated place. Do not store near sources of ignition.

#### Hints on storage assembly:

Keep away from food, drink and animal feed. Do not eat, drink or smoke when using this product.

**Storage class (TRGS 510, Germany):** 12 – non-combustible liquids that cannot be assigned to any of the above storage classes

#### Further information on storage conditions:

minimum storage temperature: 5°C

maximum storage temperature: 30°C

### 7.3. Specific end use(s)

#### Recommendation:

Sanitary cleaner, other

## SECTION 8: Exposure controls/personal protection

### \* 8.1. Control parameters

#### 8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6	① 1,000 ppm (1,900 mg/m <sup>3</sup> )
MAK (AT)	<b>ethanol</b> CAS No.: 64-17-5 EC No.: 200-578-6	② 2,000 ppm (3,800 mg/m <sup>3</sup> ) ⑤ (max. 3x60 min./Schicht, Momentanwert)
MAK (AT)	<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	② 800 ppm (2,000 mg/m <sup>3</sup> ) ⑤ (max. 4x15 min./Schicht)
MAK (AT)	<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	① 200 ppm (500 mg/m <sup>3</sup> )

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 18 Sept 2023

Print date: 21 Feb 2025

Version: 3



Page 5/12

## Sanclean 1I

### 8.1.2. Biological limit values

No data available

### 8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	500 mg/m <sup>3</sup>	① DNEL worker ② Long-term - inhalation, systemic effects
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	89 mg/m <sup>3</sup>	① DNEL Consumer ② Long-term - inhalation, systemic effects
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	888 mg/kg bw/ day	① DNEL worker ② Long-term - dermal, systemic effects
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	319 mg/kg bw/ day	① DNEL Consumer ② Long-term - dermal, systemic effects
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	26 mg/kg bw/ day	① DNEL Consumer ② Long-term - oral, systemic effects

Substance name	PNEC Value	① PNEC type
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, freshwater
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	1,409 mg/L	① PNEC aquatic, marine water
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	2,251 mg/L	① PNEC sewage treatment plant
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	552 mg/kg	① PNEC sediment, freshwater
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	552 mg/kg	① PNEC sediment, marine water
<b>propan-2-ol</b> CAS No.: 67-63-0 EC No.: 200-661-7	140.9 mg/L	① PNEC aquatic, intermittent release

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

Ensure good ventilation/extraction at the workplace. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

#### 8.2.2. Personal protection equipment



##### Eye/face protection:

Safety goggles

##### Skin protection:

Hand protection:

Protective gloves, resistant to the product. Follow the recommendations of the specific manufacturer of the gloves when selecting them in terms of thickness, material and permeability. Follow other recommendations of the manufacturer.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 18 Sept 2023

**Print date:** 21 Feb 2025

**Version:** 3



Page 6/12

## Sanclean 1I

### Respiratory protection:

Half mask with filter against organic vapours, possibly respirator if the occupational exposure limits of the substances are exceeded or in a poorly ventilated environment.

### Thermal hazards:

No further relevant information available.

### Other protection measures:

Care must be taken to avoid direct contact with the product, skin and eye contact, accidental ingestion and spillage. It is forbidden to eat or smoke during work. Hand washing facilities during breaks and hot water baths after work should be provided. Afterwards, hands should be coated with skin protection cream.

### 8.2.3. Environmental exposure controls

Section 6: Accidental Release Measures

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state:** Liquid

**Colour:** transparent

**Odour:** inconspicuous

**flammability:** No data available

#### Safety relevant basis data

Parameter	Value	① Method ② Remark
pH	2.1	
Melting point	No data available	
Freezing point	No data available	
Initial boiling point and boiling range	No data available	
Flash point	> 65 °C	
Evaporation rate	No data available	
Auto-ignition temperature	No data available	
Upper/lower flammability or explosive limits	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Density	1.01 g/cm <sup>3</sup>	
Bulk density	not applicable	
Water solubility	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

### 9.2. Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No further relevant information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

None known. Contact with acids produces toxic gases that are corrosive to metals. Reacts with strong acids and oxidizing agents, reacting with light metals and metals. Heavy metals and their salts catalyze decomposition. Hazardous decomposition products: Chlorine.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 18 Sept 2023

Print date: 21 Feb 2025

Version: 3



Page 7/12

## Sanclean 1I

### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures. Protect from flames, sparks, overheating and frost.

### 10.5. Incompatible materials

Strong acid, Alkalies, Oxidizing agent

### 10.6. Hazardous decomposition products

Do not occur during normal use. At high temperatures and in the event of a fire, dangerous products such as carbon oxide and carbon dioxide are formed.

## SECTION 11: Toxicological information

### \* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<b>citric acid</b>	CAS No.: 77-92-9	EC No.: 201-069-1
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat)		
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)		
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> ≥50 mg/L 4 h (Rat)		
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> >5 mg/L 4 h (Rat)		
<b>Alcohol, ethoxylated</b>	CAS No.: 166736-08-9	EC No.: 605-450-7
<b>LD<sub>50</sub> oral:</b> >300 – 2,000 mg/kg (Rat) OECD 423		
<b>ethanol</b>	CAS No.: 64-17-5	EC No.: 200-578-6
<b>LD<sub>50</sub> oral:</b> >2,000 mg/kg (Rat) IUCLID		
<b>LD<sub>50</sub> dermal:</b> >2,000 mg/kg (Rat)		
<b>LC<sub>50</sub> Acute inhalation toxicity (vapour):</b> >20 mg/L (Rat) RTECS		
<b>propan-2-ol</b>	CAS No.: 67-63-0	EC No.: 200-661-7
<b>LD<sub>50</sub> oral:</b> 5.84 mg/kg (Rat)		
<b>LD<sub>50</sub> dermal:</b> 13,900 mg/kg (Rabbit)		
<b>LC<sub>50</sub> Acute inhalation toxicity (dust/mist):</b> >25 mg/L 6 h (Rat)		

#### Acute oral toxicity:

Based on available data, the classification criteria are not met.

#### Acute dermal toxicity:

Based on available data, the classification criteria are not met.

#### Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation:

Causes serious eye irritation.

#### Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### Carcinogenicity:

Based on available data, the classification criteria are not met.

#### Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### STOT-single exposure:

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure:

Based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 18 Sept 2023

Print date: 21 Feb 2025

Version: 3



Page 8/12

## Sanclean 1I

### Aspiration hazard:

Inhalation of solvent vapours above levels exceeding the exposure limit values for the working environment may result in acute inhalation poisoning, depending on the level of concentration and the exposure time. Based on available information, the criteria for classification are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties:

The mixture shall not contain substances whose properties interfere with endocrine disruption, in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>citric acid</b>	CAS No.: 77-92-9	EC No.: 201-069-1
LC <sub>50</sub> : 440 - 760 mg/L 2 d (fish)		
LC <sub>50</sub> : 1,535 mg/L (crustaceans, Daphnia)		
EC <sub>50</sub> : 160 mg/L 2 d (crustaceans)		
EC <sub>50</sub> : 1,535 mg/L 1 d (crustaceans, Daphnia)		
NOEC: 425 mg/L (Algae/water plant, Scenedesmus quadricauda)		
<b>Alcohol, ethoxylated</b>	CAS No.: 166736-08-9	EC No.: 605-450-7
LC <sub>50</sub> : >10 - 100 mg/L 4 d (fish, Oncorhynchus mykiss) OECD 203		
EC <sub>50</sub> : >10 - 100 mg/L 2 d (crustaceans, Daphnia magna) OECD 202		
EC <sub>50</sub> : >10 - 100 mg/L 3 d (Algae/water plant, Selenastrum capricornutum) OECD 201		
<b>ethanol</b>	CAS No.: 64-17-5	EC No.: 200-578-6
LC <sub>50</sub> : >1,000 mg/L 4 d (fish)		
LC <sub>50</sub> : =11,200 mg/L 1 d		
EC <sub>50</sub> : >1,000 mg/L 2 d (crustaceans, Daphnia magna)		
EC <sub>50</sub> : =275 mg/L 3 d		
NOEC: =9.6 mg/L (crustaceans, Ceriodaphnia dubia)		
ErC <sub>50</sub> : >100 mg/L		
LC <sub>50</sub> : 8,140 mg/L 2 d (fish, Leuciscus idus (golden orfe))		
EC <sub>50</sub> : 6,500 mg/L (Algae/water plant, Pseudomonas putida)		
NOEC: 250 mg/L (fish, Danio rerio)		
ErC <sub>50</sub> : 275 mg/L 3 d (Algae/water plant, Chlorella vulgaris)		
<b>propan-2-ol</b>	CAS No.: 67-63-0	EC No.: 200-661-7
LC <sub>50</sub> : 9,640 mg/L 4 d (fish, Pimephales promelas)		
LC <sub>50</sub> : 9,714 mg/L (crustaceans, Daphnia magna)		
NOEC: 250 mg/L (fish, Oncorhynchus mykiss)		

### Assessment/classification:

No further relevant information available.

### 12.2. Persistence and degradability

<b>citric acid</b>	CAS No.: 77-92-9	EC No.: 201-069-1
<b>Biodegradation:</b> Yes, rapidly		
<b>ethanol</b>	CAS No.: 64-17-5	EC No.: 200-578-6
<b>Biodegradation:</b> Yes, rapidly		
<b>Remark:</b> Readily biodegradable (according to OECD criteria).		

### Abiotic degradation:

No further relevant information available.

### Biodegradation:

No further relevant information available.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 18 Sept 2023

Print date: 21 Feb 2025

Version: 3



Page 9/12

## Sanclean 1I

### 12.3. Bioaccumulative potential

<b>citric acid</b>	CAS No.: 77-92-9	EC No.: 201-069-1
--------------------	------------------	-------------------

<b>Log K<sub>OW</sub>:</b>	-1.57
----------------------------	-------

<b>ethanol</b>	CAS No.: 64-17-5	EC No.: 200-578-6
----------------	------------------	-------------------

<b>Log K<sub>OW</sub>:</b>	-0.31
----------------------------	-------

#### Accumulation / Evaluation:

No further relevant information available.

### 12.4. Mobility in soil

No further relevant information available.

### 12.5. Results of PBT and vPvB assessment

<b>citric acid</b>	CAS No.: 77-92-9	EC No.: 201-069-1
--------------------	------------------	-------------------

<b>Results of PBT and vPvB assessment:</b>	—
--	---

<b>Alcohol, ethoxylated</b>	CAS No.: 166736-08-9	EC No.: 605-450-7
-----------------------------	----------------------	-------------------

<b>Results of PBT and vPvB assessment:</b>	—
--	---

<b>ethanol</b>	CAS No.: 64-17-5	EC No.: 200-578-6
----------------	------------------	-------------------

<b>Results of PBT and vPvB assessment:</b>	—
--	---

<b>propan-2-ol</b>	CAS No.: 67-63-0	EC No.: 200-661-7
--------------------	------------------	-------------------

<b>Results of PBT and vPvB assessment:</b>	—
--	---

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

The mixture shall not contain substances whose properties interfere with endocrine disruption, in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

No further relevant information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Risk of contamination of the environment, proceed in accordance with the Waste Act as well as the implementing regulations on waste disposal. Proceed in accordance with the applicable regulations on waste disposal. Place an unused product and soiled packaging in containers marked for waste collection and hand them over for disposal to a person (specialised company) authorised to carry out such activities. Do not pour an unused product into the sewage system. Do not dispose of together with municipal waste. Empty packaging may be used energetically in a waste incineration plant or deposited in a landfill of the appropriate incorporation. Completely cleaned packaging can be handed over for recycling.

#### 13.1.1. Product/Packaging disposal

#### Waste codes/waste designations according to EWC/AVV

##### Waste code product

15 01 10 *	packaging containing residues of or contaminated by dangerous substances
------------	--

\*: Evidence for disposal must be provided.

### 13.2. Additional information

Ordinance of the Federal Minister of Agriculture, Forestry, Environment and Water Management on the Avoidance and Recovery of Packaging Waste and Certain Residual Goods (Packaging Ordinance 2014), as amended. Hazardous waste according to the Waste Catalogue Ordinance. Ordinance of the Federal Minister of Agriculture, Forestry, Environment and Water Management on a List of Wastes (List of Wastes Ordinance), as amended. Decision 2000/532/EC on the provision of a list of wastes with subsequent amendments. Federal Act on Sustainable Waste Management (Waste Management Act 2002 - AWG 2002), as amended.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 18 Sept 2023

Print date: 21 Feb 2025

Version: 3

Page 10/12



## Sanclean 1I

### SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
<b>14.1. UN number or ID number</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.2. UN proper shipping name</b>			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
<b>14.3. Transport hazard class(es)</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.4. Packing group</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.5. Environmental hazards</b>			
not relevant	not relevant	not relevant	not relevant
<b>14.6. Special precautions for user</b>			
not relevant	not relevant	not relevant	not relevant

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU legislation

###### Authorisations:

Bundesgesetz über die Gesundheit Österreich GmbH (GÖGG) StF: BGBl. I No. 132/2006. Regulation of the European Parliament and of the Council (EC) No. 1907/2006 of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93, Commission Regulation (EC) No 1488/94, Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation of the European Parliament and of the Council (EC) No 1272/2008, as amended. Federal Act on the Protection of Human Health and the Environment against Chemicals (Chemicals Act 1996 - ChemG 1996), as amended. Federal Act on Safety and Health at Work (Employee Protection Act - ASchG), as amended. Federal Act on Protection against Immissions caused by Air Pollutants (Immission Protection Act - Air, IG-L), as amended. The product contains reportable explosives precursors: reporting of suspicious transactions, loss and theft in accordance with Regulation (EU) 2019/1148, Article 9. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

##### 15.1.2. National regulations

No data available

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### \* 16.1. Indication of changes

8.1.	Control parameters
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
16.1.	Indication of changes
16.2.	Abbreviations and acronyms

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 18 Sept 2023

Print date: 21 Feb 2025

Version: 3



Page 11/12

## Sanclean 1I

### \* 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DNEL	derived no-effect level
EC <sub>50</sub>	Effective Concentration 50%
ERC	Environmental Release Category
ES	Exposure scenario
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
KG	body weight
LC <sub>50</sub>	Lethal (fatal) Concentration 50%
LD <sub>50</sub>	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic
PC	Product category
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
SCL	Specific concentration limit
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations

### 16.3. Key literature references and sources for data

No data available

### 16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Irrit. 2)	H319: Causes serious eye irritation.	

### 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

### 16.6. Training advice

No data available

### 16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

**Revision date:** 18 Sept 2023

**Print date:** 21 Feb 2025

**Version:** 3

Page 12/12



## Sanclean 1I

is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

\* Data changed compared with the previous version.