according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 1/10



CA Buster 25I

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

CA Buster 251

Article No.:

T106025

UFI:

UV13-Y81Q-W91K-R9X3

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Descaling products

Relevant identified uses:

Process categories [PROC]

PROC 10: Roller application or brushing **PROC 11:** Non industrial spraying

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3 4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
Skin corrosion/irritation (Skin Corr. 1)	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS05 Corrosion

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 2/10



CA Buster 25I

Hazard components for labelling:

orthophosphoric acid

Hazard statements for physical hazards	
H290	May be corrosive to metals.

Hazard statements for health hazards	
H314	Causes severe skin burns and eye damage.

Supplemental hazard information: none

Precautionary statements Prevention	
P280	Wear protective gloves/protective clothing and eye protection/face protection.

Precautionary stat	Precautionary statements Response		
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.		
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].		
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER.		

2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 3: Composition/information on ingredients

* 3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 7664-38-2 EC No.: 231-633-2 Index No.: 015-011-00-6 REACH No.: 01-2119485924-24	orthophosphoric acid Acute Tox. 4 (H302), Eye Dam. 1 (H318), Met. Corr. 1 (H290), Skin Corr. 1B (H314) Danger Specific concentration limit (SCL) Skin Corr. 1B; H314: 25% ≤ C < 100% Skin Irrit. 2; H315: 10% ≤ C < 25% Eye Irrit. 2; H319: 10% ≤ C < 25% Acute Toxicity Estimate ATE (oral) 500 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, gases) > 5 ppmV ATE (inhalation, vapour) ≥ 50 mg/L ATE (inhalation, dust/mist) > 5 mg/L	45 - < 50 weight-%
CAS No.: 77-92-9 EC No.: 201-069-1 Index No.: 607-750-00-3 REACH No.: 01-2119457026-42	citric acid Eye Irrit. 2 (H319), STOT SE 3 (H335)	1 - < 5 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Remove contaminated, saturated clothing immediately.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 3/10



CA Buster 251

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion:

Rinse out mouth immediately and drink plenty of water.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Carbon dioxide, Powder

Unsuitable extinguishing media:

Full water iet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide, Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

st \mid 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Ventilate affected area.

6.1.2. For emergency responders

Personal protection equipment:

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Treat the recovered material as prescribed in the section on waste disposal.

Other information:

Collect in closed and suitable containers for disposal.

Ventilate affected area.

6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 4/10

CA Buster 25



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. Do not eat, drink or smoke when using this product. When using the HD method or spraying over large areas: Do not breathe gas/fumes/vapour/spray. Use only in well-ventilated areas. Absorb spillage to prevent material damage.

Fire prevent measures:

No special fire protection measures are necessary.

Advices on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep container tightly closed. Keep/Store only in original container.

Hints on storage assembly:

No special measures are necessary.

Storage class (TRGS 510, Germany): 8B - Non-combustible corrosive substances

7.3. Specific end use(s)

Recommendation:

Cleaning agent

GISCODE:

GS 80

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
MAK (AT)	orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	② 2 mg/m³ ⑤ (max. 4x15 min./Schicht)
IOELV (EU)	orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	① 1 mg/m³ ② 2 mg/m³
MAK (AT)	orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2	① 1 mg/m³

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

* 8.2. Exposure controls

8.2.1. Appropriate engineering controls

No data available

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 5/10



CA Buster 25l

8.2.2. Personal protection equipment





Eye/face protection:

Wear eye protection/face protection. (EN 166)

Skin protection:

Hand protection:

Wear protective gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) Thickness of the glove material > 0,1 mm

Diluted application solutions <= 1%:

Protective gloves may be dispensed with, provided equivalent protective measures are taken, taking into account increased skin exposure due to wet work (e.g. use of suitable skin protection ointments).

Body protection:

Wear suitable work clothing.

Respiratory protection:

When using the HD method or spraying over large areas: combination filter A1/P2 (EN 143, EN 14387).

8.2.3. Environmental exposure controls

SECTION 6: Accidental release measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: dark red

Odour: Perfumes, fragrances **flammability:** No data available

Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	≈ 0.5	20 °C	
Melting point	≈ 0 °C		
Freezing point	≈ 0 °C		
Initial boiling point and boiling range	≈ 100 °C		
Flash point	No data available		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	not applicable		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1.33 g/cm³	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible	20 °C	
Dynamic viscosity	< 10 mPa* s	25 °C	
Kinematic viscosity	No data available		

9.2. Other information

No further relevant information available.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 6/10



CA Buster 251

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

Exothermic reaction with: Alkali (lye)

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Corrosive to metals.

Exothermic reaction with: Alkali (lye)

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals.

Alkali (lye)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2

LD₅₀ oral: 500 mg/kg (Ratte)

LD₅₀ dermal: >2,000 mg/kg (Ratte)

LC₅₀ Acute inhalation toxicity (gas): >5 ppmV

LC₅₀ Acute inhalation toxicity (vapour): ≥50 mg/L 4 h (Rat)

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L (Ratte)

citric acid CAS No.: 77-92-9 EC No.: 201-069-1

LD₅₀ oral: >2,000 mg/kg (Rat)

LD₅₀ dermal: >2,000 mg/kg (Rat)

LC₅₀ Acute inhalation toxicity (vapour): ≥50 mg/L 4 h (Rat)

LC₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L 4 h (Rat)

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes severe skin burns and eye damage.

Serious eye damage/irritation:

Causes serious eye damage.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 7/10



CA Buster 25I

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2

LC₅₀: 138 mg/L 4 d (fish, Gambusia affinis (Moskitofisch))

EC50: 100 mg/L 2 d (crustaceans, Daphnia magna (Großer Wasserfloh))

EC₅₀: 100 mg/L 3 d (crustaceans, Daphnia)

NOEC: 100 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus)

NOEC: 56 mg/L 2 d (crustaceans, Daphnia)

ErC₅₀: >100 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus)

LC₅₀: 138 mg/L 4 d (fish, Gambusia affinis)

citric acid CAS No.: 77-92-9 EC No.: 201-069-1

LC₅₀: 440 - 760 mg/L 2 d (fish)

LC₅₀: 1,535 mg/L (crustaceans, Daphnia)

EC₅₀: 160 mg/L 2 d (crustaceans)

EC₅₀: 1,535 mg/L 1 d (crustaceans, Daphnia)

NOEC: 425 mg/L (Algae/water plant, Scenedesmus quadricauda)

Assessment/classification:

No further relevant information available.

12.2. Persistence and degradability

citric acid CAS No.: 77-92-9 EC No.: 201-069-1

Biodegradation: Yes, rapidly

Additional information:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

12.3. Bioaccumulative potential

citric acid CAS No.: 77-92-9 EC No.: 201-069-1

Log K_{OW}: -1.57

Accumulation / Evaluation:

No indication of bioaccumulation potential. No further relevant information available.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

orthophosphoric acid CAS No.: 7664-38-2 EC No.: 231-633-2

Results of PBT and vPvB assessment: —
citric acid CAS No.: 77-92-9 EC No.: 201-069-1

Results of PBT and vPvB assessment: —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 8/10



CA Buster 25I

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to nontarget organisms as no components meets the criteria.

12.7. Other adverse effects

water hazard class 1: slightly hazardous to water

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

06 01 04 * | phosphoric and phosphorous acid

*: Evidence for disposal must be provided.

Waste code packaging

15 01 02 Plastic packaging

Waste treatment options

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or	ID number		
UN 1805	UN 1805	UN 1805	UN 1805
14.2. UN proper ship	pping name	•	
PHOSPHORIC ACID,	PHOSPHORIC ACID,	PHOSPHORIC ACID,	PHOSPHORIC ACID,
SOLUTION	SOLUTION	SOLUTION	SOLUTION
14.3. Transport haza	ard class(es)		
8	8	8	8
14.4. Packing group			
III	III	III	III
14.5. Environmenta	hazards		•
No	No	No	No
14.6. Special precau	itions for user	•	
Limited quantity (LQ): 5 L	Limited quantity (LQ): 5 L	Special Provisions: 223	Special Provisions: A3 A803
Excepted Quantities (EQ):	Excepted Quantities (EQ):	Limited quantity (LQ): 5 L	Limited quantity (LQ): 1 L Y841
E 1	E 1	Excepted Quantities	Excepted Quantities
Hazard identification	Classification code:	(EQ):	(EQ):
number (Kemler No.):	C1	E 1 EmS-No.:	E 1 Remark:
Classification code:		F-A, S-B	IATA Packing Instructions
C1		Remark:	Passenger: 852
Tunnel restriction code: (E)		Segregation group 1 - acids	IATA Maximum Quantity Passenger: 5 L
Remark:			IATA-
Transport category 3			Verpackungsanweisung
			Cargo: 856 IATA Maximum Quantity
			Cargo: 60 L

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 Print date: 24 Feb 2025

Version: 5 Page 9/10



CA Buster 25I

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Restrictions on use:

Restrictions on use (REACH, Annex XVII) Entry 3, entry 75 Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: < 0,1 % Regulation (EC) No. 648/2004 [Detergents regulation]

15.1.2. National regulations

No data available

PBT

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1. Indication of changes

1.1.	Product identifier
2.2.	Label elements
3.2.	Mixtures
6.1.	Personal precautions, protective equipment and emergency procedures
7.1.	Precautions for safe handling
8.2.	Exposure controls
12.7.	Other adverse effects
14.5.	Environmental hazards
14.6.	Special precautions for user
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
15.3.	Additional information
16.1.	Indication of changes

1

persistent and bioaccumulative and toxic

10.1. Indication of changes					
16.2. Al	16.2. Abbreviations and acronyms				
ACGIH	American Conference of Governmental Industrial Hygienists				
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland				
	Waterways				
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road				
CAS	Chemical Abstracts Service				
CLP	Classification, Labelling and Packaging				
DNEL	derived no-effect level				
EC_{50}	Effective Concentration 50%				
EN	European Standard				
ES	Exposure scenario				
EWC	European Waste Catalogue				
ICAO	International Civil Aviation Organization				
IMDG	International Maritime Dangerous Goods				
IMO	International Maritime Organization				
LC_{50}	Lethal (fatal) Concentration 50%				
LD_{50}	Lethal (fatal) Dose 50%				
MAK	Maximum concentration in the workplace air (CH)				
NFPA	National Fire Protection Association				
NIOSH	National Institute for Occupational Safety & Health				
NOEC	No Observed Effect Concentration				
OSHA	Occupational Safety & Health Administration				

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 24 Feb 2025 **Print date:** 24 Feb 2025

Version: 5 Page 10/10



CA Buster 25l

PC Product category

PNEC Predicted No Effect Concentration

PROC Process Category

REACH Registration, Evaluation and Authorization of Chemicals

RID Dangerous goods regulations for transport by rail

SCL Specific concentration limit

TRGS Technische Regeln für Gefahrstoffe

UN United Nations

VOC Volatile organic compounds

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Corrosive to metals (Met. Corr. 1)	H290: May be corrosive to metals.	
	H314: Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

* Data changed compared with the previous version.