

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4

Page 1/11



Eco Paste 450g

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Eco Paste 450g

Article No.:

T207450

UFI:

U7PU-D19W-K5H8-6AG2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:

Cleaning agent

* 1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3

4653 Eberstälz

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements: none

| Supplemental hazard information | |
|---------------------------------|---|
| EUH208 | Contains Orange terpenes, orange, sweet, extract. May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

| Precautionary statements Response | |
|-----------------------------------|--|
| P333 + P313 | If skin irritation or rash occurs: Get medical advice/attention. |

2.3. Other hazards

Adverse human health effects and symptoms:

Repeated exposure may cause skin dryness or cracking.

May be harmful if swallowed or if inhaled.

May cause eye irritation in sensitive individuals.

Other adverse effects:

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

The mixture does not contain substances listed for endocrine disrupting properties in accordance with REACH Article 59(1) or has been determined not to contain substances with endocrine disrupting properties in a concentration equal to or greater than 0.1% in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4



Page 2/11

Eco Paste 450g

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

| Product identifiers | Substance name Classification according to Regulation (EC) No 1272/2008 [CLP] | Concentration |
|---|---|--------------------------|
| CAS No.: 107-21-1 EC No.: 203-473-3 Index No.: 603-027-00-1 REACH No.: 01-2119456816-28 | ethane-1,2-diol Acute Tox. 4 (H302) Warning Acute Toxicity Estimate ATE (oral) > 7,712 mg/kg ATE (dermal) 3,500 mg/kg | 5 – 10 weight-% |
| CAS No.: 8002-13-9 EC No.: 232-299-0 | Rapeseed oil (Brassica napus) The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. | 1 – 5 weight-% |
| CAS No.: 8028-48-6 EC No.: 232-433-8 REACH No.: 01-2119493353-35 | Orange terpenes, orange, sweet, extract Aquatic Chronic 2 (H411), Asp. Tox. 1 (H304), Flam. Liq. 3 (H226), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) Danger Acute Toxicity Estimate ATE (oral) 200 mg/kg ATE (dermal) > 5,000 mg/kg ATE (inhalation, dust/mist) 500 mg/L | 0.1 – < 0.25 weight-% |

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Following inhalation:

Remove person to fresh air and keep comfortable for breathing.

In case of skin contact:

Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor if symptoms persist.

Following ingestion:

Rinse the mouth with water. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Following ingestion: Nausea, Vomiting, Gastrointestinal complaints

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet, Dry extinguishing powder, Foam

Unsuitable extinguishing media:

None known.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3. Advice for firefighters

Do not attempt to operate without suitable protective equipment. Wear self-contained breathing apparatus. Full protective clothing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4



Page 3/11

Eco Paste 450g

Other information: Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations. Do not allow extinguishing water to flow into waste water or watercourses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Ventilate affected area.

6.1.2. For emergency responders

Personal protection equipment:

Do not attempt to operate without suitable protective equipment.

Additional information: SECTION 8: Exposure controls/personal protection

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter into surface water or drains. In case of spillage into water or sewage system, inform the competent authorities.

6.3. Methods and material for containment and cleaning up

For cleaning up:

Take up mechanically.

Other information:

Check possibility of recycling. If recycling is not possible, dispose of in accordance with local regulations.

6.4. Reference to other sections

For further information on disposal: see section 13.

6.5. Additional information

The product forms a slippery surface in combination with water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Ensure good ventilation/extraction at the workplace.

Advices on general occupational hygiene

Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Store in a well-ventilated place. Keep container tightly closed.

Provide a lye-resistant floor.

Hints on storage assembly:

Do not store together with: strong acids, Oxidizing agent

Storage class (TRGS 510, Germany): 10 - 13 - Other combustible and non-combustible substances

Further information on storage conditions:

storage temperature: 15°C - 30°C

Does not involve any particular fire or explosion hazard.

7.3. Specific end use(s)

Recommendation:

No further relevant information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4



Page 4/11

Eco Paste 450g

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

| Limit value type (country of origin) | Substance name | ① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark |
|--------------------------------------|--|--|
| MAK (AT) | ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | ① 10 ppm (26 mg/m ³) ⑤ (kann über die Haut aufgenommen werden) H |
| MAK (AT) | ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | ② 20 ppm (52 mg/m ³) ⑤ (max. 8x5 min./Schicht, Momentanwert, kann über die Haut aufgenommen werden) H |
| IOELV (EU) | ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | ① 20 ppm (52 mg/m ³) ② 40 ppm (104 mg/m ³) ⑤ (may be absorbed through the skin) |

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

| Substance name | DNEL value | ① DNEL type ② Exposure route |
|---|--------------------------|---|
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 35 mg/m ³ | ① DNEL worker ② Long-term - inhalation, local effects |
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 7 mg/m ³ | ① DNEL Consumer ② Long-term - inhalation, local effects |
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 106 mg/kg | ① DNEL worker ② Long-term - dermal, systemic effects |
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 53 mg/kg | ① DNEL Consumer ② Long-term - dermal, systemic effects |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 31.1 mg/m ³ | ① DNEL worker ② Long-term - inhalation, systemic effects |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 7.78 mg/m ³ | ① DNEL worker ② Acute - inhalation, local effects |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 8.89 mg/kg bw/day | ① DNEL worker ② Long-term - dermal, systemic effects |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 4.44 mg/kg bw/day | ① DNEL Consumer ② Long-term - dermal, systemic effects |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 0.929 mg/cm ² | ① DNEL worker ② Acute - dermal, local effects |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4



Page 5/11

Eco Paste 450g

| Substance name | DNEL value | ① DNEL type ② Exposure route |
|---|----------------------|---|
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 4.44 mg/kg bw/day | ① DNEL Consumer ② Long-term - oral, systemic effects |

| Substance name | PNEC Value | ① PNEC type |
|---|-------------|--------------------------------------|
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 10 mg/L | ① PNEC aquatic, freshwater |
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 1 mg/L | ① PNEC aquatic, marine water |
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 37 mg/kg | ① PNEC sediment, freshwater |
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 3.7 mg/kg | ① PNEC sediment, marine water |
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 1.53 mg/kg | ① PNEC soil |
| ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3 | 10 mg/L | ① PNEC aquatic, intermittent release |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 5.4 mg/kg | ① PNEC aquatic, freshwater |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 0.54 mg/kg | ① PNEC aquatic, marine water |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 2.1 mg/kg | ① PNEC sewage treatment plant |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 1.3 mg/L | ① PNEC sediment, freshwater |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 0.13 mg/L | ① PNEC sediment, marine water |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 0.261 mg/kg | ① PNEC soil |
| Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8 | 5.77 mg/L | ① PNEC aquatic, intermittent release |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure good ventilation/extraction at the workplace.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4



Page 6/11

Eco Paste 450g

8.2.2. Personal protection equipment

Eye/face protection:

Wear safety goggles that protect against splashes.

Skin protection:

Hand protection:

Protective gloves. Please follow the manufacturer's instructions for permeability and breakthrough time. The choice of a suitable glove depends not only on the material, but also on other quality features that vary from manufacturer to manufacturer.

Body protection:

Protective work clothing (e.g. safety shoes EN ISO 20345, long-sleeved work clothing).

Respiratory protection:

Normally not required.

Thermal hazards:

No further relevant information available.

8.2.3. Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: solid

Colour: white

Odour: characteristic

flammability: No data available

Safety relevant basis data

| Parameter | Value | ① Method ② Remark |
|---|-------------------------|----------------------|
| pH | 10 | |
| Melting point | No data available | |
| Freezing point | No data available | |
| Initial boiling point and boiling range | No data available | |
| Evaporation rate | No data available | |
| Vapour pressure | No data available | |
| Density | ≈ 1.7 g/cm ³ | |
| Bulk density | No data available | |
| Water solubility | very soluble | |

particle characteristics:

No data available

9.2. Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is not reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

None under the recommended storage and handling conditions (see section 7).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4



Page 7/11

Eco Paste 450g

10.5. Incompatible materials

strong acids, Oxidizing agent

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | | |
|--|--------------------|-------------------|
| ethane-1,2-diol | CAS No.: 107-21-1 | EC No.: 203-473-3 |
| LD₅₀ oral: >7,712 mg/kg (Rat) | | |
| LD₅₀ dermal: 3,500 mg/kg | | |
| Orange terpenes, orange, sweet, extract | CAS No.: 8028-48-6 | EC No.: 232-433-8 |
| LD₅₀ oral: 200 mg/kg (Rat) | | |
| LD₅₀ dermal: >5,000 mg/kg (Rat) | | |
| LC₅₀ Acute inhalation toxicity (dust/mist): 500 mg/L 4 h (Rat) | | |

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties:

No further relevant information available.

Other information:

No further relevant information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4

Page 8/11



Eco Paste 450g

SECTION 12: Ecological information

12.1. Toxicity

ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3

LC₅₀: >72,860 mg/L (fish, Pimephales promelas)

EC₅₀: >100 mg/L (crustaceans, Daphnia magna)

EC₅₀: 6,500 - 13,000 mg/L 4 d (Algae/water plant)

EC₅₀: 100 mg/L

NOEC: ≥1,000 mg/L 21 d (crustaceans, Americamysis bahia)

NOEC: 8,590 mg/L (crustaceans, Chronic Crustacea)

NOEC: 15,380 mg/L (fish)

Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8

LC₅₀: 0.7 mg/L 4 d (fish, Pimephales promelas) OECD 203

EC₅₀: 0.67 mg/L 2 d (crustaceans, Daphnia magna) OECD 202

NOEC: 72 - 83.4 mg/L 28 d OECD 301 B

ErC₅₀: 150 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus) OECD 201

Aquatic toxicity:

No further relevant information available.

Assessment/classification:

No further relevant information available.

12.2. Persistence and degradability

ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3

Biodegradation: Yes, rapidly

Remark: Readily biodegradable (according to OECD criteria).

Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8

Biodegradation: Yes, rapidly

Abiotic degradation:

No further relevant information available.

Biodegradation:

No further relevant information available.

12.3. Bioaccumulative potential

ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3

Log K_{ow}: -1.36

Bioconcentration factor (BCF): 10

Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8

Log K_{ow}: > 4

Accumulation / Evaluation:

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

ethane-1,2-diol CAS No.: 107-21-1 EC No.: 203-473-3

Results of PBT and vPvB assessment: —

Rapeseed oil (Brassica napus) CAS No.: 8002-13-9 EC No.: 232-299-0

Results of PBT and vPvB assessment: —

Orange terpenes, orange, sweet, extract CAS No.: 8028-48-6 EC No.: 232-433-8

Results of PBT and vPvB assessment: —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4



Page 9/11

Eco Paste 450g

12.6. Endocrine disrupting properties

No further relevant information available.

12.7. Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation.

13.2. Additional information

Waste codes should be assigned by the user, preferably in consultation with the waste management authorities.

SECTION 14: Transport information

| Land transport (ADR/RID) | Inland waterway craft (ADN) | Sea transport (IMDG) | Air transport (ICAO-TI / IATA-DGR) |
|--|--|--|--|
| 14.1. UN number or ID number | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| 14.2. UN proper shipping name | | | |
| No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. | No dangerous good in sense of these transport regulations. |
| 14.3. Transport hazard class(es) | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.4. Packing group | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.5. Environmental hazards | | | |
| not relevant | not relevant | not relevant | not relevant |
| 14.6. Special precautions for user | | | |
| not relevant | not relevant | not relevant | not relevant |

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Authorisations:

Does not contain a substance subject to the restrictions of Annex XVII of REACH. Does not contain a REACH candidate substance. Does not contain a substance listed in REACH Annex XIV. Does not contain any substance subject to Regulation (EU) 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals. Does not contain any substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants. Does not contain any substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 concerning the placing on the market and use of precursors to explosives.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 1 weight-%

15.1.2. National regulations

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4

Page 10/11



Eco Paste 450g

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

* 16.1. Indication of changes

| | |
|-------|--|
| 1.3. | Details of the supplier of the safety data sheet |
| 8.1. | Control parameters |
| 16.1. | Indication of changes |

16.2. Abbreviations and acronyms

| | |
|------------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| BCF | Bioconcentration Factor |
| CAS | Chemical Abstracts Service |
| CLP | Classification, Labelling and Packaging |
| DNEL | derived no-effect level |
| EC ₅₀ | Effective Concentration 50% |
| ES | Exposure scenario |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| IMO | International Maritime Organization |
| KG | body weight |
| LC ₅₀ | Lethal (fatal) Concentration 50% |
| LD ₅₀ | Lethal (fatal) Dose 50% |
| MAK | Maximum concentration in the workplace air (CH) |
| NFPA | National Fire Protection Association |
| NOEC | No Observed Effect Concentration |
| OECD | Organisation for Economic Cooperation and Development |
| PBT | persistent and bioaccumulative and toxic |
| PNEC | Predicted No Effect Concentration |
| REACH | Registration, Evaluation and Authorization of Chemicals |
| RID | Dangerous goods regulations for transport by rail |
| TRGS | Technische Regeln für Gefahrstoffe |
| UN | United Nations |
| VOC | Volatile organic compounds |

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

| Hazard statements | |
|-------------------|--|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H411 | Toxic to aquatic life with long lasting effects. |

16.6. Training advice

No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 7 Jul 2025

Print date: 8 Jul 2025

Version: 4

Page 11/11



Eco Paste 450g

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

* Data changed compared with the previous version.