Super Block M 50ml

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

* **1.1. Product identifier**

Trade name/designation:

Super Block M 50ml

Article No.:
T542003

UFI:
PVE2-PN63-VYFH-JKM3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture:
Adhesives and sealants

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH
Hartleitnerstraße 3
4653 Eberstalzell
Austria
Telephone: +43 (0) 7241 213 79
E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment *(Aquatic Chronic 3)*	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

* **2.2. Label elements**

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information: none

Precautionary statements Prevention	
P273	Avoid release to the environment.

Precautionary statements Disposal	
P501	Dispose of waste according to applicable legislation.

2.3. Other hazards

Other adverse effects:
The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

*

3.2. Mixtures

Description:
Adhesive

Additional information:
Contains Polytetrafluoroethylene (PTFE)

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 25852-47-5	**Polyethylene glycol dimethacrylate** Aquatic Chronic 3 (H412)	50 – < 100 weight-%
CAS No.: 128-37-0 EC No.: 204-881-4 REACH No.: 01-2119565113-46	**2,6-di-tert-butyl-p-cresol** Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410)  Warning M-factor (chronic): 1 **Acute Toxicity Estimate** ATE (oral) > 2,930 mg/kg ATE (dermal) > 2,000 mg/kg	0.1 – < 1 weight-%
CAS No.: 80-15-9 EC No.: 201-254-7 Index No.: 617-002-00-8	**α,α-Dimethylbenzylhydroperoxid** Acute Tox. 3 (H331), Acute Tox. 4 (H302, H312), Aquatic Chronic 2 (H411), Org. Perox. E (H242), STOT RE 2 (H373), Skin Corr. 1B (H314)  Danger **Specific concentration limit (SCL)** Skin Corr. 1B; H314: 10% ≤ C < 100% Skin Irrit. 2; H315: 3% ≤ C < 10% Eye Dam. 1; H318: 3% ≤ C < 10% Eye Irrit. 2; H319: 1% ≤ C < 3% STOT SE 3; H335: 0% ≤ C < 10% **Acute Toxicity Estimate** ATE (oral) 382 mg/kg ATE (dermal) 1,100 mg/kg ATE (inhalation, vapour) 3 mg/L ATE (inhalation, dust/mist) 0.5 mg/L	0.1 – < 1 weight-%
CAS No.: 114-83-0 EC No.: 204-055-3	**2-Phenylacetohydrazide** Acute Tox. 3 (H301)  Danger **Acute Toxicity Estimate** ATE (oral) 270 mg/kg	0.1 – < 1 weight-%

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:
Immediately remove any contaminated clothing, shoes or stockings.

Following inhalation:
Fresh air supply, respiratory care if necessary, warmth. Consult a doctor if symptoms persist.
If unconscious, position and transport in stable lateral position.

In case of skin contact:
After contact with skin, wash immediately with plenty of water and soap.

After eye contact:
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Following ingestion:
Rinse out mouth immediately and drink plenty of water.
Do NOT induce vomiting. Seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

* **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

SECTION 5: Firefighting measures

* **5.1. Extinguishing media**

Suitable extinguishing media:

alcohol resistant foam, Carbon dioxide (CO2), Dry extinguishing powder

Unsuitable extinguishing media:

Full water jet

* **5.2. Special hazards arising from the substance or mixture**

Flammable vapours can accumulate in steam space of closed systems.

Hazardous combustion products:

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)
Risk of formation of toxic pyrolysis products.
Under certain fire conditions, traces of other toxic substances cannot be excluded.

5.3. Advice for firefighters

Special protective equipment for firefighters:
Wear self-contained breathing apparatus.
Do not inhale explosion and combustion gases.

* **5.4. Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Cool endangered containers with water spray. Fire residues and contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6: Accidental release measures

* **6.1. Personal precautions, protective equipment and emergency procedures**

6.1.1. For non-emergency personnel

Personal precautions:

Avoid contact with eyes and skin.

Protective equipment:

Use personal protection equipment. See section 7 & 8.

6.1.2. For emergency responders

No data available

6.2. Environmental precautions

In case of spillage into water or sewage system, inform the competent authorities.
Do not allow to enter into surface water or drains.

* **6.3. Methods and material for containment and cleaning up**

For containment:

Prevent spread over a wide area (e.g. by containment or oil barriers). Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

For cleaning up:

Soak up inert absorbent and dispose as waste requiring special attention.

Other information:

Dispose of the ingested material in accordance with the regulations.

6.4. Reference to other sections

See section 7 for further information on safe handling.
For further information on personal protective equipment: see section 8.
For further information on disposal: see section 13.

SECTION 7: Handling and storage

* **7.1. Precautions for safe handling**

Protective measures

Advices on safe handling:
Use only in well-ventilated areas. Keep away from sources of ignition - No smoking.

Fire prevent measures:
Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Advices on general occupational hygiene
Keep only in the original container in a cool, well-ventilated place. Never use pressure to empty container. Do not allow to enter into surface water or drains.

* **7.2. Conditions for safe storage, including any incompatibilities**

Requirements for storage rooms and vessels:
Keep/Store only in original container. Store in a well-ventilated place. Keep container tightly closed.

Hints on storage assembly:
Not required.

Storage class (TRGS 510, Germany): 10 – Combustible liquids that cannot be assigned to any of the above storage classes

Further information on storage conditions:
Store in a cool, dry place in well-sealed containers. Protect from heat and direct sunlight. Store in a well-ventilated place.

7.3. Specific end use(s)

Recommendation:
Adhesives and sealants

SECTION 8: Exposure controls/personal protection

* **8.1. Control parameters**

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	① Long-term occupational exposure limit value ② Short-term occupational exposure limit value ③ Instantaneous value ④ Monitoring and observation processes ⑤ Remark
MAK (AT)	**2,6-di-tert-butyl-p-cresol** CAS No.: 128-37-0 EC No.: 204-881-4	① 10 mg/m³

8.1.2. Biological limit values
No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type ② Exposure route
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	3.5 mg/m³	① DNEL worker ② Long-term – inhalation, systemic effects
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.86 mg/m³	① DNEL Consumer ② Long-term – inhalation, systemic effects
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.5 mg/kg bw/day	① DNEL worker ② Long-term - dermal, systemic effects
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.25 mg/kg bw/day	① DNEL Consumer ② Long-term - dermal, systemic effects

Substance name	DNEL value	① DNEL type ② Exposure route
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.25 mg/kg bw/day	① DNEL Consumer ② Long-term - oral, systemic effects
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	6 mg/m³	① DNEL worker ② Long-term – inhalation, systemic effects

Substance name	PNEC Value	① PNEC type
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.199 µg/L	① PNEC aquatic, freshwater
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.17 mg/L	① PNEC sewage treatment plant
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	1.29 mg/kg bw/day	① PNEC sediment, freshwater
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	0.02 µg/L	① PNEC sediment, marine water
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	1.04 mg/kg bw/day	① PNEC soil
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	1.99 µg/L	① PNEC aquatic, intermittent release
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	0.0031 mg/L	① PNEC aquatic, freshwater
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	0.00031 mg/L	① PNEC aquatic, marine water
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	0.35 mg/L	① PNEC sewage treatment plant
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	0.023 mg/kg	① PNEC sediment, freshwater
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	0.0023 mg/kg	① PNEC sediment, marine water
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	0.0029 mg/kg	① PNEC soil
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	0.031 mg/L	① PNEC aquatic, intermittent release

*
8.2. Exposure controls

8.2.1. Appropriate engineering controls
Provide adequate ventilation as well as local exhaustion at critical locations.

8.2.2. Personal protection equipment



Eye/face protection:
Avoid contact with eyes. Eye glasses with side protection EN 166

Skin protection:
Hand protection:
Wear protective gloves. (EN 374)
Breakthrough times and swelling properties of the material must be taken into consideration.
NR (natural rubber, Natural latex) 0,5 mm; Breakthrough time: 480 min
Replace when worn. Preventive skin protection with skin protection ointment.

Body protection:
Avoid contact with skin, eyes and clothes.

Respiratory protection:
In case of inadequate ventilation wear respiratory protection.

Other protection measures:
General protective and hygienic measures:
The usual precautions when handling chemicals must be observed.
Wash hands before breaks and after work.

8.2.3. Environmental exposure controls
Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

*
9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid
Colour: blue
Odour: characteristic
flammability: No data available
Odour threshold: not determined

Safety relevant basis data

Parameter	Value	at °C	① Method ② Remark
pH	*not applicable*		② insoluble in: Water
Melting point	*No data available*		
Freezing point	*No data available*		
Initial boiling point and boiling range	*No data available*		
Flash point	> 100 °C		
Evaporation rate	*No data available*		
Auto-ignition temperature	*No data available*		
Upper/lower flammability or explosive limits	*No data available*		
Vapour pressure	*No data available*		
Vapour density	*No data available*		
Density	1.12 g/cm³	20 °C	
Bulk density	*not applicable*		
Water solubility	*No data available*		
Dynamic viscosity	4,000 – 9,000 mPa* s	25 °C	② Brookfield 3 / 2.5 rpm
Kinematic viscosity	*No data available*		

9.2. Other information
The product is not self-igniting. The product is not explosive.

SECTION 10: Stability and reactivity

10.1. Reactivity
No known hazardous reactions.

*
10.2. Chemical stability
The product is stable under storage at normal ambient temperatures.

* **10.3. Possibility of hazardous reactions**
Thermal decomposition can lead to the escape of irritating gases and vapours. Vapours can form explosive mixtures with air.

10.4. Conditions to avoid
No further relevant information available.

10.5. Incompatible materials
No further relevant information available.

10.6. Hazardous decomposition products
No known hazardous decomposition products.

SECTION 11: Toxicological information

* **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Toxicological information

Acute Toxicity Estimate for Mixtures
ATE (oral): >5,000 mg/kg
ATE (dermal): >2,000 mg/kg
ATE (inhalation, vapour): >50 mg/L
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4
LD_{50} oral: >2,930 mg/kg (Rat) OECD 401
LD_{50} dermal: >2,000 mg/kg (Rabbit) OECD 402
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7
ATE (dermal): 1,100 mg/kg
ATE (inhalation, vapour): 3 mg/L
ATE (inhalation, dust/mist): 0.5 mg/L
LD_{50} oral: 382 mg/kg (Rat)
LD_{50} dermal: 1,200 mg/kg (Rat)
LC_{50} Acute inhalation toxicity (vapour): 220 mg/L 4 h (Rat)
2-Phenylacetohydrazide CAS No.: 114-83-0 EC No.: 204-055-3
LD_{50} oral: 270 mg/kg (Mouse)

Acute oral toxicity:
Based on available data, the classification criteria are not met.

Acute dermal toxicity:
Based on available data, the classification criteria are not met.

Acute inhalation toxicity:
Based on available data, the classification criteria are not met.

Skin corrosion/irritation:
Based on available data, the classification criteria are not met.

Serious eye damage/irritation:
Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:
Based on available data, the classification criteria are not met.

Germ cell mutagenicity:
Based on available data, the classification criteria are not met.

Carcinogenicity:
Based on available data, the classification criteria are not met.

Reproductive toxicity:
Based on available data, the classification criteria are not met.

STOT-single exposure:
Based on available data, the classification criteria are not met.

STOT-repeated exposure:
Based on available data, the classification criteria are not met.

Aspiration hazard:
Based on available data, the classification criteria are not met.

Additional information:
May be harmful if swallowed, in contact with skin or if inhaled.

11.2. Information on other hazards

Endocrine disrupting properties:
None of the ingredients are included.

SECTION 12: Ecological information

*

12.1. Toxicity

2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4	
LC_{50}: >0.57 mg/L 4 d (fish, Brachydanio rerio) 84/449/EEC C.1	
NOEC: 0.053 mg/L (Oryzias latipes) OECD 210	
EC_{50}: 0.45 mg/L 2 d (crustaceans, Daphnia magna) OECD 202	
NOEC: 0.023 mg/L 21 d (crustaceans, Daphnia magna) OECD 202	
NOEC: 0.4 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus) 84/449/EEC C.3	
EC_{50}: >0.4 mg/L 3 d (Algae/water plant, Desmodesmus subspicatus) 84/449/EEC C.3	
EC_{50}: >10,000 mg/L OECD 209	
LC_{50}: 0.199 mg/L 4 d (fish, Oryzias latipes) OECD 203	
ErC_{50}: 0.758 mg/L 4 d (Algae/water plant, Raphidocelis subcapitat) OECD 201	
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7	
LC_{50}: 3.9 mg/L 4 d (Oncorhynchus mykiss) OECD 203	
EC_{50}: 18 mg/L 2 d (Daphnia magna) OECD 202	
ErC_{50}: 3.1 mg/L 3 d (Pseudokirchnerie lla subcapitata) OECD 201	

Aquatic toxicity:
No further relevant information available. Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4
Biodegradation: Yes, slowly

12.3. Bioaccumulative potential

2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4
Log K_{OW}: 5.1
Bioconcentration factor (BCF): > 2,000

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Polyethylene glycol dimethacrylate CAS No.: 25852-47-5
Results of PBT and vPvB assessment: —
2,6-di-tert-butyl-p-cresol CAS No.: 128-37-0 EC No.: 204-881-4
Results of PBT and vPvB assessment: —
α,α-Dimethylbenzylhydroperoxid CAS No.: 80-15-9 EC No.: 201-254-7
Results of PBT and vPvB assessment: —
2-Phenylacetohydrazide CAS No.: 114-83-0 EC No.: 204-055-3
Results of PBT and vPvB assessment: —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

*

12.6. Endocrine disrupting properties

This product does not contain any substance that exhibits endocrine disrupting properties towards non-target organisms, as no ingredient fulfills the criteria.

12.7. Other adverse effects
water hazard class 2: obviously hazardous to water

SECTION 13: Disposal considerations

* **13.1. Waste treatment methods**
Dispose of waste according to applicable legislation.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09

Waste treatment options

Appropriate disposal / Package:
Uncleaned packaging: Completely emptied packages can be recycled. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.2. UN proper shipping name			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.
14.3. Transport hazard class(es)			
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental hazards			
not relevant	not relevant	not relevant	not relevant
14.6. Special precautions for user			
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments
not applicable

SECTION 15: Regulatory information

* **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

15.1.1. EU legislation

Restrictions on use:
Restrictions on use (REACH, Annex XVII) entry 3, entry 75, entry 78
Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]: 0,456 % (5,111 g/l)
Not subject to the SEVESO III Directive.

15.1.2. National regulations
No data available

15.2. Chemical Safety Assessment
A chemical safety assessment has not been carried out.

* **15.3. Additional information**
Contains Polytetrafluoroethylene (PTFE)

SECTION 16: Other information

* 16.1. Indication of changes

1.1.	Product identifier
2.2.	Label elements
3.2.	Mixtures
4.3.	Indication of any immediate medical attention and special treatment needed
5.1.	Extinguishing media
5.2.	Special hazards arising from the substance or mixture
5.4.	Additional information
6.1.	Personal precautions, protective equipment and emergency procedures
6.3.	Methods and material for containment and cleaning up
7.1.	Precautions for safe handling
7.2.	Conditions for safe storage, including any incompatibilities
8.1.	Control parameters
8.2.	Exposure controls
9.1.	Information on basic physical and chemical properties
10.2.	Chemical stability
10.3.	Possibility of hazardous reactions
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
12.6.	Endocrine disrupting properties
13.1.	Waste treatment methods
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
15.3.	Additional information
16.1.	Indication of changes
16.2.	Abbreviations and acronyms

* 16.2. Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
DIN	German Institute for Standardization / German Industrial Standard
DNEL	derived no-effect level
EC_{50}	Effective Concentration 50%
EN	European Standard
ES	Exposure scenario
EWC	European Waste Catalogue
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Standards Organisation
KG	body weight
LC_{50}	Lethal (fatal) Concentration 50%
LD_{50}	Lethal (fatal) Dose 50%
MAK	Maximum concentration in the workplace air (CH)
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety & Health
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Cooperation and Development
OSHA	Occupational Safety & Health Administration
PBT	persistent and bioaccumulative and toxic

PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemicals
RID	Dangerous goods regulations for transport by rail
SCL	Specific concentration limit
TRGS	Technische Regeln für Gefahrstoffe
UN	United Nations
ZNS	central nervous system

16.3. Key literature references and sources for data
No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Hazardous to the aquatic environment *(Aquatic Chronic 3)*	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H242	Heating may cause a fire.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

16.6. Training advice
No data available

16.7. Additional information
To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

* Data changed compared with the previous version.