according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 **Print date:** 28 Nov 2025

Version: 3 Page 1/12



Seal Tech Finisher 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

Seal Tech Finisher 11

Article No.:

T579001

UFI:

0WP2-MNGA-340M-03GR

* 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

All-purpose (or multi-purpose) non-abrasive cleaners including degreasing agents (unless otherwise specified in other subcategories of cleaning products)

Relevant identified uses:

Process categories [PROC]

PROC 10: Roller application or brushing **PROC 11:** Non industrial spraying

1.3. Details of the supplier of the safety data sheet

Supplier:

KANDO Service GmbH

Hartleitnerstraße 3 4653 Eberstalzell

Austria

Telephone: +43 (0) 7241 213 79

E-mail: msds@kando.eu

1.4. Emergency telephone number

Vergiftungsinformationszentrale (VIZ), Stubenring 6, 1010 Wien, 24h: 01 406 43 43, Montag - Freitag: 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische Auskunft) (Only available during office hours.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	Calculation method.

* 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS07 Exclamation mark Signal word: Warning

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 **Print date:** 28 Nov 2025

Version: 3 Page 2/12



Seal Tech Finisher 11

Hazard components for labelling:

2-methyl-2H-isothiazol-3-one; 1,2-benzisothiazol-3(2H)-one

Hazard statements for health hazards	
H317	May cause an allergic skin reaction.

Supplemental hazard information: none

Precautionary statements Prevention	
P280	Wear protective gloves/protective clothing and eye protection/face protection.
•	

Precautionary statements Response	
P302 + P352	IF ON SKIN: Wash with plenty of water and soap.

* 2.3. Other hazards

Other adverse effects:

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 3: Composition/information on ingredients

* 3.2. Mixtures

Additional information:

Labelling for contents according to regulation (EC) No. 648/2004

< 5% anionic surfactants, Preservative (Benzisothiazolinone, Methylisothiazolinone, Methylchloroisothiazolinone/methylisothiazolinone)

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 68891-38-3 EC No.: 500-234-8 REACH No.: 01-2119488639-16	Alkyl Ether Sulfate C12-14, sodium salt Aquatic Chronic 3 (H412), Eye Dam. 1 (H318), Skin Irrit. 2 (H315) Danger Specific concentration limit (SCL) Eye Dam. 1; H318: 10% ≤ C < 100% Eye Irrit. 2; H319: 5% ≤ C < 10% Acute Toxicity Estimate ATE (oral) 2,000 - 5,000 mg/kg ATE (dermal) > 2,000 mg/kg	1 - < 5 %
CAS No.: 2634-33-5 EC No.: 220-120-9 REACH No.: 01-2120761540-60	1,2-benzisothiazol-3(2H)-one Acute Tox. 4 (H302), Aquatic Acute 1 (H400), Eye Dam. 1 (H318), Skin Irrit. 2 (H315), Skin Sens. 1 (H317) Danger Specific concentration limit (SCL) Skin Sens. 1; H317: 0.036% ≤ C < 100% Acute Toxicity Estimate ATE (oral) 500 mg/kg ATE (dermal) > 2,000 mg/kg ATE (inhalation, vapour) 0.5 mg/L ATE (inhalation, dust/mist) 0.05 mg/L	< 0.005 %

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 Print date: 28 Nov 2025

Version: 3 Page 3/12



Seal Tech Finisher 11

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 2682-20-4	2-methyl-2H-isothiazol-3-one	< 0.005
EC No.: 220-239-6	Acute Tox. 2 (H330), Acute Tox. 3 (H311, H301),	%
Index No.: 613-326-00-9	Aquatic Acute 1 (H400), Aquatic Chronic 1 (H410), Eye Dam. 1 (H318), Skin Corr. 1B (H314), Skin Sens. 1A (H317)	
	Danger EUH071	
	M-factor (acute): 10 M-factor (chronic): 1	
	Specific concentration limit (SCL)	
	Skin Sens. 1A; H317: C ≥ 0.0015%	
	Acute Toxicity Estimate	
	ATE (oral) 100 mg/kg	
	ATE (dermal) 300 mg/kg	
	ATE (inhalation, vapour) 0.5 mg/L	
	ATE (inhalation, dust/mist) 0.05 mg/L	
	Additional information: EUH071	

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

Remove contaminated, saturated clothing immediately.

Following inhalation:

Provide fresh air.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water.

Following ingestion:

Rinse mouth immediately and drink 1 glass of of water.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet, alcohol resistant foam, Carbon dioxide (CO2), Extinguishing powder

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide (CO2), Carbon monoxide

5.3. Advice for firefighters

Adapt fire extinguishing measures to the surroundings.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 Print date: 28 Nov 2025

Version: 3 Page 4/12



Seal Tech Finisher 11

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Ventilate affected area.

6.1.2. For emergency responders

Personal protection equipment:

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up:

Treat the recovered material as prescribed in the section on waste disposal.

Other information:

Collect in closed and suitable containers for disposal. Ventilate affected area.

6.4. Reference to other sections

See section 7 for further information on safe handling.

For further information on personal protective equipment: see section 8.

For further information on disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Avoid contact with skin, eyes and clothes. Do not mix with other chemicals. Use personal protection equipment. Do not eat, drink or smoke when using this product. Do not breathe gas/fumes/vapour/spray. Use only outdoors or in a well-ventilated area.

Fire prevent measures:

No special fire protection measures are necessary.

Advices on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels:

Keep container tightly closed.

Hints on storage assembly:

No special measures are necessary.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

Recommendation:

Cleaning agent

GISCODE:

GU 70

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 **Print date:** 28 Nov 2025

Version: 3 Page 5/12



Seal Tech Finisher 11

SECTION 8: Exposure controls/personal protection

* 8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
MAK (AT)	2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6	① 0.05 mg/m³ ⑤ Sh

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

Substance name	DNEL value	① DNEL type	
		② Exposure route	
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	6.81 mg/m ³	DNEL worker Long-term - inhalation, systemic effects	
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	1.2 mg/m³	DNEL worker Long-term – inhalation, systemic effects	
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.966 mg/kg	① DNEL worker ② Long-term - dermal, systemic effects	
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.345 mg/kg	DNEL worker Long-term - dermal, systemic effects	

Substance name	PNEC Value	① PNEC type
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.00403 mg/L	① PNEC aquatic, freshwater
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.000403 mg/ L	① PNEC aquatic, marine water
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.0499 mg/kg	① PNEC sediment, freshwater
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.00499 mg/ kg	① PNEC sediment, marine water
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	3 mg/kg	① PNEC soil
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9	0.0011 mg/L	① PNEC aquatic, intermittent release

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No further relevant information available.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 **Print date:** 28 Nov 2025

Version: 3 Page 6/12



Seal Tech Finisher 11

8.2.2. Personal protection equipment





Eye/face protection:

Wear eye protection/face protection. EN 166

Skin protection:

Hand protection:

Tested protective gloves must be worn EN ISO 374

Suitable material: NBR (Nitrile rubber)

Breakthrough time: >10min

Thickness of the glove material >=0,1 mm

A list of suitable makes with detailed information on wearing time is available on request.

Diluted application solutions <= 1%:

Protective gloves may be dispensed with, provided equivalent protective measures are taken, taking into account increased skin exposure due to wet work (e.g. use of suitable skin protection ointments).

Body protection:

Wear suitable work clothing.

Respiratory protection:

When using the HD method or spraying over large areas: combination filter A1/P2 (EN 143, EN 14387).

Thermal hazards:

No further relevant information available.

Other protection measures:

Wear suitable work clothing.

8.2.3. Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Form: Liquid

Colour: colourless **Odour:** characteristic

flammability: No data available Safety relevant basis data

Parameter	Value	at °C	① Method
			② Remark
рН	7.5 - 8	20 °C	
Melting point	≈ 0 °C		
Freezing point	≈ 0 °C		
Initial boiling point and boiling range	≈ 100 °C		
Flash point	No data available		
Evaporation rate	No data available		
Auto-ignition temperature	No data available		
Upper/lower flammability or explosive limits	No data available		
Vapour pressure	No data available		
Vapour density	No data available		
Density	1 g/cm³	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible	20 °C	
Partition coefficient: n-octanol/water	not applicable		

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 **Print date:** 28 Nov 2025

Version: 3 Page 7/12



Seal Tech Finisher 11

Parameter	Value		① Method② Remark
Dynamic viscosity	< 10 mPa* s	25 °C	② (50 1/s)
Kinematic viscosity	No data available		

9.2. Other information

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No known hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

* 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Alkyl Ether Sulfate C12-14, sodium salt CAS No.: 68891-38-3 EC No.: 500-234-8			
LD₅₀ oral: 2,000 – 5,000 mg/kg (Rat) OECD 401			
LD ₅₀ dermal: >2,000 mg/kg (Rat) OECD 402			
1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9			
ATE (inhalation, vapour): 0.5 mg/L			
ATE (inhalation, dust/mist): 0.05 mg/L			
LD₅₀ oral: 500 mg/kg (Rat)			
LD₅₀ dermal: >2,000 mg/kg (Rat)			
LC ₅₀ Acute inhalation toxicity (dust/mist): >5 mg/L			
2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6			
ATE (inhalation, vapour): 0.5 mg/L			
ATE (inhalation, dust/mist): 0.05 mg/L			
LD₅₀ oral: 100 mg/kg (Rat)			
LD ₅₀ dermal: 300 mg/kg (Rat)			
LC ₅₀ Acute inhalation toxicity (vapour): 0.5 mg/L ATE			

Acute oral toxicity:

Based on available data, the classification criteria are not met.

LC₅₀ Acute inhalation toxicity (dust/mist): 0.05 mg/L ATE

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 Print date: 28 Nov 2025

Version: 3 Page 8/12



Seal Tech Finisher 11

Respiratory or skin sensitisation:

May cause an allergic skin reaction.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Additional information:

No further relevant information available.

11.2. Information on other hazards

Endocrine disrupting properties:

None of the ingredients are included.

SECTION 12: Ecological information

* 12.1. Toxicity

Alkyl Ether Sulfate C12-14, sodium salt	CAS No · 68891-38-3	FC No : 500-234-8

EC₅₀: 1 - 10 mg/L 3 d (Algae/water plant) OECD 202

EC₅₀: 10 - 100 mg/L 2 d (crustaceans) OECD 202

LC₅₀: 7.1 mg/L 4 d (Fish (not specified)) OECD 203

EC₅₀: 7.4 mg/L 2 d (crustaceans, Daphnia magna) OECD 202

NOEC: 0.14 mg/L 28 d (Oncorhynchus mykiss) OECD 215

NOEC: 0.95 mg/L 3 d (Scenedesmus subspicatus) OECD 201

NOEC: 0.27 mg/L 21 d (crustaceans, Daphnia magna) OECD 211

ErC₅₀: 27.7 mg/L 3 d (Scenedesmus subspicatus) OECD 201

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

 LC_{50} : >0.1 - 1 mg/L 4 d (fish)

EC₅₀: > 0.1 - 1 mg/L 2 d (crustaceans)

EC₅₀: >0.1 - 1 mg/L 3 d (Algae/water plant)

2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6

NOEC: 2.38 mg/L (fish, Pimephales promelas (fathead minnow))

NOEC: 0.03 mg/L (Algae/water plant, Pseudokirchneriella subcapitata)

NOEC: 0.55 mg/L (crustaceans, Daphnia magna (Big water flea))

* 12.2. Persistence and degradability

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Biodegradation: Yes, slowly

2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6

Biodegradation: Yes, slowly

Remark: Not readily biodegradable (according to OECD criteria).

Biodegradation:

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 Print date: 28 Nov 2025

Version: 3 Page 9/12



Seal Tech Finisher 11

* 12.3. Bioaccumulative potential

 Alkyl Ether Sulfate C12-14, sodium salt
 CAS No.: 68891-38-3
 EC No.: 500-234-8

 Log Kow: 3.9
 1,2-benzisothiazol-3(2H)-one
 CAS No.: 2634-33-5
 EC No.: 220-120-9

 Log Kow: 1.45

Bioconcentration factor (BCF):

No indication of bioaccumulation potential.

Partition coefficient: n-octanol/water:

not applicable

12.4. Mobility in soil

The product has not been tested.

$f * \mid$ 12.5. Results of PBT and vPvB assessment

Alkyl Ether Sulfate C12-14, sodium salt CAS No.: 68891-38-3 EC No.: 500-234-8

Results of PBT and vPvB assessment: —

1,2-benzisothiazol-3(2H)-one CAS No.: 2634-33-5 EC No.: 220-120-9

Results of PBT and vPvB assessment: —

2-methyl-2H-isothiazol-3-one CAS No.: 2682-20-4 EC No.: 220-239-6

Results of PBT and vPvB assessment: —

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

* 12.7. Other adverse effects

water hazard class 1: slightly hazardous to water

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste according to applicable legislation. Delivery to an approved waste disposal company.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

07 06 01 * aqueous washing liquids and mother liquors

*: Evidence for disposal must be provided.

Waste code packaging

15 01 02 Plastic packaging

Waste treatment options

Appropriate disposal / Package:

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	(ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or	14.1. UN number or ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.2. UN proper shipping name				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 **Print date:** 28 Nov 2025

Version: 3 Page 10/12



Seal Tech Finisher 11

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.3. Transport haza	rd class(es)		
not relevant	not relevant	not relevant	not relevant
14.4. Packing group			
not relevant	not relevant	not relevant	not relevant
14.5. Environmental	hazards	•	
not relevant	not relevant	not relevant	not relevant
14.6. Special precau	tions for user		_
not relevant	not relevant	not relevant	not relevant

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Restrictions on use:

Use restriction according to REACH annex XVII, no.: Entry 3, Entry 75

Other regulations (EU):

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]: This product is not assigned to a hazard category.

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds:

Volatile organic compounds (VOC) content in percent by weight: 0 Vol-%

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out.

15.3. Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

SECTION 16: Other information

16.1. Indication of changes

1.2.	Relevant identified uses of the substance or mixture and uses advised against
2.2.	Label elements
2.3.	Other hazards
3.2.	Mixtures
8.1.	Control parameters
11.1.	Information on hazard classes as defined in Regulation (EC) No 1272/2008
12.1.	Toxicity
12.2.	Persistence and degradability
12.3.	Bioaccumulative potential
12.5.	Results of PBT and vPvB assessment
12.7.	Other adverse effects
16.4.	Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]
16.5.	List of relevant hazard statements and/or precautionary statements from sections 2 to 15

16.2. Abbreviations and acronyms

ACGIH Ame	rican Conference	of Governmental	Industrial Hygienists
-----------	------------------	-----------------	-----------------------

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 **Print date:** 28 Nov 2025

Version: 3 Page 11/12



Seal Tech Finisher 1

BCF Bioconcentration Factor CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging

DIN German Institute for Standardization / German Industrial Standard

DNEL derived no-effect level EC₅₀ Effective Concentration 50%

EN European Standard ES Exposure scenario

EWC European Waste Catalogue

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods
IMO International Maritime Organization

KG body weight

LC₅₀ Lethal (fatal) Concentration 50%

LD₅₀ Lethal (fatal) Dose 50%

MAK Maximum concentration in the workplace air (CH)

NFPA National Fire Protection Association

NIOSH National Institute for Occupational Safety & Health

NOEC No Observed Effect Concentration

OECD Organisation for Economic Cooperation and Development

OSHA Occupational Safety & Health Administration persistent and bioaccumulative and toxic

PNEC Predicted No Effect Concentration

PROC Process Category

REACH Registration, Evaluation and Authorization of Chemicals RID Dangerous goods regulations for transport by rail

SCL Specific concentration limit

TRGS Technische Regeln für Gefahrstoffe

UN United Nations

VOC Volatile organic compounds ZNS central nervous system

16.3. Key literature references and sources for data

No data available

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Respiratory or skin sensitisation (Skin Sens. 1)	H317: May cause an allergic skin reaction.	Calculation method.

* 16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard statements	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

according to Regulation (EC) No. 1907/2006 (REACH), (EU) 2020/878

Revision date: 28 Nov 2025 **Print date:** 28 Nov 2025

Version: 3 Page 12/12



Seal Tech Finisher 11

Hazard statements		
H412 Harmful to aquatic life with long lasting effects.		
Supplemental hazard information		
EUH071	Corrosive to the respiratory tract.	

16.6. Training advice

No data available

16.7. Additional information

To the best of our knowledge, the information contained herein is accurate. However, neither the above-mentioned supplier nor its subsidiaries assume any liability with regard to the correctness or completeness of the information provided. A final determination of the suitability of individual materials is the sole responsibility of the user. All materials may involve unknown risks and should be used with caution. While certain risks are described herein, we cannot guarantee that these are the only possible risks.

* Data changed compared with the previous version.