

SSG

THICK SOLVENT FOR CHEMICAL SOILING

- Does not run or drip
- Long working time
- Does not leave a film



SAFETY CLEAN GEL

GENERAL INFORMATION

SAFETY CLEAN GEL is a safe and versatile degreaser in gel form also for use in vertical applications. It removes adhesives, sealants, silicones, oil, grease, wax, tar, paraffin, printing ink, etc.

SAFETY CLEAN

GEL is aliphatic hydrocarbon solvent with the addition of lime extracts and is safe for use on most materials such as painted surfaces, vinyl, glass, rubber, formica, textiles, most synthetic materials, etc.

TECHNICAL INFORMATION AND PACKAGING

Composition: aliphatic hydrocarbon solvent, binder and citrus extracts.

Boiling point/boiling range °C: 130 - 166.

Vapour pressure/20°C hPa: 4.6.

Relative density/20°C: 0.75.

Physical state/20°C: liquid.

Flash point °C: 24.

Spontaneous combustion °C: 200.

Water solubility: insoluble.

Odour: distinctive.

Dynamic viscosity mPa.s/20°C: 1.

Kinematic viscosity mm²/s/20°C: 1.

Volatile organic compound (VOC) %: 100.


Volatile organic compound (VOC) g/l: 710.

For specific technical information per packaging please read the safety data sheet.

APPLICATION AND USE

- INSTRUCTIONS FOR USE
Apply to the surface to be cleaned and allow to work in depending on the degree of soiling.
Rob off the loosened soiling.
Repeat if necessary.

Article nr	Name	Content	Section
N683801	Safety Clean Gel	500ml	CLEANERS AND DEGREASERS



NOTICE

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Novatio is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Novatio products provide, relates only to the standard conditions of sale of this product. In no case Novatio can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.

