

## **SBFT**

#### **DOUBLE-SIDED FOAM TAPE**

- Double-sided foam tape with a closed cellular polyethylene foam.
- · Very high immediate adhesive power.
- Large tearing strength.
- Very good temperature resistance.



# **SEAL & BOND FOAMTAPE**

#### **GENERAL INFORMATION**

SEAL & BOND FOAMTAPE is a double -sided tape that is made up of a white, closed polyethylene foam, covered

with acrylate glue.

SEAL & BOND FOAMTAPE has a high immediate adhesive power and very good anti-tearing strength.

#### **TECHNICAL INFORMATION AND PACKAGING**

Glue: modified acrylate.

Foam: closed cellular polyethylene. Protective foil: blue silicone paper.

Density: 55 kg/m3 Adhesive power:

- 18N/25 mm after 1 minute

- 19N/25 mm after 20 minutes.

Temperature resistance: -40  $^{\circ}$ C to +100  $^{\circ}$ C.

Application temperature: +15 °C to +30 °C.

Thickness: 3mm. Length: 25 meter.

First test foundations based on PE, PP, silicones and

bitumen for adhesion (see each tape).

Shelf life: 24 months, keep dry, cool and frost-proof. Safety measures: consult the Safety Data Sheet.

#### **APPLICATION AND USE**

• assembly of name-plates, letters, decorative strips, emblems, plexiglass, mirrors, displays, ...

• ideal for third hand with vertical gluing

Article nr	Name	Content	Section
N550368	Seal & Bond Foamtape white 12 x 3mm	1pc.	TAPES
N550369	Seal & Bond Foamtape black 12 x 3mm	1pc.	TAPES







### NOTICE

All information including images are given with the greatest care. Still, it is appropriate to users regardless of the test the suitability of each product for their own purposes. Novatio is not liable for the completeness and accuracy of information and refuses warranty for your specific use. The guarantee, which Novatio products provide, relates only to the standard conditions of sale of this product. In no case Novatio can be held responsible for incidental damages, or damages for improper use or sale of the product to another customer.



